

HEALTHCARE



Meal Delivery System – The Shoreline Collection

A contemporary look, high performance, and unequalled safety at a budget-friendly price. The heart of the system is a thermal pellet that

- Holds heat at its core to keep hot foods at safe temperatures.
- Stays 20°F cooler on the edge than metal pellets to protect staff and patients from burns.

- Will yield best results when heated in a Camtherm® convection pellet heater.
- Is a high-density plastic composite that won't dent like metal pellets.
- Holds a 9" plate.

Colors: Cranberry (487), Navy Blue (497), Speckled Gray (480), Black (110).

Thermal Pellet Color: Dark Gray (477).

Capacities calculated to rim.

MDS9, MDSPL and MDSPLT9 not NSF.

See Tray Section for full summary of size, shapes and colors.



Mug features ergonomically-correct handle that fits three fingers.

Shoreline – Cranberry (487)



Suggested Tray Colors:



Shoreline – Black (110)




Suggested Tray Colors:



Shoreline – Navy Blue (497)




Suggested Tray Colors:



Shoreline – Speckled Grey (480)



Suggested Tray Colors:



Non-Skid Versa Camtrays®

- Non-Skid Trays reduce waste, save money and provide a stable tray surface for meal delivery.
- Switching from paper tray mats will generate annual savings of over 50%.
- Your Green Initiatives will get rapid results with the elimination of up to 10 tons of trash each year.
- Non-Skid Camtrays provide a better grip for safer meal delivery.
- Dishwasher safe in low and high temperatures.
- Stacking lugs allow for quick drying.

Camtray and Dietary Tray Colors:

Black with Pebbled Black (382), Pearl Gray with Titan (381), Ivory with Sahara (380).

Century Camtray Colors: Pearl Gray with Titan (381), Ivory with Sahara (380).



Personalization available. Visit www.cambro.com for details.



Versa Dietary Camtray



Non-skid trays grip table top items firmly.

CODE	DESCRIPTION	DIMENSIONS	CASE LBS. (CUBE)
1418VC	Non-Skid Versa Camtray	14" x 18"	20.74 (0.69)
1520VC	Non-Skid Versa Camtray	15" x 20"	26.05 (0.61)
1622VC*	Non-Skid Versa Camtray	16" x 22"	31.8 (1.11)
1418VDC	Non-Skid Versa Dietary Tray	14" x 18"	20.45 (0.75)
1520VDC	Non-Skid Versa Dietary Tray	15" x 20"	26.9 (0.74)
1418VCC	Non-Skid Versa Century Camtray	14" x 18"	20.4 (0.55)
1520VCC	Non-Skid Versa Century Camtray	15" x 20"	26.32 (0.92)

Case Pack: 12

*1622VC is not available in Black with Pebbled Black (382).

Visit www.cambro.com/savemoney for a Customized Savings Calculator!

Non-Skid Versa Camtrays for Room Service

- Ergonomic handles allow for safe and elegant meal delivery.
- Trays fit within existing meal delivery carts that accommodate 15" x 20" trays.
- Non-skid surface eliminates the need for tray mats saving time and money.
- Dishwasher-safe at high and low temperatures.
- Stacking lugs allow for quick drying.

Room Service Tray Colors:

Black with Pebbled Black (382), Pearl Gray with Titan (381), Ivory with Sahara (380).



Personalization available. Visit www.cambro.com for details.



CODE	DESCRIPTION	DIMENSIONS	CASE LBS. (CUBE)
1520VCRST	Room Service Non-Skid Camtray	15" x 20"	28 (0.92)

Case Pack: 12 InStock Colors: Black with Pebbled Black (382), Pearl Gray with Titan (381).

Camduction® Complete Heat System – The Heat Retention Solution

The new standard of meal delivery systems, the Camduction Complete Heat System is designed to perform consistently under the most demanding conditions of healthcare foodservice.

Camduction Charger Cart and Camduction have NSF components.

MDSCDCP9, MDSCDCB9, MDSCDB9 and MDSCDP9 are covered by U.S. Patent D 630, 8975

Camduction Charger comes with 1 year warranty.



Heat up to 20 Camduction Bases or Pellets at once.

A heated base is ready every 12 seconds.*

Camduction Cart is designed to hold and transport the Camduction Charger.


Adjustable shelves for proper height placement for any foodservice operator.



Unit exterior is cool to the touch.

Camduction Charger is made of high-grade, durable stainless steel.

Revolutionary technology eliminates errors or issues with spikes in voltage.



Test performed with heated plate, dome, and Camduction Base.

CODE	MDSCDCB9
DESCRIPTION	Camduction Base Charger**
NUMBER OF STACKS	2
CAPACITY	20 Bases
OVERALL DIMENSIONS (W x D x H)	30" x 18 ⁷ / ₈ " x 34 ³ / ₈ "
VOLTAGE/PHASE	208-240 VAC, Single Phase
AMPS	24.9 (MAX)
HZ	50/60
PLUG CONFIGURATION	NEMA L6-30P
ELECTRICAL CORD	6 feet
HEAT UP TIME PER BASE/PELLET	12 seconds*
ALL INDICATOR LIGHTS	LED
PRODUCT WEIGHT	108 lbs.
CASE LBS (CUBE)	157 (20.38)

Case Pack: 1 Color: Stainless Steel (000). *12 seconds at 220V. **Charger for Camduction Pellet (Model MDCSDSP9) also available.

Camduction Bases and Pellets

- Camduction Bases and Pellets are durable and dishwasher safe.
- Resistant to chips, cracks, and breaks.
- Revolutionary technology eliminates errors or issues with spikes in voltage.
- 2 year pro-rated warranty on Bases and Pellets.



Camduction Base



Camduction Pellet

Camtherm® Plate Heater and Pellet Heater




- Unmatched consistency and durability from the premier name in foodservice.
- Plate heater holds up to 100 plates and Pellet heater holds up to 80 pellets.
- Smart, dual-lid design conserves heat and energy by opening separately from each other.



CHPEL80

CHPL100

Food Temperature Retention*



* Test performed with heated Cambro plate, pellet, underliner and dome.

CODE	CHPEL80	CHPL100
DESCRIPTION	Pellet Heater	Plate Heater
NUMBER OF STACKS	2	2
CAPACITY	80 pellets (40 in each stack)	100 plates (50 in each stack)
OVERALL DIMENSIONS	Width 36½" Depth 25¼" Height 46¼"	Width 36½" Depth 25¼" Height 46¼"
Electrical Specifications		
VOLTAGE/PHASE	208/240 VAC	208/240 VAC
AMPS	15	15
WATTS	3500	3500
HZ	50/60	50/60
ELECTRICAL CORD	6 Feet	6 Feet
NEMA PLUG CONFIGURATION	NEMA 6-15	NEMA 6-15
FACTORY SET TEMPERATURE	270 – 290°F	150 – 170°F
PRODUCT WEIGHT	248 lbs.	248 lbs.
CASE LBS (CUBE)	330 (37.38)	330 (37.38)

Case Pack: 1 Color: Stainless Steel (000).

Consistency



- Even, convection heating from top to bottom of each silo with two blowers and two heating elements.
- Self-leveling dispenser - plates and pellets dispense at the top of the opening, no matter if there are 2 plates or 50 plates.
- Plate retains safe-holding temperatures for at least 1 hour.*

Efficiency



- Insulated to keep plates or pellets hot while keeping the exterior cool to the touch.
- High-temperature silicon gasket and magnetic closers provide a locking seal that retains heat.

Durability



- Ergonomic, heavy-duty lid handles stay cool and offer a good grip.
- Stainless steel components ensure a rust-free environment.
- Wrap-around 1½" thick high-density polyethylene black bumper for added protection.
- Four 5" casters, two rigid and two swivel with brakes.

Meal Delivery Ware

Refer to Meal Delivery System page for colors

Camduction® Complete Heat System

Our most efficiency heat retention solution.



Base



Pellet



CODE	MDS9	MDSL9	MDSPL9
DESCRIPTION	Insulated Dome	Low Profile Insulated Dome	Ceramic Plate
APPROX. CAPACITY	9" plate	9" plate	—
OUTSIDE DIAMETER	10 ³ / ₁₆ "	10 ³ / ₁₆ "	9"
INSIDE HEIGHT	2 ⁷ / ₈ "	2 ³ / ₄ "	1"
FULL-SIZE CAMRACK®	PR59314	PR59314	PR314
CASE PACK	12	12	24
CASE LBS. (CUBE)	10.75 (1.43)	9.78 (1.11)	38.80 (0.81)

MDSPL9 Color: Ivory (000). MDSPL9 Sold by case only.
 MDSCDCP9, MDSCDCB9, MDSCDB9 and MDSCDP9 are covered by U.S. Patent D 630, 8975.



CODE	MDSCDB9	MDSCDP9	MDSCDL9
DESCRIPTION	Camduction Base	Camduction Pellet	Camduction Pellet Underliner
APPROX. CAPACITY	9" plate	9" plate	Camduction Pellet
OUTSIDE DIAMETER	9 ⁷ / ₇ "	7 ¹ / ₂ "	9 ⁵ / ₈ "
HEIGHT	1 ⁸ / ₉ "	3 ⁴ / ₄ "	1 ⁵ / ₇ "
FULL-SIZE CAMRACK®	CRP9911	CRP2878	—
CASE PACK	12	12	12
CASE LBS. (CUBE)	32.5 (0.71)	21.75 (0.32)	5.93 (0.64)

MDSCDB9 for use with MDSCDCB9. MDSCDP9 for use with MDSCDCP9.

Camtherm® Thermal Pellet System

The perfect choice for maximum heat retention.



CODE	MDS9	MDSL9	MDSL9	MDSPL9	MDSP9
DESCRIPTION	Insulated Dome	Low Profile Insulated Dome	Pellet Underliner	Ceramic Plate	Thermal Pellet
APPROX. CAPACITY	9" plate	9" plate	9 ¹ / ₂ " pellet	—	9" plate
OUTSIDE DIAMETER	10 ³ / ₁₆ "	10 ³ / ₁₆ "	9 ¹ / ₁₆ "	9"	9 ¹ / ₂ "
HEIGHT	2 ⁷ / ₈ "	2 ³ / ₄ "	1 ¹³ / ₁₆ "	1"	1 ³ / ₄ "
FULL-SIZE CAMRACK®	PR59314	PR59314	PR59314	PR314	PR59314
CASE PACK	12	12	12	24	12
CASE LBS. (CUBE)	10.75 (1.43)	9.78 (1.11)	5.25 (0.47)	38.80 (0.81)	29.90 (0.64)

MDSP9 Color: Dark Gray (477). MDSPL9 Color: Ivory (000). MDSPL9 Price per case. MDSP9 for use with CHP80.

Heat Keeper Insulated Base System

The cost-effective solution for heat retention.




CODE	MDS9	MDSL9	MDSPL9	HK39B
DESCRIPTION	Insulated Dome	Low Profile Insulated Dome	Ceramic Plate	Insulated Base
APPROX. CAPACITY	9" plate	9" plate	—	9" pellet
OUTSIDE DIAMETER	10 ³ / ₁₆ "	10 ³ / ₁₆ "	9"	9 ⁵ / ₈ "
HEIGHT	2 ⁷ / ₈ "	2 ³ / ₄ "	1"	4 ⁵ / ₈ "
FULL-SIZE CAMRACK®	PR59314	PR59314	PR314	—
CASE PACK	12	12	24	12
CASE LBS. (CUBE)	10.75 (1.43)	9.78 (1.11)	38.80 (0.81)	7.45 (0.79)


MDSPL9 Color: Ivory (000). HK39B Colors: Black (110), Cranberry (487), Navy Blue (497), Speckled Gray (480). MDSPL9 Price per case.

Low Profile Dome Comparison

Perfect for limited tray spacing



Insulated Dome



Low Profile Insulated Dome

Camduction® Cart for Charger



Camtherm® Pellet Lifter



Safely lift hot, thermal pellets or plates with the Cambro Pellet Lifter.



CODE	MDSDCCPKG480*
DESCRIPTION	Camduction Cart for Charger
APPROX. CAPACITY L x W x H	36" x 24" x 35"
CASE LBS. (CUBE)	54.8 (2.32)
CASE PACK	1

Color: Speckled Gray (480).
* Ships in 4 separate cartons.

CODE	MDSPL
DESCRIPTION	Pellet Lifter
APPROX. CAPACITY	—
OUTSIDE DIAMETER	3 7/8"
HEIGHT	3"
FULL-SIZE CAMRACK®	—
CASE PACK	1
CASE LBS. (CUBE)	0.4 (0.03)
MDSPL Color: (000).	

Accessories



CODE	MDSM8	MDSB5	MDSB9	MDSB16
DESCRIPTION	Mug	Sm. Bowl	Lg. Bowl	Entree Bowl
APPROX. CAPACITY	8 oz.	5 oz.	9 oz.	16 oz.
OUTSIDE DIAMETER	3 1/2" *	3 1/2"	4 3/8"	5 1/4"
HEIGHT	4"	2 3/8"	2 3/8"	2 3/8"
FULL-SIZE CAMRACK®	16C414	16C414	9S318	9S318
CASE PACK	48	48	48	48
CASE LBS. (CUBE)	11.5 (1.55)	7.4 (0.94)	10.07 (1.4)	17 (2.29)

* MDSM8 Diameter 4 1/2" with Handle.

Refer to Meal Delivery System page for colors

Reusable CamLids® for Meal Delivery Systems

- Save up to 75% in lid costs each year.
- Reduce your waste-stream by tons each year when you switch from disposables to reusables.*
- Dishwasher safe.

*Based on 100 bed facility using 3 disposable lids for 3 meals daily.

Reusable Lids Colors: Speckled White (490), Midnight Blue (453).

Camrack Wash and Store Rack Color: Kelly Green (452).

Camrack Base Full Size InStock Color: Soft Gray (151).

Full Rack Cover InStock Color: Gray (180).

CLRWSR36 is covered under U.S. patent D 617,069.

Full Rack Cover not NSF certified.



Camrack® Wash and Store Rack

Specifically designed for safely and securely washing and storing Reusable CamLids. Each Camrack Wash and Store Rack holds 36 Reusable CamLids.



Wash and Store Racks in Full Size Base Rack.



CODE	DESCRIPTION	DIMENSIONS H x DIA.	CASE LBS. (CUBE)	CASE PACK
Reusable CamLids				
CLRSM8B5	Fits Shoreline 8 oz. mug and 5 oz. bowl	3/4" x 3 3/4"	5.17 (0.91)	240
CLRSB9	Fits Shoreline 9 oz. bowl	3/4" x 4 2/3"	8.26 (1.41)	240
CLRSB16	Fits Shoreline 16 oz. bowl	3/4" x 5 1/2"	9.37 (1.41)	240
Accessories		L x W x H		
CLRWSR36	Camrack Wash and Store Rack for Reusable Lids	8 1/4" x 18" x 5 1/2"	4.21 (1.27)	4
BR578	Camrack Full Size Base Rack with 2 extenders	19 3/4" x 19 3/4" x 7 1/4"	22.5 (6.93)	4
DRC2020	Full Rack Cover	19 3/8" x 19 3/8" x 15 1/16"	4.2 (0.34)	1

Reusable CamLids sold in cases only. No broken cartons.

Visit www.cambro.com/savemoney for a Customized Savings Calculator!


Camshelving® Drying and Storage Cart

- Keeps trayline and dishwashing areas organized and efficient.
- Cradles made of stainless steel.
- Shelving posts and traverses feature a steel core with a smooth polypropylene exterior.
- Cradles are removable and fit into a Camrack® base rack for dishwasher service.
- Dome Drying Rack holds 100 each 10" domes and/or pellet underliners.
- Camduction Base Drying Rack holds 180 each Camduction Bases and/or Pellets.

Color:
Cart - Speckled Gray (480)
Cradle - Stainless Steel (000).



MSDDCPKG480



CSDDCPKG480

CODE	DESCRIPTION	DIMENSIONS L x W x H	CASE LBS. (CUBE)
CSDDCPKG480*	Dome Drying and Storage Cart	36" x 18" x 75"	114.0 (10.23)
MSDDCPKG480**	Camduction Pellet and Base Drying and Storage Cart	48" x 18" x 75"	143.5 (16.13)
CSDC	Dome Drying Cradle	17 1/4" x 10" x 16"	4.5 (1.89)

Case Pack: 1

*Ships in 3 cartons, Carton 1: 2 Post Kits, 10 Traverses and 4 Casters, Carton 2: Set of 5 Drying Cradles, Carton 3: Set of 5 Drying Cradles.

**Ships in 7 cartons.

1.800.833.3003

Disposable CamLids® for Shoreline



New!



LID CODE	CLSM8B5	CLSB9	CLSB16	CLSSM8B5
DESCRIPTION	Sm. Disp. Lid	Lg. Disp. Lid	Disp. Entree Bowl Lid	Disp. Sip. Lid
FITS	MDSB5, MDSM8	MDSB9	MDSB16	MDSB5, MDSM8
OUTSIDE DIAMETER	3½"	4¾"	5½"	3½"
HEIGHT	¾"	¾"	¾"	1¼"
CASE PACK	1,500	1,000	1,000	1,000
CASE LBS. (CUBE)	7.74 (2.43)	7.1 (2.1)	13 (2.49)	7.07 (2.08)

CLSM8B5, CLSB9 and CLSB16 Color: Translucent (190). CLSSM8B5 Color: White (148).

Cases only. No broken cartons.

Disposable CamLids® for Tumblers and Bowls



Disposable Lids for Newport Tumblers

LID CODE	CLNT5	CLNT8	CLNT10	CLNT12	CLNT20
FITS TUMBLER	NT5	NT8	NT10	NT12	NT20
TUMBLER CAPACITY	6.4 oz.	8 oz.	10 oz.	12.6 oz.	20 oz.
CASE PACK	1,500	1,000	1,000	1,000	1,500
CASE LBS. (CUBE)	6 (1.07)	5 (0.85)	5 (1.0)	5 (0.98)	9 (1.9)

Color: Translucent (190). Cases only. No broken cartons.



Disposable Lids for Laguna® Tumblers

LID CODE	CLLT6	CLLT10	CLLT12
FITS TUMBLER	LT6	LT10	LT12
TUMBLER CAPACITY	6 oz.	10 oz.	12 oz.
CASE PACK	1,500	1,000	1,000
CASE LBS. (CUBE)	6 (1.07)	5 (0.98)	6 (1.09)

Color: Translucent (190). Cases only. No broken cartons.



Disposable Lids for Colorware Tumblers



LID CODE	CL900P	CL950P
FITS TUMBLERS	900P / 900P2	950P / 950P2
TUMBLER CAPACITY	9.7 oz.	9.8 oz.
CASE PACK	1,000	1,000
CASE LBS. (CUBE)	6 (1.05)	5 (0.85)

Color: Translucent (190). Cases only. No broken cartons.

Disposable Lid for Swirl Bowls



LID CODE	CLSRB5
FITS SWIRL BOWLS	SRB5CW / SRB5
SWIRL BOWL CAPACITY	5 oz.
CASE PACK	1,000
CASE LBS. (CUBE)	10 (2.24)

Color: Clear (152). Cases only. No broken cartons.

Meal Delivery Carts For Tray Service (20 Tray Capacity)

- Use to transport meal trays from the kitchen to acute care patients, nursing home residents or correctional facility inmates.
- Ensures optimal food quality and short delivery times.
- Tough, one-piece, double-wall polyethylene carts are easy to clean and won't rust, dent, crack, chip or break.
- Units have light-weight non-insulated ABS doors.

MDC1520T16 and MDC1418T16 are covered by U.S. Patent D 398,727.



Marine rail is designed for use during service, not transport.



LOW PROFILE

SPECIFICATIONS	MDC1520S20	MDC1418S20
TRAY SIZE	15" x 20"	14" x 18"
TRAYS PER CART / PER COMPARTMENT	20 / 10	20 / 10
RAILS PER COMPARTMENT	5	5
TRAYS PER RAIL / RAIL SPACING	2 / 5½"	2 / 5½"
NUMBER OF COMPARTMENTS	2	2
NUMBER OF MENU CLIPS	2	2
MENU CLIPS - LOCATION	1 per door	1 per door
HANDLES - TYPE AND LOCATION	Molded in, each end	Molded in, each end
CASTER TYPE	5", 2 end swivel w/brake; 8", 2 rigid on center axle	5", 2 swivel w/brake, 2 rigid, offset
LATCHES	2 internal nylon friction	2 internal nylon friction, 1 external lock hook
EXTERNAL DIMENSIONS W x D x H	55½" x 38" x 43¼"	48½" x 32½" x 44"
INTERNAL DIMENSIONS W x D x H	20½" x 30¼" x 27½"	18¾" x 28⅝" x 29"
REQUIRED DOOR WIDTH	38½"	33"
UNIT WEIGHT LBS	160 lbs.	151 lbs.
CASE LBS. (CUBE)	165.2 (55.7)	160.4 (41.53)

Case Pack: 1 Colors: Gray (180), Slate Blue (401), Granite Gray (191), Granite Green (192), Granite Sand (194).

Meal Delivery Carts For Tray Service (16 & 30 Tray Capacity)



Marine rail is designed for use during service, not transport.



TALL PROFILE

SPECIFICATIONS	MDC1520T30	MDC1418T30	MDC1520T16	MDC1418T16
TRAY SIZE	15" x 20"	14" x 18"	15" x 20"	14" x 18"
TRAYS PER CART / COMPARTMENT	30 / 10	30 / 10	16 / 8	16 / 8
RAILS PER COMPARTMENT	10	10	4	4
TRAYS PER RAIL / RAIL SPACING	1 / 5"	1 / 5"	2 / 5¼"	2 / 5¼"
NUMBER OF COMPARTMENTS	3	3	2	2
NUMBER OF MENU CLIPS	5	5	1	1
MENU CLIPS - LOCATION	Each door, each end	Each door, each end	Back of cart only	Back of cart only
HANDLES - TYPE AND LOCATION	Heavy-duty nylon, mounted 1 per end	Heavy-duty nylon, mounted 1 per end	Molded-in, back of cart	Molded-in, back of cart
CASTER TYPE	6", 2 rigid, 4 swivel w/brake, offset	6", 2 rigid, 4 swivel w/brake, offset	6", 2 rigid, 2 swivel w/brake	6", 2 rigid, 2 swivel w/brake
LATCHES	Friction catch, Transit latches*	Friction catch, Transit latches*	Large paddle latch	Large paddle latch
EXTERNAL DIMENSIONS W x D x H	60" x 29¼" x 63⅝"	60" x 29¼" x 63⅝"	30⅝" x 39⅝" x 58⅝"	28" x 36½" x 58⅝"
INTERNAL DIMENSIONS W x D x H	15¼" x 21" x 50"	14½" x 21½" x 50"	20⅝" x 30½" x 21½"	18⅝" x 29⅝" x 21½"
REQUIRED DOOR WIDTH	30"	30"	31"	28½"
UNIT WEIGHT LBS.	224 lbs.	228 lbs.	148 lbs.	128 lbs.
CASE LBS. (CUBE)	234 (70.67)	278 (65.5)	167.7 (45.87)	140.67 (39.44)

Case Pack: 1 Cart Colors (All carts with Cream color doors): Gray (180), Slate Blue (401), Granite Gray (191), Granite Green (192), Granite Sand (194). *Stainless steel transit latch at top of each door. For lighter-duty applications, 30-tray carts may be ordered without the steel transit latches by using product code MDC1520T30NL or MDC1418T30NL.

Meal Delivery Carts For Tray Service

Latches

Tall Profile Units, 30 Trays
MDC1520T30, MDC1418T30



Hidden friction catch on each door for easy closing.

Tall Profile Units, 16 Trays
MDC1520T16, MDC1418T16



Large stainless steel paddle latches are easy to open, rust free and removable for easy cleaning.

Low Profile Units, 20 Trays
MDC1520S20, MDC1418S20



Internal friction catch on each door. External stainless steel hooks to lock contents.

Handles



Heavy-duty nylon handles are securely mounted and nested into each end.




Molded in handles for easy transporting.



Molded in handles on each end for smooth transporting.

Casters



Four swivel, corner casters are slightly offset to keep cart stable on uneven surfaces, while two fixed, center casters provide a tighter turning radius.



Rigid casters on front and swivel on the back offer solid stability and easy maneuvering.



MDC1520S20



MDC1418S20

Two caster configurations offer excellent stability and smooth transporting.

Meal Delivery Cart - For Correctional Tray Service

Modified for use in correctional facilities. Holds 60 each 1411CW or 1411CP Cambro Base Trays with 853 Insert Trays or 60 each 10146DCW or 10146DCP Separator Compartment Trays. Security features include handle security screws, lock blocks on casters.



SPECIFICATIONS	MDC1411T60
TRAY SIZE	14" x 11" Base Tray 1411CW and 1411CP
TRAYS PER CART / PER COMPARTMENT	60 / 20
RAILS PER COMPARTMENT	10
TRAYS PER RAIL / RAIL SPACING	2 / 5"
NUMBER OF COMPARTMENTS	3
MENU CLIPS	None
HANDLES - TYPE AND LOCATION	Heavy-duty aluminum with security screws, black finish, 1 per end
CASTER TYPE	6" heavy-duty casters, 2" wide tread, 2 swivel no brake, 2 rigid
LATCHES	Internal friction catch, 2 per door, transit latch*
EXTERNAL DIMENSIONS W x D x H	60" x 29¼" x 63⅝"
INTERNAL DIMENSIONS W x D x H	14½" x 21½" x 50"
REQUIRED DOOR WIDTH	30"
UNIT WEIGHT LBS.	228 lbs.
CASE LBS. (CUBE)	278 (65.5)

Case Pack: 1 Colors: See colors listed with Meal Delivery Cart, Tall Profile.

*Stainless steel transit latch at top of each door.