



# Special Order Smallwares Catalog

**New!**



Program now available!  
See inside for details!



**Work Smarter.**



# Foodservice

## FOOD STORAGE

Safety Storage Ingredient Systems.....	3
Ingredient Bin Systems.....	4
Space Saving Square Storage Containers.....	5
Premier Small Capacity Storage.....	6
Round Storage Containers.....	6
Food Boxes.....	7
Cold Food Pans.....	9
Heavy-Duty Hot Food Pans.....	10

## FOOD PREPARATION

Integrated Preparation Solutions.....	11
Tri-Ladles.....	11
Precision Portioning Spoons.....	11
Precision Heavy-Duty Spoons.....	12
High Heat Scrapers.....	12
Scrapers/Spoon-Shaped Spatulas.....	12
Measuring Cups and Spoons.....	13
Bouncer® Measuring Cups.....	13
Bouncer® Scoops.....	13
Safety Portioning Scoop.....	14
Color Coded Cutting Board System.....	15
BRUTE® GreensKeeper® Containers.....	15
BRUTE® "ICE ONLY" Container.....	15
Cake Keeper.....	15

## INSULATED PRODUCTS

PROSERVE® Lightweight Insulated Carriers ...	16
PROSERVE® Professional Delivery Bags.....	17
CaterMax™ Insulated Carriers.....	17

## PAN RACKS

PROSERVE® Rack System.....	18
----------------------------	----

## RACKS & CARTS

Max System™ Racks and Carts.....	19
Foodservice & Restock Carts.....	19

## WARE HANDLING

Bus/Tote Boxes.....	21
Cutlery Bin.....	21

## CONDIMENT DISPENSERS

Condiment Dispensers.....	21
---------------------------	----

## BEVERAGE & TABLE SERVICE

Bouncer® Pitchers.....	22
Pitchers.....	22
Beverage Dispensers.....	22
Insulated Cold Beverage Containers.....	22

## YOUTH SEATING

Sturdy Chair™ Youth Seats.....	23
--------------------------------	----

## MEASURING TOOLS

High Performance Digital Portion Control Scales.....	25
Compact Digital Portion Control Scale.....	25
Digital Ingredient Portion Control Scale.....	25
Compact Portion Control Scale.....	25
Mechanical Portion Control Scales.....	26
Bakers Beam Scales.....	26
Y-Line Mechanical Portion Control Scales.....	27
Digital Hanging Scales.....	27
Mechanical Hanging Scales.....	27
Digital Receiving/Utility Scales.....	28
Briefcase/Utility Mechanical Receiving Scales.....	28
Platform Receiving Scales.....	28
Thermocouples.....	29
Infrared Thermometer.....	30
Digital Thermometers.....	30
Dial Pocket Thermometers.....	30
Equipment Monitoring Thermometer.....	31
Food Preparation Thermometers.....	31
Timers.....	31

## INDEX

Product Index.....	32
--------------------	----

## Safety Storage Ingredient Systems **New!**

Improve safety and productivity with new Safety Storage Bins for smaller quantities of ingredients. Patent-pending lid design provides access to ingredients while stacked, on a shelf, or under a prep table.

- Patent-pending lid design allows for one-handed access to ingredients while stacked
- Clear windows and ingredient labels for easy identification of contents
- Integrated 2 Cup Safety Portioning Scoop and hook provide dedicated scoop storage for safe ingredient portioning
- Assists in complying with FDA Food Code 3-304.12
- FIFO (First In, First Out) barrier aids in proper rotation of ingredients

See it in ACTION  
[www.rubbermaidsafetystorage.com](http://www.rubbermaidsafetystorage.com)



### CART AND BINS WORK TOGETHER

Cart shelves have safety positioning locators to securely store and transport bins. Each shelf holds two 100 Cup Bins or one 200 Cup Bin.



- Dual opening and closing allows for one-handed access while stacked or in storage



- Lid locks onto base to protect ingredient integrity
- Safety Portioning Scoop and Hook comply with the FDA Food Code 3-304.12 for In-Use Utensils, Between-Use Storage
- FIFO Barrier supports first in, first out rotation of ingredients for improved quality and safety
- Height of 16" fits on most storage racks
- Front and rear handles aid with safe and stable portability
- Container Base is durable with smooth surfaces to help maintain cleanliness



9G59



9G58

9G57

No.	Description	Dimensions	U.S. Capacity	U.S. Flour/Sugar Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Flour/Sugar Capacity	Metric Ship Wt/ Ctn	Color	Pack	U.S. List Price (Ea.)
9G57	100 Cup Safety Storage Bin with 2 Cup Scoop	23.5" l x 11.5" w x 16.88" h	.836 cu ft	Flour: 25 lb Sugar: 50 lb	13.25 lb	59.7 cm x 29.2 cm x 42.9 cm	.08 m <sup>3</sup>	Flour: 11.34 kg Sugar: 22.68 kg	6.01 kg	WHT	1	140.00
9G58	200 Cup Safety Storage Bin with 2 Cup Scoop	23.5" l x 19.2" w x 16.88" h	1.67 cu ft	Flour: 50 lb Sugar: 100 lb	18.50 lb	59.7 cm x 48.8 cm x 42.9 cm	.10 m <sup>3</sup>	Flour: 22.68 kg Sugar: 45.36 kg	8.39 kg	WHT	1	200.00
9G59	Safety Storage Cart*	18" l x 26" w x 47.75" h	Shelf holds (2) 100 Cup or (1) 200 Cup	N/A	37.50 lb	45.7 cm x 66 cm x 121.3 cm	.12 m <sup>3</sup>	N/A	17.01 kg	CHRM	1	280.00

\* Available April 2008.



**COMPLIANCE CODE FACTS**

Rubbermaid Commercial Products' Ingredient Bin Systems are the only containers on the market that allow scoops to be safely stored inside the bin while also complying with the FDA food code by staying out of the ingredients. (FDA Food Code 3-304.12, 2005)

See it in ACTION  
[www.rubbermaidingredientbins.com](http://www.rubbermaidingredientbins.com)

**Ingredient Bin Systems**

Store, transport, and measure ingredients safely.

- Patent-pending scoop hook system reduces cross-contamination and provides quick access
- Clear windows and ingredient labels for easy identification of contents
- Clasp secures lid on base, protecting quality of ingredients
- Durable, industrial-grade structural web plastic construction; smooth surfaces for easy cleaning
- Casters allow bins to be easily moved between multiple prep stations
- Assists in complying with FDA Food Code 3-304.12



**PRODUCTIVITY**



Patent-pending Scoop Hook allows scoop to be easily accessible in every Ingredient Bin.

**SAFETY**



Scoop handle is held out of Ingredient Bin, preventing cross-contamination.

**SECURITY**



Snap fit secures to base to make handling easier.



No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Flour/Sugar Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Flour/Sugar Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
3600-88	Slant Front Ingredient Bin with Sliding Lid and 32 oz (0.9 L) Scoop	29.25" l x 13.13" w x 28" h	2 2/3 cu ft	Flour: 124 lb Sugar: 158 lb	27.65 lb	74.3 cm x 33.3 cm x 71.1 cm	.08 m <sup>3</sup>	Flour: 56.3 kg Sugar: 72.7 kg	13.5 kg	WHT	1	304.00
3601	Flat Top Ingredient Bin with Sliding Hinged Lid	22" l x 22" w x 23" h	3 3/4 cu ft	Flour: 139 lb Sugar: 178 lb	29.11 lb	55.9 cm x 55.9 cm x 58.4 cm	.11 m <sup>3</sup>	Flour: 63.1 kg Sugar: 80.8 kg	13.2 kg	WHT	1	304.00
3602-88	Slant Front Ingredient Bin with Sliding Lid and 32 oz (0.9 L) Scoop	29.5" l x 15.5" w x 28" h	3 1/2 cu ft	Flour: 154 lb Sugar: 197 lb	32.66 lb	74.9 cm x 39.4 cm x 71.1 cm	.1 m <sup>3</sup>	Flour: 69.9 kg Sugar: 89.4 kg	14.5 kg	WHT	1	318.00
3603-88	Slant Front Ingredient Bin with Sliding Lid and 32 oz (0.9 L) Scoop	29.75" l x 18" w x 28" h	4 1/4 cu ft	Flour: 188 lb Sugar: 240 lb	38.74 lb	75.6 cm x 45.7 cm x 71.1 cm	.12 m <sup>3</sup>	Flour: 85.3 kg Sugar: 108.9 kg	15.8 kg	WHT	1	324.00

**LIDS & SCOOPS**

No.	Description	U.S. Dimensions	Fits Rubbermaid® Ingredient Bin	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
9F77	Sliding Lid with 32 oz (0.9 L) Scoop for 3600-88 Ingredient Bin	29" l x 12.1" w x 1.9" h	3600	5.78 lb	73.7 cm x 30.7 cm x 4.8 cm	2.60 kg	CLR	1	96.20
9F78	Sliding Lid with 32 oz (0.9 L) Scoop for 3602-88 Ingredient Bin	29" l x 14.5" w x 1.9" h	3602	6.53 lb	73.7 cm x 36.8 cm x 4.8 cm	2.94 kg	CLR	1	101.00
9F79	Sliding Lid with 32 oz (0.9 L) Scoop for 3603-88 Ingredient Bin	29" l x 17.2" w x 1.9" h	3603	7.37 lb	73.7 cm x 43.7 cm x 4.8 cm	3.32 kg	CLR	1	103.50
9F75	Bouncer® Contour Scoop for 3600-88, 3602-88, 3603-88 Ingredient Bins	10.8" l x 4.8" w x 4.7" h	3600, 3602, 3603	4.23 lb	27.4 cm x 12.2 cm x 11.9 cm	1.90 kg	CLR	6	10.00
9F76	Bouncer® Contour Scoop for 3600-88, 3602-88, 3603-88 Ingredient Bins	29" l x 17.2" w x 1.9" h	3600, 3602, 3603	6.17 lb	73.7 cm x 43.7 cm x 4.8 cm	2.78 kg	CLR	6	10.80



## Space Saving Square Storage Containers

Stackable containers store more in less space.

- Square containers store up to 25% more on a shelf than round containers in the same space
- Available in break-resistant clear polycarbonate for visibility or durable white polyethylene; both with smooth surfaces for easy cleaning
- Manage food inventory with easy to read measurement graduations—red for quarts and blue for liters
- Durable handles for easy transport and drain holes for proper washing and drying
- Temperature range for clear containers: -40°F/-40°C to 212°F/100°C
- Temperature range for white containers: -20°F/-28.89°C to 150°F/65.56°C
- USDA Meat & Poultry Equipment Group listed
- Assists in complying with HACCP guidelines
- NSF certified and commercial dishwasher safe

### Lids

- Snap-tight fit reduces leakage, helps prevent spoilage, and limits cross contamination
- Corner pull tab for easy lid removal
- Lids available in two sizes to fit all containers, eliminating the need for multiple lids
- NSF certified and commercial dishwasher safe



Polycarbonate Square Storage Containers



### POLYCARBONATE SQUARE STORAGE CONTAINERS

No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
6302	Space Saving Square Container	8.75" l x 8.8" w x 2.69" h	2 qt	7.03 lb	22.2 cm x 22.4 cm x 6.8 cm	1.9 L	3.2 kg	CLR	12	6.80
6304	Space Saving Square Container	8.75" l x 8.8" w x 4.75" h	4 qt	10.44 lb	22.2 cm x 22.4 cm x 12.1 cm	3.8 L	4.7 kg	CLR	12	10.00
6306	Space Saving Square Container	8.75" l x 8.8" w x 6.94" h	6 qt	14.06 lb	22.2 cm x 22.4 cm x 17.6 cm	5.7 L	6.4 kg	CLR	12	12.20
6308	Space Saving Square Container	8.75" l x 8.8" w x 8.75" h	8 qt	9.415 lb	22.2 cm x 22.4 cm x 22.2 cm	7.6 L	4.3 kg	CLR	6	14.20
6312	Space Saving Square Container	11.31" l x 10.5" w x 7.75" h	12 qt	10.97 lb	28.7 cm x 26.7 cm x 19.7 cm	11.4 L	5 kg	CLR	6	22.40
6318	Space Saving Square Container	11.31" l x 10.5" w x 11.94" h	18 qt	17.22 lb	28.7 cm x 26.7 cm x 30.3 cm	17 L	7.8 kg	CLR	6	33.00
6322	Space Saving Square Container	11.31" l x 10.5" w x 14.44" h	22 qt	22.96 lb	28.7 cm x 26.7 cm x 36.7 cm	20.8 L	10.4 kg	CLR	6	37.20

### POLYETHYLENE SQUARE STORAGE CONTAINERS

No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
9F03	Space Saving Square Container	8.75" l x 8.31" w x 2.1" h	2 qt	5.8 lb	22.2 cm x 21.1 cm x 5.3 cm	1.89 L	2.6 kg	WHT	12	5.20
9F04	Space Saving Square Container	8.75" l x 8.31" w x 4.75" h	4 qt	8.2 lb	22.2 cm x 21.1 cm x 12.1 cm	3.79 L	3.7 kg	WHT	12	7.20
9F05	Space Saving Square Container	8.75" l x 8.31" w x 6.94" h	6 qt	11.0 lb	22.2 cm x 21.1 cm x 17.6 cm	5.68 L	5.0 kg	WHT	12	8.00
9F06	Space Saving Square Container	8.75" l x 8.31" w x 8.75" h	8 qt	7.2 lb	22.2 cm x 21.1 cm x 22.2 cm	7.57 L	3.3 kg	WHT	6	9.60
9F07	Space Saving Square Container	11.31" l x 10.5" w x 7.75" h	12 qt	8.6 lb	28.7 cm x 26.7 cm x 19.7 cm	11.3 L	3.9 kg	WHT	6	15.40
9F08	Space Saving Square Container	11.31" l x 10.5" w x 11.94" h	18 qt	14.6 lb	28.7 cm x 26.7 cm x 30.3 cm	17 L	6.6 kg	WHT	6	20.80
9F09	Space Saving Square Container	11.31" l x 10.5" w x 14.44" h	22 qt	18.8 lb	28.7 cm x 26.7 cm x 36.7 cm	20.8 L	8.5	WHT	6	23.60

### SQUARE STORAGE CONTAINER LIDS

No.	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
6509	Lid for 6302, 6304, 6306, 6308, 9F03, 9F04, 9F05, 9F06 Space Saving Containers	8.75" l x 8.31" w	2.99 lb	22.2 cm x 21.1 cm	1.4 kg	WHT	12	4.00
6523	Lid for 6312, 6318, 6322, 9F07, 9F08, 9F09 Space Saving Containers	11.31" l x 10.5" w	2.45 lb	28.7 cm x 26.7 cm	1.1 kg	WHT	6	6.00

## Premier Small Capacity Storage **New!**

Space-efficient storage for small ingredients and spices.

- Durable polycarbonate resists stains, odors, and breakage
- Lids snap to base and to other lids for easy storage (lid is included)
- NSF certified\* and commercial dishwasher safe



No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
7H7508*	Premier Small Capacity Storage w/Lid	5.06" sq x 3.38" h	2 cup	3.51 lb	12.9 cm sq x 8.6 cm	.47 L	1.59 kg	WBKMT	8	5.20
7H7600*	Premier Small Capacity Storage w/Lid	7.13" sq x 2.5" h	3 cup	2.93 lb	18.1 cm sq x 6.4 cm	.71 L	1.34 kg	WBKMT	6	7.20
7H7700*	Premier Small Capacity Storage w/Lid	7.13" sq x 3.56" h	5 cup	3.37 lb	18.1 cm sq x 9 cm	1.18 L	1.53 kg	WBKMT	6	8.20
7H7800*	Premier Small Capacity Storage w/Lid	9.44" sq x 3.31" h	9 cup	3.57 lb	24 cm sq x 8.4 cm	2.13 L	1.62 kg	WBKMT	4	11.00
7H7900*	Premier Small Capacity Storage w/Lid	9.44" sq x 4.88" h	14 cup	4.37 lb	24 cm sq x 12.4 cm	3.31L	1.98 kg	WBKMT	4	13.80

\* NSF restrictions for lid pertaining to some fatty food types. Visit [www.nsf.org](http://www.nsf.org) for more information.

## Round Storage Containers

Store food safely and efficiently.

- Stackable handled containers available in white polyethylene or semi-clear polypropylene for better visibility
- Temperature range: -20°F/-34°C to 212°F/100°C
- NSF certified and commercial dishwasher safe



### Lids

- Positive-lock lids (double wall seal) with corner pull tabs for keeping foods fresh
- Writing area provided for labeling and dating of contents
- Lids available in three sizes to fit all containers, eliminating the need for multiple lids

### SEMI-CLEAR POLYPROPYLENE ROUND STORAGE CONTAINERS

No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
5720-24	Round Storage Container	8.5" dia x 4" h	2 qt	4.3 lb	21.6 cm dia x 10.2 cm	1.9 L	2 kg	CLR	12	3.40
5721-24	Round Storage Container	8.5" dia x 7.75" h	4 qt	7.4 lb	21.6 cm dia x 19.7 cm	3.8 L	3.4 kg	CLR	12	4.20
5723-24	Round Storage Container	10" dia x 7.63" h	6 qt	8.7 lb	25.4 cm dia x 19.4 cm	5.7 L	3.9 kg	CLR	12	5.20
5724-24	Round Storage Container	10" dia x 10.63" h	8 qt	11.9 lb	25.4 cm dia x 27 cm	7.6 L	5.4 kg	CLR	12	6.80
5726-24	Round Storage Container	13.13" dia x 8.13" h	12 qt	8.5 lb	33.3 cm dia x 20.6 cm	11.4 L	3.9 kg	CLR	6	11.20
5727-24	Round Storage Container	13.13" dia x 11.88" h	18 qt	11.6 lb	33.3 cm dia x 30.2 cm	17 L	5.3 kg	CLR	6	13.20
5728-24	Round Storage Container	13.13" dia x 14" h	22 qt	14.8 lb	33.3 cm dia x 35.6 cm	20.8 L	6.7 kg	CLR	6	15.20
5729-24	Round Storage Container with Bail	13.13" dia x 14" h	22 qt	15.9 lb	33.3 cm dia x 35.6 cm	20.8 L	7.2 kg	CLR	6	22.00

### POLYETHYLENE ROUND STORAGE CONTAINERS

No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
5720	Round Storage Container	8.5" dia x 4" h	2 qt	4.3 lb	21.6 cm dia x 10.2 cm	1.9 L	2 kg	WHT	12	3.20
5721	Round Storage Container	8.5" dia x 7.75" h	4 qt	7.4 lb	21.6 cm dia x 19.7 cm	3.8 L	3.4 kg	WHT	12	3.80
5723	Round Storage Container	10" dia x 7.63" h	6 qt	8.7 lb	25.4 cm dia x 19.4 cm	5.7 L	3.9 kg	WHT	12	4.80
5724	Round Storage Container	10" dia x 10.63" h	8 qt	11.9 lb	25.4 cm dia x 27 cm	7.6 L	5.4 kg	WHT	12	6.00
5726	Round Storage Container	13.13" dia x 8.13" h	12 qt	8.5 lb	33.3 cm dia x 20.6 cm	11.4 L	3.9 kg	WHT	6	10.40
5727	Round Storage Container	13.13" dia x 11.88" h	18 qt	11.6 lb	33.3 cm dia x 30.2 cm	17 L	5.3 kg	WHT	6	13.20
5728	Round Storage Container	13.13" dia x 14" h	22 qt	15.2 lb	33.3 cm dia x 35.6 cm	20.8 L	6.9 kg	WHT	6	16.60
5729	Round Storage Container with Bail	13.13" dia x 14" h	22 qt	16.6 lb	33.3 cm dia x 35.6 cm	20.8 L	7.5 kg	GRAY, WHT	6	20.40

### ROUND STORAGE CONTAINER LIDS

No.	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
5722	Lid for 5720, 5720-24, 5721, 5721-24 Round Storage Containers	8.75" dia x 0.88" h	2.6 lb	22.2 cm dia x 2.2 cm	1.2 kg	YEL, NAT	12	2.60
5725	Lid for 5723, 5723-24, 5724, 5724-24 Round Storage Containers	10.25" dia x 1" h	3.6 lb	26 cm dia x 2.5 cm	1.6 kg	YEL, NAT	12	2.80
5730	Lid for 5726, 5726-24, 5727, 5727-24, 5728, 5728-24, 5729, 5729-24 Round Storage Containers	13.5" dia x 2.75" h	3.7 lb	34.3 cm dia x 7 cm	1.7 kg	YEL, NAT	6	6.40

## Food Boxes

### Reduce food spoilage costs.

- Durable and stain-resistant clear polycarbonate allows for easy identification of contents
- White polyethylene provides more economical storage and safer transport
- Freezer safe for use through the flow of the kitchen
- Date control panels on boxes and lids for managing food safety
- Industry standard sizes fit most existing storage racks and counters
- NSF certified and commercial dishwasher safe
- Assists in complying with HACCP

### Lids

- Tight-fitting snap-on lids keep food fresher
- Use 3302 and 3310 as trays when displayed upside down



Polycarbonate Food Boxes provide clear view of contents.

### Colander Accessory

- For multiple food storage and prep applications
- Fits all full-size 26" x 18" boxes 6" or deeper
- Drains food quickly and conveniently; also ideal for marinating and thawing foods



### POLYCARBONATE FOOD BOXES & LIDS

No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
3306	Food/Tote Box	26" l x 18" w x 3 1/2" d	5 gal	21.5 lb	66 cm x 45.7 cm x 8.9 cm	18.9 L	9.7 kg	CLR	6	28.80
3308	Food/Tote Box	26" l x 18" w x 6" d	8 1/2 gal	30.0 lb	66 cm x 45.7 cm x 15.2 cm	32.2 L	13.6 kg	CLR	6	37.60
3300	Food/Tote Box	26" l x 18" w x 9" d	12 1/2 gal	42.9 lb	66 cm x 45.7 cm x 22.9 cm	47.3 L	19.4 kg	CLR	6	48.40
3328	Food/Tote Box	26" l x 18" w x 12" d	16 1/2 gal	54.9 lb	66 cm x 45.7 cm x 30.5 cm	62.9 L	24.9 kg	CLR	6	72.00
3301	Food/Tote Box	26" l x 18" w x 15" d	21 1/2 gal	66.9 lb	66 cm x 45.7 cm x 38.1 cm	81.4 L	30.3 kg	CLR	6	72.60
3302	Lid for 3300, 3301, 3306, 3308, 3328 Food/Tote Boxes	26" l x 18" w		16.9 lb	66 cm x 45.7 cm		7.7 kg	CLR	6	19.60
3307	Food/Tote Box	18" l x 12" w x 3 1/2" d	2 gal	10.4 lb	45.7 cm x 30.5 cm x 8.9 cm	7.6 L	4.7 kg	CLR	6	16.60
3309	Food/Tote Box	18" l x 12" w x 6" d	3 1/2 gal	18.0 lb	45.7 cm x 30.5 cm x 15.2 cm	13.2 L	8.2 kg	CLR	6	20.00
3304	Food/Tote Box	18" l x 12" w x 9" d	5 gal	22.1 lb	45.7 cm x 30.5 cm x 22.9 cm	18.9 L	10 kg	CLR	6	27.60
3310	Lid for 3304, 3307, 3309 Food/Tote Boxes	18" l x 12" w		7.6 lb	45.7 cm x 30.5 cm		3.5 kg	CLR	6	11.20


### POLYETHYLENE FOOD BOXES & LIDS

No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
3506	Food/Tote Box	26" l x 18" w x 3 1/2" d	5 gal	18.2 lb	66 cm x 45.7 cm x 8.9 cm	18.9 L	8.2 kg	WHT	6	24.60
3508	Food/Tote Box	26" l x 18" w x 6" d	8 1/2 gal	23.3 lb	66 cm x 45.7 cm x 15.2 cm	32.2 L	10.5 kg	WHT	6	31.20
3500	Food/Tote Box	26" l x 18" w x 9" d	12 1/2 gal	31.7 lb	66 cm x 45.7 cm x 22.9 cm	47.3 L	14.4 kg	WHT	6	40.40
3528	Food/Tote Box	26" l x 18" w x 12" d	16 1/2 gal	41.8 lb	66 cm x 45.7 cm x 30.5 cm	62.9 L	18.9 kg	WHT	6	58.00
3501	Food/Tote Box	26" l x 18" w x 15" d	21 1/2 gal	52.9 lb	66 cm x 45.7 cm x 38.1 cm	81.4 L	24 kg	WHT	6	59.80
3502	Lid for 3500, 3501, 3506, 3508, 3528 Food/Tote Boxes	26" l x 18" w		14.8 lb	66 cm x 45.7 cm		6.7 kg	WHT	6	18.60
3507	Food/Tote Box	18" l x 12" w x 3 1/2" d	2 gal	8.2 lb	45.7 cm x 30.5 cm x 8.9 cm	7.6 L	3.7 kg	WHT	6	15.00
3509	Food/Tote Box	18" l x 12" w x 6" d	3 1/2 gal	14.1 lb	45.7 cm x 30.5 cm x 15.2 cm	13.2 L	6.4 kg	WHT	6	18.60
3504	Food/Tote Box	18" l x 12" w x 9" d	5 gal	17.2 lb	45.7 cm x 30.5 cm x 22.9 cm	18.9 L	7.8 kg	WHT	6	24.60
3510	Lid for 3504, 3507, 3509 Food/Tote Boxes	18" l x 12" w		7.1 lb	45.7 cm x 30.5 cm		3.2 kg	WHT	6	11.80

### COLANDER ACCESSORY

No.	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
3303	Colander/Drain Tray for all 26" l x 18" w (66 cm x 45.7 cm) Tote Boxes except 3306, 3506	26" l x 18" w x 5" d	26.7 lb	66 cm x 45.7 cm x 12.7 cm	12.1 kg	CLR	6	33.20

**FOOD HANDLING AND STORAGE SOLUTIONS THROUGHOUT THE FLOW OF FOOD**



**Storage**



**Cleaning**



**Preparation**



**Serving**



**Cooking**



**LIDS FOR EVERY NEED**

**1 SECURE SEALING LID**

Two-seal system makes this lid the most air tight of all the Rubbermaid options and is ideal for longer term storage or air sensitive foods. Easy grip tab allows for easy removal of the lid from the pan.

**2 PEG HOLE COVER WITH HANDLE**

Peg hole allows pan to be hung and dry faster, helping to prevent health risks from standing water. Rubbermaid's peg hole solution is the only NSF certified hanging solution on the market.

**3 COVER WITH HANDLE**

Solid cover helps to protect food from airborne bacteria.

**4 NOTCHED COVER WITH HANDLE**

NSF certified notch allows spoon to be easily available while food remains covered. Notch keeps spoon handle out of food, helping to prevent cross-contamination.

**5 SOFT SEALING LID**

Seals on insert pan help reduce air flow to food; therefore, maintaining food quality. No overlap on food pans allows easy use in transport.

**COLD FOOD PANS**

- Cold pans and lids temperature range: -40°F/-40°C to 212°F/100°C
- Soft sealing lids temperature range: -40°F/-40°C to 102°F/39°C

**HEAVY-DUTY HOT FOOD PANS**

- Hot pans temperature range: -40°F/-40°C to 375°F/190°C (not for use with open flame)
- Superior chemical resistance and durability compared to competitive materials
- Tested and approved for use in continuous motion pot washing systems
- Cooling and heating rate comparable to metal pans

**HOT & COLD FOOD PAN FEATURES**

**Break-resistant—won't rust, dent, or bend. Quieter than metal.**

- Non-stick surfaces for better food release and easy cleaning
- Designed for safety—cooler to the touch than metal
- Pans with soft sealing lids designed to fit Max System™ Racks & Carts, CaterMax™, and ProServe® Insulated Carriers
- Meets C.E.N. Gastronorm specification 631-1, developed by the European Committee for Standardization
- Pans, drain trays, and lids certified to NSF Std. #2
- Made with FDA compliant materials
- Commercial dishwasher and microwave safe





## Cold Food Pans

- Non-stick surfaces for better food release and easy cleaning
- Made of FDA compliant materials
- Cold pans and lids temperature range: -40°F/-40C–212°F/100°C
- Soft sealing lids temperature range: -40°F/-40C–102°F/39°C



### COLD PANS

No.	U.S. Size	U.S. Pan Depth/Description	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Size	Metric Pan Depth	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)	
130P	Full Size	2½"	9 qt	12.80 lb	Full Size	65 mm	8.5 L	5.8 kg	CLR	6	14.40	
131P	20⅜" l x 12⅝" w	4"	13¼ qt	17.87 lb	530 mm x 325 mm	100 mm	13 L	3.6 kg	CLR	6	17.40	
132P		6"	20¼ qt	20.30 lb		150 mm	19.5 L	9.2 kg	CLR	6	20.60	
133P		8"	27¼ qt	24.52 lb		200 mm	25.7 L	11.1 kg	CLR	6	24.20	
134P		Cover		10.21 lb					4.6 kg	CLR	6	12.00
134P-86		Notched Cover		9.37 lb					4.3 kg	CLR	6	12.00
135P-29		Secure Sealing Lid		14.5 lb				6.6 kg	GRAY	12	10.80	
147P		Soft Sealing Lid		12.13 lb				5.5 kg	WHT	12	11.40	
139P	½ Size Long	2½"	3¼ qt	8.33 lb	½ Size Long	65 mm	3.4 L	3.8 kg	CLR	6	11.80	
140P	20⅜" l x 6⅞" w	4"	5¼ qt	9.40 lb	530 mm x 162 mm	100 mm	5.2 L	4.3 kg	CLR	6	14.80	
141P		Cover		4.77 lb				2.2 kg	CLR	6	10.00	
123P		½ Size	2½"	4 qt	6.30 lb	½ Size	65 mm	3.8 L	2.9 kg	CLR	6	7.40
124P	12⅜" l x 10⅞" w	4"	6¼ qt	7.65 lb	325 mm x 265 mm	100 mm	6 L	3.5 kg	CLR	6	9.40	
125P		6"	9¼ qt	9.90 lb		150 mm	8.8 L	4.5 kg	CLR	6	11.80	
126P		8"	11¼ qt	13.47 lb		200 mm	10.8 L	6.1 kg	CLR	6	14.80	
127P-24 <sup>a</sup>		Drain Tray		2.00 lb					0.9 kg	CLR	6	5.20
128P-23		Cover with Peg Hole		4.3 lb					2 kg	CLR	6	6.60
128P-86		Notched Cover		4.30 lb				2.0 kg	CLR	6	6.60	
129P-29		Secure Sealing Lid		7.1 lb				3.2 kg	GRAY	12	7.20	
146P	Soft Sealing Lid		6.75 lb				3.1 kg	WHT	12	7.80		
116P	½ Size	2½"	2¼ qt	4.40 lb	½ Size	65 mm	2.5 L	2 kg	CLR	6	6.40	
117P	12⅜" l x 6⅞" w	4"	4 qt	5.50 lb	325 mm x 176 mm	100 mm	3.8 L	2.5 kg	CLR	6	8.20	
118P		6"	5¼ qt	7.30 lb		150 mm	5.1 L	3.3 kg	CLR	6	9.60	
119P		8"	7¼ qt	9.60 lb		200 mm	7 L	4.4 kg	CLR	6	13.20	
120P-24 <sup>b</sup>		Drain Tray		1.50 lb					0.7 kg	CLR	6	4.60
121P-23		Cover with Peg Hole		2.77 lb					1.3 kg	CLR	6	4.80
121P-86		Notched Cover		3.10 lb				1.4 kg	CLR	6	4.80	
122P-29		Secure Sealing Lid		4.5 lb				2.0 kg	GRAY	12	5.20	
145P	Soft Sealing Lid		3.75 lb				1.7 kg	WHT	12	5.80		
110P	½ Size	2½"	1¼ qt	3.40 lb	½ Size	65 mm	1.6 L	1.5 kg	CLR	6	6.40	
111P	10⅞" l x 6⅞" w	4"	2¼ qt	4.4 lb	265 mm x 162 mm	100 mm	2.4 L	2 kg	CLR	6	7.20	
112P		6"	4 qt	5.60 lb		150 mm	3.8 L	2.5 kg	CLR	6	8.20	
113P-24		Drain Tray		0.9 lb					0.4 kg	CLR	6	4.60
114P		Cover		2.10 lb					1 kg	CLR	6	4.20
114P-86		Notched Cover		2.10 lb					1 kg	CLR	6	4.20
115P-29		Secure Sealing Lid		3 lb				1.3 kg	GRAY	12	5.20	
144P		Soft Sealing Lid		2.54 lb				1.2 kg	WHT	12	5.20	
104P	½ Size	2½"	1¼ qt	2.57 lb	½ Size	65 mm	1.1 L	1.2 kg	CLR	6	4.60	
105P	6⅞" l x 6⅞" w	4"	1¼ qt	3.00 lb	176 mm x 162 mm	100 mm	1.6 L	1.4 kg	CLR	6	5.00	
106P		6"	2¼ qt	3.90 lb		150 mm	2.4 L	1.8 kg	CLR	6	6.80	
108P-23		Cover with Peg Hole		1.47 lb					0.7 kg	CLR	6	4.80
108P-86		Notched Cover		1.50 lb					0.7 kg	CLR	6	4.80
109P-29		Secure Sealing Lid		2.1 lb					0.9 kg	GRAY	12	4.20
143P	Soft Sealing Lid		3 lb				1.4 kg	WHT	12	4.80		
100P	½ Size	2½"	¾ qt	2 lb	½ Size	65 mm	.6 L	0.9 kg	CLR	6	4.60	
101P	6⅞" l x 4⅜" w	4"	¾ qt	2.19 lb	176 mm x 108 mm	100 mm	.8 L	1 kg	CLR	6	5.00	
102P-23		Cover with Peg Hole		0.87 lb				0.4 kg	CLR	6	4.00	
102P-86		Notched Cover		0.90 lb				0.4 kg	CLR	6	4.00	
103P-29		Secure Sealing Lid		1.5 lb				0.7 kg	GRAY	12	4.20	
142P		Soft Sealing Lid		1.20 lb				0.5 kg	WHT	12	4.20	

<sup>a</sup> 127P-24 fits all but 126P  
<sup>b</sup> 120P-24 fits all but 119P

## Heavy-Duty Hot Food Pans

- Non-stick surfaces for better food release and easy cleaning
- Pans and lids are dishwasher and microwave safe
- Made of FDA compliant materials
- Hot pans and lids temperature range: -40°F/-40°C to 375°F/190°C (not for use with open flame)
- Superior chemical resistance and more durable compared to competitive materials
- Cooling and heating rate comparable to metal pans



204P



217P with Notched Cover-221P-86



217P with Peg Hole Cover-221P-23



### HOT PANS

No.	U.S. Size	U.S. Pan Depth/Description	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Size	Metric Pan Depth	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
230P	Full Size	2½"	9 qt	12.80 lb	Full Size	65 mm	8.5 L	5.80 kg	AMBR, BLA	6	32.40
231P	20⅜" l x 12⅜" w	4"	13¼ qt	16.86 lb	530 mm x 325 mm	100 mm	13 L	7.70 kg	AMBR, BLA	6	41.40
232P		6"	20¼ qt	20.30 lb		150 mm	19.5 L	9.20 kg	AMBR	6	59.40
234P		Cover		10.20 lb				4.60 kg	AMBR	6	29.20
234P-86		Notched Cover		9.6 lb				4.40 kg	AMBR	6	29.20
239P	½ Size Long	2½"	3¼ qt	8.33 lb	½ Size Long	65 mm	3.4 L	3.80 kg	AMBR, BLA	6	28.80
240P	20⅜" l x 6⅞" w	4"	5¼ qt	9.70 lb	530 mm x 162 mm	100 mm	5.2 L	4.40 kg	AMBR, BLA	6	35.40
241P		Cover		4.79 lb				2.20 kg	AMBR	6	22.60
223P		½ Size	2½"	4 qt	6.30 lb	½ Size	65 mm	3.8 L	2.90 kg	AMBR, BLA	6
224P	12⅜" l x 10⅞" w	4"	6¼ qt	8.58 lb	325 mm x 265 mm	100 mm	6 L	3.90 kg	AMBR, BLA	6	22.20
225P		6"	9¼ qt	10.56 lb		150 mm	8.8 L	4.80 kg	AMBR, BLA	6	29.60
127P		Drain Tray		2.34 lb				1.10 kg	AMBR	6	11.60
228P-23		Cover with Peg Hole		4.30 lb				2.00 kg	AMBR	6	13.60
228P-86		Notched Cover		4.30 lb				2.00 kg	AMBR	6	13.60
216P	½ Size	2½"	2¼ qt	4.71 lb	½ Size	65 mm	2.5 L	2.10 kg	AMBR, BLA	6	15.20
217P	12⅜" l x 6⅞" w	4"	4 qt	5.95 lb	325 mm x 176 mm	100 mm	3.8 L	2.70 kg	AMBR, BLA	6	17.00
218P		6"	5¼ qt	7.45 lb		150 mm	5.1 L	3.40 kg	AMBR, BLA	6	25.80
120P		Drain Tray		1.54 lb				0.70 kg	AMBR	6	8.60
221P-23		Cover with Peg Hole		2.94 lb				1.30 kg	AMBR	6	10.40
221P-86		Notched Cover		2.95 lb				1.30 kg	AMBR	6	10.40
210P	¼ Size	2½"	1¼ qt	3.39 lb	¼ Size	65 mm	1.6 L	1.50 kg	AMBR, BLA	6	11.80
211P	10⅞" l x 6⅞" w	4"	2¼ qt	4.5 lb	265 mm x 162 mm	100 mm	2.4 L	2.00 kg	AMBR, BLA	6	16.20
212P		6"	4 qt	5.8 lb		150 mm	3.8 L	2.60 kg	AMBR, BLA	6	21.00
113P		Drain Tray		1.1 lb				0.50 kg	AMBR	6	8.60
214P		Cover		2.10 lb				1.00 kg	AMBR	6	9.00
214P-86		Notched Cover		2.16 lb				1.00 kg	AMBR	6	9.00
204P	¼ Size	2½"	1¼ qt	2.73 lb	¼ Size	65 mm	1.1 L	1.20 kg	AMBR, BLA	6	10.40
205P	6⅞" l x 6⅞" w	4"	1¼ qt	3.22 lb	176 mm x 162 mm	100 mm	1.6 L	1.50 kg	AMBR, BLA	6	12.20
206P		6"	2¼ qt	4.17 lb		150 mm	2.4 L	1.90 kg	AMBR, BLA	6	15.20
3456		Drain Tray		0.6 lb				0.30 kg	AMBR	6	6.80
208P-23		Cover with Peg Hole		1.59 lb				0.70 kg	AMBR	6	7.80
208P-86		Notched Cover		1.59 lb				0.70 kg	AMBR	6	7.80
200P	¼ Size	2½"	¾ qt	1.59 lb	¼ Size	65 mm	.6 L	0.70 kg	AMBR	6	7.40
201P	6⅞" l x 4⅞" w	4"	¾ qt	2.31 lb	176 mm x 108 mm	100 mm	.8 L	1.00 kg	AMBR, BLA	6	8.60
202P-23		Cover with Peg Hole		0.88 lb				0.40 kg	AMBR	6	5.60

## Integrated Preparation Solutions

Designed by chefs and engineered by

Rubbermaid® Commercial Products.

- 50% less waste through improved access to corners and bottoms of pans
- Accurate measurements for controlled portion sizes
- Size of Tri-Ladle and Precision Portioning Spoons are clearly etched on front, reducing employee error
- Limited lifetime warranty


See it in ACTION  
[www.rubbermaidpreptools.com](http://www.rubbermaidpreptools.com)



- Portion sizes clearly marked on handle
- Precision spout improves pouring into small vessels



- High heat, cool touch handle
- Portion sizes clearly marked on handle
- Mirror finish bowl creates an attractive portioning spoon



- Flat sides for cutting or scraping

## Tri-Ladles

Three-corner, three-sided design easily scrapes corners and sides of pans.

- A portioning tool with clearly etched, accurate bowl capacity
- Precision spout improves pouring into small vessels
- Concave handle for comfortable, balanced use in left- or right-hand pouring
- Hook and eye storage options; hook keeps the ladle from slipping into the pan/pot
- One-piece design of 18-8 stainless, with mirror finish bowl and etched handle



No.	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
9G13	1oz Precision Stainless Steel Heavy-Duty Tri-Ladle	8" l	2.59 lb	20.3 cm	1.17 kg	0000	12	10.00
9G14	2oz Precision Stainless Steel Heavy-Duty Tri-Ladle	11.5" l	3.78 lb	29.2 cm	1.71 kg	0000	12	11.60
9G15	4oz Precision Stainless Steel Heavy-Duty Tri-Ladle	14" l	5.82 lb	35.6 cm	2.64 kg	0000	12	14.20
9G16	6oz Precision Stainless Steel Heavy-Duty Tri-Ladle	14" l	6.63 lb	35.6 cm	3.01 kg	0000	12	15.20
9G17	8oz Precision Stainless Steel Heavy-Duty Tri-Ladle	14.5" l	8.28 lb	36.8 cm	3.76 kg	0000	12	16.80
9G18	12oz Precision Stainless Steel Heavy-Duty Tri-Ladle	15" l	9.52 lb	38.1 cm	4.32 kg	0000	12	21.60

## Precision Portioning Spoons

Innovative shape for scraping corners and bottom without straining the wrist or hand.

- Accurate bowl capacity clearly etched on the front for improved food cost management
- High-heat resistant, cool touch handle (heat resistant to 475°F)
- Pan catch prevents handle from slipping into pan/pot, reducing cross-contamination
- Made from 18-8 stainless steel with mirror finish



No.	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
9G19	1oz Precision Stainless Steel Portioning Spoon w/Black Handle	12" l	3.13 lb	30.5 cm	1.42 kg	BLA	12	12.00
9G20	2oz Precision Stainless Steel Portioning Spoon w/Blue Handle	12" l	3.46 lb	30.5 cm	1.57 kg	BLUE	12	12.00
9G21	3oz Precision Stainless Steel Portioning Spoon w/Ivory Handle	13" l	3.80 lb	33 cm	1.72 kg	OWHT	12	12.00
9G22	4oz Precision Stainless Steel Portioning Spoon w/Gray Handle	13" l	4.03 lb	33 cm	1.83 kg	GRAY	12	12.00
9G23	6oz Precision Stainless Steel Portioning Spoon w/Teal Handle	14" l	4.48 lb	35.6 cm	2.03 kg	TEAL	12	12.80
9G24	8oz Precision Stainless Steel Portioning Spoon w/Orange Handle	14" l	4.99 lb	35.6 cm	2.26 kg	ORAN	12	12.80
9G25	1oz Precision Stainless Steel Perforated Portioning Spoon w/Black Handle	12" l	3.09 lb	30.5 cm	1.40 kg	BLA	12	12.00
9G26	2oz Precision Stainless Steel Perforated Portioning Spoon w/Blue Handle	12" l	3.39 lb	30.5 cm	1.54 kg	BLUE	12	12.00
9G27	3oz Precision Stainless Steel Perforated Portioning Spoon w/Ivory Handle	13" l	3.71 lb	33 cm	1.68 kg	OWHT	12	12.00
9G28	4oz Precision Stainless Steel Perforated Portioning Spoon w/Gray Handle	13" l	3.98 lb	33 cm	1.81 kg	GRAY	12	12.00
9G29	6oz Precision Stainless Steel Perforated Portioning Spoon w/Teal Handle	14" l	4.43 lb	35.6 cm	2.01 kg	TEAL	12	12.80
9G30	8oz Precision Stainless Steel Perforated Portioning Spoon w/Orange Handle	14" l	4.87 lb	35.6 cm	2.21 kg	ORAN	12	12.80

## Precision Heavy-Duty Spoons

Deep bowl for scooping and flat sides for cutting and scraping.

- Hook and eye storage options; hook keeps the spoon from slipping into the pan/pot
- One-piece design of 18-8 stainless steel with mirror finish



No.	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
9G04	11" Precision Stainless Steel Heavy-Duty Solid Spoon	11" l	3.33 lb	27.9 cm	1.51 kg	0000	12	9.80
9G07	13" Precision Stainless Steel Heavy-Duty Solid Spoon	13" l	3.42 lb	33 cm	1.55 kg	0000	12	10.80
9G10	15" Precision Stainless Steel Heavy-Duty Solid Spoon	15" l	4.21 lb	38.1 cm	1.91 kg	0000	12	11.80
9G05	11" Precision Stainless Steel Heavy-Duty Slotted Spoon	11" l	3.08 lb	27.9 cm	1.40 kg	0000	12	9.80
9G08	13" Precision Stainless Steel Heavy-Duty Slotted Spoon	13" l	3.17 lb	33 cm	1.44 kg	0000	12	10.80
9G11	15" Precision Stainless Steel Heavy-Duty Slotted Spoon	15" l	3.96 lb	38.1 cm	1.80 kg	0000	12	11.80
9G06	11" Precision Stainless Steel Heavy-Duty Perforated Spoon	11" l	3.08 lb	27.9 cm	1.40 kg	0000	12	9.80
9G09	13" Precision Stainless Steel Heavy-Duty Perforated Spoon	13" l	3.17 lb	33 cm	1.44 kg	0000	12	10.80
9G12	15" Precision Stainless Steel Heavy-Duty Perforated Spoon	15" l	3.96 lb	38.1 cm	1.80 kg	0000	12	11.80

## High Heat Scrapers

All purpose scrapers and spatulas are a necessity in every kitchen.

- Silicone blade and nylon handle resist temperatures to 500°F/260°C and help prevent burns
- Clean-Rest™ feature keeps blade off countertops, reducing cross-contamination
- Notched scraper blade cleanly scrapes sides of pans
- Blades are stain resistant and will not scratch pans
- NSF certified and commercial dishwasher safe



1962



1966



Clean-Rest™ reduces cross contamination.



No.	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
1962	High Heat Scraper	9.5" l	4.09 lb	24.1 cm	1.9 kg	0000	24	11.80
1963	High Heat Scraper	13.5" l	5.77 lb	34.3 cm	2.6 kg	0000	24	15.40
1964	High Heat Scraper	16.5" l	7.03 lb	41.9 cm	3.2 kg	0000	24	20.00
1966	High Heat Spoon Scraper	9.5" l	3.31 lb	24.1 cm	1.5 kg	RED	24	11.80
1967	High Heat Spoon Scraper	13.5" l	6.58 lb	34.3 cm	3 kg	RED	24	15.40
1968	High Heat Spoon Scraper	16.5" l	7.11 lb	41.9 cm	3.2 kg	RED	24	20.00

## Scrapers/Spoon-Shaped Spatulas

Spoon, scrape, and spread with one easy tool.

- Blades are molded into handles for seamless construction that reduces build up of dirt and bacteria
- Clean-Rest™ feature keeps blade off counter tops, limiting cross-contamination
- NSF certified and commercial dishwasher safe



1905



Clean-Rest™ reduces cross contamination.

No.	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
1901	Scraper	9.5" l	4 lb	24.1 cm	1.8 kg	0000	36	2.20
1905	Scraper	13.5" l	8 lb	34.3 cm	3.6 kg	0000	36	3.80
1906	Scraper	16.5" l	12 lb	41.9 cm	5.4 kg	0000	36	5.20
1913	Scraper-Icing Blade	9.5" l	4 lb	24.1 cm	1.8 kg	0000	36	2.00
1933	Spoon-Shaped Spatula	9.5" l	4.61 lb	24.1 cm	2.1 kg	WHT	36	3.00
1934	Spoon-Shaped Spatula	13.5" l	9.22 lb	34.3 cm	4.2 kg	WHT	36	5.00
1938	Spoon-Shaped Spatula	16.5" l	11.14 lb	41.9 cm	5.1 kg	WHT	36	5.80

## Measuring Cups and Spoons

- Made of FDA compliant materials
- Capacities clearly engraved for easy identification
- Spoons are secured with detachable ring
- Accurate ingredient portioning to manage food costs
- Commercial dishwasher safe



No.	Description	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
8315-AS	Measuring Cup Set	Set includes ¼, ⅓, ½, and 1 cups	2.15 lb	0.45 kg	WHT	12	3.00
8316-AS	Measuring Spoon Set	Set includes ¼ tsp, ⅓ tsp, ½ tsp, 1 tsp, ½ tbsp, and 1 tbsp	1 lb	0.45 kg	WHT	12	2.60

## Bouncer® Measuring Cups

Manage costly ingredients.

- Accurately measure liquid and dry ingredients to help save on food costs
- Clear, break-resistant polycarbonate is durable; temperature range: -40°F to 212°F
- Metric measurements marked in blue and cup measurements marked in red for easy-to-read measurements
- Assists in complying with HACCP
- USDA Meat & Poultry Equipment Group listed
- Certified to NSF Std. #2 and commercial dishwasher safe



No.	Description	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
3210	Bouncer® Measuring Cup	1 cup	2 lb	0.2 L	0.9 kg	CLR	12	6.00
3215	Bouncer® Measuring Cup	1 pt	2.36 lb	0.5 L	1.1 kg	CLR	6	10.40
3216	Bouncer® Measuring Cup	1 qt	3.3 lb	0.9 L	1.5 kg	CLR	6	11.60
3217	Bouncer® Measuring Cup	2 qt	4.43 lb	1.9 L	2 kg	CLR	6	16.00
3218	Bouncer® Measuring Cup	4 qt	10 lb	3.8 L	4.5 kg	CLR	6	17.40

## Bouncer® Scoops

Multi-purpose scoops for use throughout food service operations.

- Durable clear polycarbonate (2882, 2884, 2886) or white polyethylene (2885) can be used for a variety of applications
- USDA Meat & Poultry Group listed
- Assists in complying with HACCP guidelines
- NSF certified and commercial dishwasher safe
- Bouncer® Contour Scoop (9F75 & 9F76) is designed for the Ingredient Bin System (pg. 183); the contoured design keeps hands away from food, reducing cross-contamination



No.	Description	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
2882*	Bouncer® Bar Scoop	6 oz	2.98 lb	0.2 L	1.4 kg	CLR	12	5.60
2884	Bouncer® Utility Scoop	32 oz	6.42 lb	.9 L	2.91 kg	CLR	12	10.00
2885	Utility Scoop	64 oz	3.4 lb	1.9 L	1.5 kg	WHT	6	6.80
2886	Bouncer® Utility Scoop	64 oz	5.12 lb	1.9 L	2.32 kg	CLR	6	11.00
9F75	Bouncer® Contour Scoop for 3600-88, 3602-88, 3603-88 Ingredient Bins	32 oz	4.23 lb	0.9 L	1.9 kg	CLR	6	10.00
9F76	Bouncer® Contour Scoop for 3600-88, 3602-88, 3603-88 Ingredient Bins	64 oz	6.17 lb	1.9 L	2.78 kg	CLR	6	10.80

\* Certified to NSF Std. #2 (polycarbonate only).

## Safety Portioning Scoop

Maintain food safety while managing food costs.

- Hybrid scoop and measuring cup allow for portioning or measuring milliliters, cups, or ounces
- Anti-roll design for storage or food use without the risk of the handle rolling into the food and posing a contamination risk
- Permanent textured graduations for dry and liquid measurements
- Nestable for flexible storage options
- Durable polycarbonate is commercial dishwasher safe
- 9G51 and 9G52 are designed to fit Safety Storage Bins (see page 182)



Nests for efficient storage.



Scoop stands upright on tripod base.



Elevated handle reduces the risk of cross-contamination.



Permanent graduations are molded into the polycarbonate.

No.	Description	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
9G51	Safety Portioning Scoop - 2 Cup	2 cup	3.2 lb	500 ml	1.45 kg	CLR	12	9.40
9G52	Safety Portioning Scoop - 3 Cup	3 cup	4 lb	750 ml	1.82 kg	CLR	12	10.80
9G53	Safety Portioning Scoop - 4 Cup	4 cup	4.95 lb	1000 ml	2.25 kg	CLR	12	12.20
9G54	Safety Portioning Scoop - 8 Cup	8 cup	4 lb	2000 ml	1.82 kg	CLR	6	16.80

## Color Coded Cutting Board System

Color coding is the first step in an effective food safety program.



- Assists in complying with HACCP for separation of potentially hazardous foods:
  - Red: Raw Meats
  - Blue: Seafood
  - Tan: Cooked Meats
  - Green: Fruits/Vegetables
  - Yellow: Poultry
  - White: Dairy
- Assists in complying with FDA Food Code 3-302.11 for protecting food from cross-contamination
- NSF certified
- Commercial dishwasher safe



9F93



9F94 / 3145

No.	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
9F93	Color Coded Cutting Boards	20" l x 15" w x 0.5" h	35 lb	50.8 cm x 38.1 cm x 1.3 cm	15.9 kg	BLUE, GRN, RED, TAN, WHT, YEL	6	22.80
9F94 <sup>a</sup>	Color Coded Cutting Boards, Set of 6 Colors	20" l x 15" w x 0.5" h	35 lb	50.8 cm x 38.1 cm x 1.3 cm	15.9 kg	0000	1	135.50
3145	Plastic Rack for Cutting Boards	13" l x 10.5" w x 8" h	3.5 lb	33 cm x 26.7 cm x 20.3 cm	1.6 kg	WHT	1	78.20

<sup>a</sup> Pre-sorted 6-pack includes one each red, yellow, tan, green, white, and blue boards.

## BRUTE® GreensKeeper® Containers

For cleaning and storing any fruit or vegetable.

- All-in-one wash, drain, crisp, and storage system that aids compliance with HACCP guidelines
- Removable dolly allows easy transport
- Assists in complying with FDA Code 3-302.15 for Washing Fruits and Vegetables
- USDA Meat & Poultry Equipment Group listed



2636

No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Lettuce Heads	Color	Pack	U.S. List Price (Ea.)
2624	GreensKeeper® Container, with Lid and Dolly	22.5" dia x 33.5" h	20 gal	21 lb	57.2 cm dia x 85.1 cm	75.7 L	12.9 kg	27-30	WHT	1	256.00
2636	GreensKeeper® Container, with Lid and Dolly	25" dia x 38.5" h	32 gal	29.1 lb	63.5 cm dia x 97.8 cm	121.1 L	13.3 kg	49-52	WHT	1	324.00

## BRUTE® "ICE ONLY" Container

Make ice safety a priority!



- Ensures safe ice handling and complies with HACCP guidelines
- No cracking, rusting, or chipping that could potentially contaminate ice
- Compliant with FDA Food Code 3-302.12 for Food Storage Containers with Identifiably Common Food Name
- Handles and double ribbed base allow easy lifting and dragging
- NSF certified BRUTE® "ICE ONLY" container is durable and easy to clean



9F86



No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
9F86	"ICE ONLY" Container	15.63" dia x 15.63" l x 17.13" h	10 gal	19 lb	39.7 cm dia x 39.7 cm x 43.5 cm	37.85 L	8.6 kg	WHT	6	23.80

## Cake Keeper

Tight-fitting lid helps keep stored food fresh.

- See-through lid provides quick identification of contents
- Base has molded-in centering rings; can be used as a serving tray when lid is removed
- Commercial dishwasher safe
- Stackable



No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
3900RD	Cake Keeper	13.2" l x 12.7" w x 6.9" h	10" Cake/Pie	3.36 lb	33.5 cm x 32.3 cm x 17.5 cm	25.4 cm	1.52 kg	WHT	2	11.40

## PROSERVE® Lightweight Insulated Carriers

Four layers of thermal retention provide lightweight option for safely transporting food and beverage.

- Keeps hot food hot and cold food cold safely for four hours
- PROSERVE® carriers are lighter than solid competitive products, decreasing risk of ergonomic stress
- Divider for 9F15 allows separation within carrier between hot and cold food storage and reduces risk of cross-contamination
- Time temperature monitoring and labeling is easy with large identification window secured to each carrier

**RIGID INTERIOR INSULATION**  
Lightweight and over 300% stronger than Styrofoam® polystyrene, Expanded Polypropylene (EPP) resists flaking, cleans easily, and provides uncompromising support.

**REFLECTIVE VAPOR BARRIER**  
Helps maintain even temperature throughout the carrier, so foods maintain their ideal temperatures.



**NON-WOVEN POLYESTER INSULATION**  
Nearly an inch thick, it's the same insulation used in high-performance coldweather gear. Will not retain moisture or odors.

**COMMERCIAL-GRADE NYLON EXTERIOR**  
Strong (840 denier) nylon surrounds and protects the inner layers.



9G40 Divider for 9F15 allows separation within carrier between hot and cold food storage and reduces risk of cross-contamination.



9F19



9F20



9F21



9F16



9F15



9F14



9F13



9F12

No.	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Pan Capacity	Color	Pack	U.S. List Price (Ea.)
9F12	PROSERVE® Insulated End Load Full Pan Carrier, Small	27" l x 18.25" w x 16" h	13.0 lb	68.6 cm x 46.4 cm x 40.6 cm	5.90 kg	3-2½" or 2-4" deep pans	CGRAY	1	220.00
9F13	PROSERVE® Insulated End Load Full Pan Carrier, Medium	27" l x 19.5" w x 22.5" h	17.5 lb	68.6 cm x 49.5 cm x 57.2 cm	7.94 kg	5-2½" or 3-4" deep pans	CGRAY	1	290.00
9F14	PROSERVE® Insulated End Load Full Pan Carrier, Large	27" l x 21.5" w x 29" h	20.1 lb	68.6 cm x 54.6 cm x 73.7 cm	9.12 kg	7-2½" or 4-4" deep pans	CGRAY	1	356.00
9F15	PROSERVE® Insulated Top Load Half Pan Carrier	19" l x 16.75" w x 15" h	8.3 lb	48.3 cm x 42.5 cm x 38.1 cm	3.76 kg	3-2½" or 2-4" deep pans	CGRAY	1	142.00
9F16	PROSERVE® Insulated Top Load Full Pan Carrier	28" l x 19.25" w x 19.5" h	14.0 lb	71.1 cm x 48.9 cm x 49.5 cm	6.35 kg	5-2½" or 3-4" deep pans	CGRAY	1	229.00

### ACCESSORIES

No.	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Pan Capacity	Color	Pack	U.S. List Price (Ea.)
9F19	PROSERVE® Insulated Carrier Dolly with Retention Strap	28.75" l x 22.25" w x 10" h	14.5 lb	73 cm x 56.5 cm x 25.4 cm	6.58 kg	Holds up to 325 lb	BLA	1	190.00
9F20	PROSERVE® Insulated Chrome Plated Wire Shelf	21" l x 12.75" w x 0.38" h	2.5 lb	53.3 cm x 32.4 cm x 1 cm	1.13 kg	Holds up to 25 lb	0000	1	42.60
9F21	PROSERVE® Insulated Blue Ice® Chiller	21" l x 12.75" w x 1.5" h	12.2 lb	53.3 cm x 32.4 cm x 3.8 cm	5.53 kg		BLUE	1	84.60
9G40	PROSERVE® Divider for 9F15	11.2" l x 1.56" w x 8.5" h	2.2 lb	28.4 cm x 4 cm x 21.6 cm	1.00 kg		BLA	6	13.40

¹ Styrofoam® is a registered trademark of the Dow Chemical Company.



## PROSERVE® Professional Delivery Bags

Reliable professional delivery bags for those on the go!

- Two inches of polyester insulation offers maximum thermal retention with no moisture and odor retention
- Durable, commercial-grade nylon exterior will not deteriorate with use and offers years of performance
- Commercial-grade zippers and hook and loop closures protect food while metal grommets release excess steam to maintain food quality
- Large identification window allows for easy labeling of orders, dates, and temperatures
- Commercial dishwasher safe, with a hanging loop for proper drying



No.	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Bag Capacity	Color	Pack	U.S. List Price (Ea.)
9F35	PROSERVE® Pizza Delivery Bag, Small	18" l x 18" w x 5.25" h	15 lb	45.7 cm x 45.7 cm x 13.3 cm	6.8 kg	Two 16" Pizzas	RED	6	44.80
9F36	PROSERVE® Pizza Delivery Bag, Medium	18" l x 17.25" w x 7.75" h	15 lb	45.7 cm x 43.8 cm x 19.7 cm	6.8 kg	Four 12" or Three 14" Pizzas	RED	6	42.20
9F37	PROSERVE® Pizza Delivery Bag, Large	21.5" l x 19.75" w x 7.75" h	18 lb	54.6 cm x 50.2 cm x 19.7 cm	8.2 kg	Four 16" or Three 18" Pizzas	RED	6	50.20
9F38	PROSERVE® Pizza/Catering/Sandwich Delivery Bag, Medium	17" l x 17" w x 13" h	13.5 lb	43.2 cm x 43.2 cm x 33 cm	6.1 kg	Six 12" to 14" Pizzas	RED	4	60.00
9F39	PROSERVE® Pizza/Catering/Sandwich Delivery Bag, Large	19.75" l x 19.75" w x 13" h	15.5 lb	50.2 cm x 50.2 cm x 33 cm	7.0 kg	Six 16" to Pizzas	RED	4	71.40
9F40	PROSERVE® Sandwich Delivery Bag	15" l x 12" w x 12" h	13.5 lb	38.1 cm x 30.5 cm x 30.5 cm	6.1 kg	Fifteen 12" Sub Sandwiches	RED	4	61.40

## CaterMax™ Insulated Carriers

Preserve food quality—and your reputation.

- Serpentine seal maintains safe food temperatures during transport
- NSF certified for cleanability
- Durable plastic hardware and shell will stand up to the rigors of transport
- Attractive styles and colors allow food to go from storage to transport to serving
- No gaskets or replacement parts needed
- Trolley's three-position handle lets users push, pull, or fold flat for use as dolly



9408-88




9407

9406 / 4401-86

## FOOD SAFE ZONE

CaterMax™ Insulated Carriers retain temperature better than competitor carriers to preserve food freshness and quality.



No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
9406	CaterMax™ 25 Insulated Single Pan Carrier accommodates 1/1, 1/2 and 1/3 Food Pans	29.5" l x 19" w x 10.63" h	23 qt	22.1 lb	74.9 cm x 48.3 cm x 27 cm	21.8 L	10 kg	BLA, PLAT	1	199.50
9407	CaterMax™ 50 Insulated Four-Pan Carrier accommodates 1/1, 1/2 and 1/3 Food Pans	29.5" l x 19" w x 15.5" h	55 qt	27.5 lb	74.9 cm x 48.3 cm x 39.4 cm	52 L	12.5 kg	BLA, PLAT	1	245.00
9408-88	CaterMax™ 100 Insulated End Loader Pan Carrier with 5" (12.7 cm) Swivel Casters accommodates 1/1, 1/2 and 1/3 Food Pans	18.75" l x 26.75" w x 33.63" h	94 qt	64.35 lb	47.6 cm x 67.9 cm x 85.4 cm	89 L	29.2 kg	BLA, PLAT	1	468.00
4401-86	Caterer's Trolley transports 9406, 9407 and 9408 CaterMax™ Carriers	32.5" l x 20.5" w	400 lb	24 lb	82.6 cm x 52.1 cm	181.4 kg	10.9 kg	BLA	1	222.00

# PROSERVE® Rack System

Safely transport food from oven to freezer.

- Encourage employee safety with user-friendly handles and protective bumpers
- PanGuard™ Locking Bar secures pan, and extended base enhances stability to eliminate costly spills
- Easy-to-clean industrial-grade plastic top and bottom and chrome-plated side panels resist rust and corrosion
- Holds 18" x 26" sheet pans at the base, not the edges, for added support
- Heavy-duty thread guard, 5" dia. X 1¼" wide (12.7 cm), features two locking casters
- Vinyl Rack Cover (9F90) and Insulated Rack Cover (9F91) reduce cross-contamination when used with PROSERVE® Rack System
- NSF certified



9F97



9F98



9F90



9F91



### PROTECTIVE BUMPERS

Rounded plastic corners wrap around chrome-plated steel to reduce scrapes and bumps.

**TEMPERATURE RANGE:**  
-20° TO 200°F



### PANGUARD™ LOCKING BAR SYSTEM

(patent-pending)  
Roll with confidence: Trays stay secure while transporting.



### USER-FRIENDLY HANDLES

Easy handling from oven to freezer.



### PAN HOLDERS

Holds pans at the base, not the edges, for enhanced support.

**TEMPERATURE RANGE:**  
-20° TO 500° F



### HEAVY-DUTY CASTERS

Maneuver with ease on thread-guard casters (two are lockable).



### EXTENDED BASE MODEL

Up to 50% more stable to help eliminate expensive stumbles and spills

No.	Description	U.S. Dimensions	U.S. Weight Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Weight Capacity	Metric Ship Wt/Ctn	Pan Capacity	Color	Pack	U.S. List Price (Ea.)
9F97	PROSERVE® Standard Base Sheet Pan Rack	23" l x 28" w x 69.63" h	300 lb	80 lb	58.4 cm x 71.1 cm x 176.8 cm	136.1 kg	36.3 kg	26 Slots with 2" (5.08cm) spacing	BLA	1	604.00
9F98	PROSERVE® Extended Base Sheet Pan Rack	31" l x 37" w x 69.63" h	300 lb	83 lb	78.7 cm x 94 cm x 176.8 cm	136.1 kg	37.6 kg	26 Slots with 2" (5.08cm) spacing	BLA	1	724.00

## ACCESSORIES

No.	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
9F90	Vinyl Rack Cover for 9F97, 9F98, 3320 Racks	23.5" l x 29.5" w x 70.5" h	5.5 lb	59.7 cm x 74.9 cm x 179.1 cm	2.5 kg	CLR	1	72.60
9F91	Insulated Rack Cover for 9F97, 9F98, 3320 Racks	23.5" l x 30.5" w x 70.5" h	14.2 lb	59.7 cm x 77.5 cm x 179.1 cm	6.4 kg	BLA	1	330.00

## Max System™ Racks and Carts

Increase efficiency by maximizing space, transportation, and storage.

- Versatile system specially designed to work with food pans, food boxes, and sheet pans.
- Impact-resistant structural web plastic components stand up to the most demanding kitchens
- Racks and carts are designed with soft, round corners that are easy on the walls, doors, and equipment
- Stylish design and quiet handling moves food easily from kitchen to dining room, minimizing expensive labor costs
- USDA Meat & Poultry Group listed
- NSF certified for cleanability
- Casters are 5" (12.7 cm) non-marking swivel plate design (two are lockable)



3316

No.	Description (Unassembled)	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Pan Capacity	Color	Pack	U.S. List Price (Ea.)
3315 <sup>a</sup>	Max System™ Prep Cart with Cutting Board (8 slot end loader for full size insert pans)	23.75" l x 18.63" w x 36.13" h	44.8 lb	60.3 cm x 47.3 cm x 91.8 cm	20.3 kg	8	BLA, OWHT	1	490.00
3316 <sup>a</sup>	Max System™ Prep Cart with Cutting Board (8 slot side loader for food boxes and sheet pans)	31.75" l x 23.75" w x 36.13" h	52 lb	80.6 cm x 60.3 cm x 91.8 cm	23.6 kg	8	BLA, OWHT	1	522.00
3317	Max System™ Rack (18 slot end loader for full size insert pans)	23.75" l x 18.63" w x 67.88" h	68.4 lb	60.3 cm x 47.3 cm x 172.4 cm	31 kg	18	BLA, OWHT	1	474.00
3319	Max System™ Rack (18 slot side loader for food boxes and sheet pans)	31.75" l x 23.75" w x 67.88" h	72.3 lb	80.6 cm x 60.3 cm x 172.4 cm	32.8 kg	18	OWHT	1	502.00
3320	Max System™ Rack (18 slot end loader for food boxes and sheet pans)	28.75" l x 23.75" w x 67.88" h	82 lb	73 cm x 60.3 cm x 172.4 cm	37.2 kg	18	BLA, OWHT	1	502.00
3324	Max System™ Rack (18 slot dual loader for full size insert pans)	26.69" l x 28.75" w x 67.88" h	82 lb	67.8 cm x 73 cm x 172.4 cm	37.2 kg	18	BLA, OWHT	1	522.00

<sup>a</sup> Includes NSF Food Zone approved Max System™ Cutting Board.

## Foodservice & Restock Carts

Versatile and functional in any facility.

- Commercial-grade molded construction with non-marking wheels
- Performs multiple duties: stocking cart, turnaround cart, self-serving food kiosk, mobile beverage server
- Sized for smaller facilities or restocking
- Optional accessories available



3424-88





4091

No.	Description (Unassembled)	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
4091	Utility Cart, Open Sided	40.63" l x 20" w x 37.81" h	300 lb	43.4 lb	103.2 cm x 50.8 cm x 96 cm	136.1 kg	19.7 kg	BLA, GRAY, OWHT	1	308.00
3424-88	Utility Cart with 4" dia (10.2 cm) Swivel Casters	33.63" l x 18.63" w x 37.75" h	200 lb	30 lb	85.4 cm x 47.3 cm x 95.9 cm	90.7 kg	13.6 kg	BLA, OWHT, PLAT, RED	1	264.00




9F01  
**Mobile Prep Station w/ Waste Container**  
 Opening: 26" / 12"  
 (66 cm/30.5 cm)  
 Accommodates:



Food Box/Sheet Pan

3320  
**Rack-End Loader**  
 Opening: 19 1/16"  
 (50.32 cm)  
 Accommodates:



Food Box/Sheet Pan



3315 / 3317

**Prep Cart-End Loader**  
 Opening: 13" (33 cm)  
 Accommodates:



3324

**Rack-Dual End Loader**  
 Opening: 21 1/16" (53.5 cm)  
 Accommodates:




9F02

**Prep Cart-Dual End Loader**  
 Opening: 13" (33 cm)  
 Accommodates: 2 Rows



3316

**Prep Cart-Side Loader**  
 Opening: 26 1/16" (66.4 cm)  
 Accommodates:



Food Box/  
Sheet Pan

## MAX SYSTEM™ DUAL PAN PREP CARTS

No.	Description (Unassembled)	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Weight Capacity	Pan Capacity	Color	Pack	U.S. List Price (Ea.)
9F00	Max System™ Dual Pan Prep Cart for 18" x 26" (45.7 cm x 66 cm) and 12" x 18" (30.5 cm x 45.7 cm) Food Boxes	45.88" l x 23.75" w x 36.13" h	59.5 lb	116.5 cm x 60.3 cm x 91.8 cm	26.99 kg	300 lb 136.1 kg	16	BLA, OWHT	1	762.00
9F01	Max System™ Mobile Prep Station with Waste Container	45.88" l x 23.75" w x 36.13" h	61.5 lb	116.5 cm x 60.3 cm x 91.8 cm	27.90 kg	300 lb 136.1 kg	8	BLA, OWHT	1	796.00
9F02	Max System™ Dual Pan Prep Cart for GN Size Pans	33.88" l x 23.75" w x 36.13" h	58.6 lb	86 cm x 60.3 cm x 91.8 cm	26.58 kg	300 lb 136.1 kg	16	BLA	1	648.00



3353-88



3354-88



6195



6196



6197

## RESTOCKING CART ACCESSORIES

No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
3353-88	Refuse Bin	12" l x 17" w x 22" h	8 gal	9 lb	30.5 cm x 43.2 cm x 55.9 cm	30.3 L	4.1 kg	BLA	2	78.00
3354-88	Utility Bin	12.13" l x 17" w x 10.5" h	4 gal	5.4 lb	30.8 cm x 43.2 cm x 26.7 cm	15.1 L	2.4 kg	BLA	2	37.20
6195	Adjustable Shelf Kit for 6189, 6190, 6191, 6192 and 9T19 Carts	30.13" l x 18.5" w x 2.25" h		5 lb	76.5 cm x 47 cm x 5.7 cm		2.3 kg	PLAT	1	56.20
6196	Under Deck Shelf Kit for 6189, 6190, 6191, 6192 and 9T19 Carts	25.38" l x 21" w x 6.69" h		2.5 lb	64.5 cm x 53.3 cm x 17 cm		1.1 kg	PLAT	1	63.00
6197	Locking Door Kit for 6189, 6190, 6191, 6192 and 9T19 Carts	34" l x 1.88" w x 31.63" h		6.7 lb	86.4 cm x 4.8 cm x 80.3 cm		3 kg	BRN	1	79.80

## Bus/Tote Boxes

Built for long-lasting durability.

- Commercial-grade plastic has reinforced handles, bottom and ribs for added strength and employee safety
- Rounded corners for easy cleaning
- NSF certified and commercial dishwasher safe



3648 / 3349



No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
3349 <sup>a</sup>	Bus/Utility Box	20" l x 15" w x 5" h	4% gal	20.55 lb	50.8 cm x 38.1 cm x 12.7 cm	17.5 L	9.3 kg	GRAY, WHT	12	10.60
3349-92 <sup>a</sup>	Bus/Utility Box, Bulk Pack	20" l x 15" w x 5" h	4% gal	444.1 lb	50.8 cm x 38.1 cm x 12.7 cm	17.5 L	201.4 kg	GRAY, WHT	210	8.40
3350 <sup>a</sup>	Divided Bus/Utility Box	21.5" l x 17.13" w x 7" h	7 gal	20.56 lb	54.6 cm x 43.5 cm x 17.8 cm	26.5 L	9.3 kg	BRN	6	18.80
3351 <sup>a</sup>	Undivided Bus/Utility Box	21.5" l x 17.13" w x 7" h	7% gal	17.6 lb	54.6 cm x 43.5 cm x 17.8 cm	28.9 L	8 kg	BRN, GRAY	6	16.80
3351-92 <sup>a</sup>	Undivided Bus/Utility Box, Bulk Pack	21.5" l x 17.13" w x 7" h	7% gal	335 lb	54.6 cm x 43.5 cm x 17.8 cm	28.9 L	152 kg	BRN, GRAY	100	15.20
3690 <sup>b</sup>	Food/Tote Box	14.38" l x 12.38" w x 5.38" h	11 qt	6.65 lb	36.5 cm x 31.4 cm x 13.7 cm	10.4 L	3 kg	WHT	6	13.60
3648	Lid for 3349 Bus/Utility Box	22" l x 16.5" w x 0.75" h		17.98 lb	55.9 cm x 41.9 cm x 1.9 cm		8.2 kg	GRAY	12	8.80
3616 <sup>b</sup>	Lid for 3690 Food/Tote Box	15" l x 12.75" w		2.88 lb	38.1 cm x 32.4 cm		1.3 kg	WHT	6	10.80

<sup>a</sup> Certified to NSF Std. #2 (splash zone).

<sup>b</sup> USDA Meat & Poultry Equipment Group listed and assists in complying w/HACCP guidelines.

## Cutlery Bin

Safely stores and transports cutlery to minimize employee injuries.

- Made of durable, commercial-grade plastic
- Ribbed design and special resin finish for strength
- Ideal for storing, dispensing, and transporting silverware and condiment packets
- NSF certified and commercial dishwasher safe



3362

No.	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
3362	Cutlery Bin, 4 Compartments	21.25" l x 11.5" w x 3.75" h	19.1 lb	54 cm x 29.2 cm x 9.5 cm	8.6 kg	GRAY	12	11.80

## Condiment Dispensers

Hygienic, safe storage for condiments, garnishes, and more.

- Comes with three 1-quart (.9 L) or six 1-pint (.5 L) removable inserts
- Textured, see-through lid made of durable polycarbonate for durability and ingredient identification
- Convenient finger tab for opening lid
- For use in front-of-house or back-of-house for prep work, condiments, garnishes, and ingredients
- Commercial dishwasher safe



2890

No.	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
2890	Condiment Dispenser with six 1 U.S. pt (0.5 L) Inserts	19.63" l x 6.25" w x 3.75" h	3.23 lb	49.8 cm x 15.9 cm x 9.5 cm	1.5 kg	BLA	1	58.40
2891	Condiment Dispenser with three 1 U.S. qt (0.9 L) Inserts	19.63" l x 6.25" w x 3.75" h	3.03 lb	49.8 cm x 15.9 cm x 9.5 cm	1.4 kg	BLA	1	58.40

## Bouncer® Pitchers

Designed for safety and lower replacement costs.

- Reduce potential physical contamination with durable polycarbonate pitchers that resist chipping and breaking
- Drip-proof spout
- Lighter weight for employee safety, and less costly than glass
- 3 Way Bouncer® Pitcher (9F48) provides versatile pouring options without spilling
- NSF certified and commercial dishwasher safe



No.	Description	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
3331	Bouncer® II Pitcher	48 oz	6.67 lb	1.4 L	3 kg	CLR	6	11.40
3334	Bouncer® II Pitcher	60 oz	6.49 lb	1.8 L	2.9 kg	CLR	6	11.60
3335	Bouncer® Pitcher	48 oz	4.86 lb	1.4 L	2.2 kg	CLR	6	9.40
3336	Bouncer® Pitcher	32 oz	3 lb	.9 L	1.4 kg	CLR	6	8.80
3337	Bouncer® Pitcher	54 oz	5.49 lb	1.6 L	2.5 kg	CLR	6	9.80
3338	Bouncer® Pitcher	60 oz	5.72 lb	1.8 L	2.6 kg	CLR, GOLD	6	9.80
3339	Bouncer® Pitcher	72 oz	6.63 lb	2.1 L	3 kg	CLR	6	12.60
9F48	3 Way Bouncer® Pitcher	60 oz	5.56 lb	1.7 L	2.5 kg	CLR	6	11.60

## Pitchers

Suitable for any operation.

- Tight-fitting, three-way lid features open, closed, and slotted positions
- Rugged polyethylene construction
- Commercial dishwasher safe
- Mixing Pitcher (3064-01) is NSF certified and reduces cross-contamination with integrated stirrer
- Front-of-house: serving juice, iced tea, water
- Back-of-house: pouring, storing batters



306401



No.	Description	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
3062RD	Economy Pitcher with White Lid	2¼ qt	4.65 lb	2.1 L	2.1 kg	PERI	6	8.20
3063RD	Economy Pitcher with White Lid	1 gal	6.4 lb	3.8 L	2.9 kg	PERI	6	10.80
3064-01*	Mixing Pitcher	2 qt	3.7 lb	1.9 L	1.7 kg	WHT	6	7.00

\*Certified to NSF Standard #2.

## Beverage Dispensers

Versatile and economical non-carbonated beverage dispensing.

- Two sizes: 3- and 5-gallon (11.4 L and 18.9 L) capacities.
- Available in amber tint for iced tea, and clear for punch, lemonade, etc.
- Interchangeable, durable polycarbonate tanks
- Includes tank, base, drain tray, lid, and labels for lemonade and iced tea
- Certified to NSF Std. #18



3358



3359

No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
3358	Beverage Dispenser	16.75" l x 10.38" w x 23.38" h	3 gal	10.61 lb	42.5 cm x 26.4 cm x 59.4 cm	11.4 L	4.8 kg	AMBR, CLR	1	151.00
3359	Beverage Dispenser	16.75" l x 10.38" w x 22.75" h	5 gal	12.61 lb	42.5 cm x 26.4 cm x 57.8 cm	18.9 L	5.7 kg	CLR	1	199.00

## Insulated Cold Beverage Containers

Keep beverages cold for hours.

- Durable polyethylene material for crack-resistance and long life
- Improved recessed spigot and convenient carry handles



168501

No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
168301	Insulated Beverage Container, Orange	12.5" l x 11" w x 16.7" h	3 gal	6 lb	31.8 cm x 27.9 cm x 42.4 cm	11.4 L	2.7 kg	ORAN	1	49.60
168501	Insulated Beverage Container, Orange	14.75" l x 12.88" w x 18.88" h	5 gal	8 lb	37.5 cm x 32.7 cm x 47.9 cm	18.9 L	3.60 kg	ORAN	1	68.00
161001	Insulated Beverage Container, Orange	16" l x 16" w x 20.5" h	10 gal	11.5 lb	40.6 cm x 40.6 cm x 52.1 cm	37.8 L	5.2 kg	ORAN	1	100.50

## Sturdy Chair™ Youth Seats with Microban® Antimicrobial Protection

Sturdy Chair™ Youth Seats make safety and cleanliness a priority for your youngest patrons.

- Contemporary design with Microban® technology makes it easier to clean than wood
- Microban® provides all-over protection from bacteria growth that can cause odors and staining
- Meets ASTM 404-04, TUV, and European safety standards
- Stackable design makes for easy storage
- Fits under standard table without tray



7815-88 Sturdy Chair™ Tray available in dark blue, platinum, dark green, red and black.



ASTM F404-04 and TUV Certification Standard Consumer Safety Specifications for high chairs that ensures the design and function of the Sturdy Chair™ Youth Seat meets safety specifications intended to minimize injuries to children under normal use.




\*2006 Rubbermaid Study



- Convenient handle for safe, one-handed maneuvering throughout dining room
- One-piece T-bar and safety harness safely helps to secure child
- Durable molded parts are easy to clean
- Available with or without wheels



- Microban® antimicrobial protection helps prevent the growth of stain and odor causing bacteria
- Microban® protection is built into the chair during the manufacturing process and will not wash or wear off during the life of the chair
- Sturdy Chair™ looks newer longer with built-in Microban® antimicrobial protection



**REPRESENTATIVE OF ANTIMICROBIAL EFFECT**

This information is based upon standard laboratory tests and is provided for comparative purposes to substantiate antimicrobial activity for non-public health applications. Microban technology is not designed to protect users from disease causing microorganisms. Microban protection inhibits the growth of microorganisms that cause stains, odors, and product degradation. Antimicrobial action limited to product surface.

No.	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Color	Pack	U.S. List Price (Ea.)
7805-88	Sturdy Chair™ Youth Seat with Wheels	23.5" l x 23.38" w x 29.75" h	18 lb	59.7 cm x 59.4 cm x 75.6 cm	8.2 kg	DGRN, PLAT, BLA	1	212.00
7806-88	Sturdy Chair™ Youth Seat without Wheels	23.5" l x 23.5" w x 29.75" h	18 lb	59.7 cm x 59.7 cm x 75.6 cm	8.2 kg	DGRN, PLAT, BLA	1	174.00
7814-88	Sturdy Chair™ Youth Seat, RTA (ready to assemble) no wheels	23.5" l x 23.5" w x 29.75" h	17 lb	59.7 cm x 59.7 cm x 75.6 cm	7.7 kg	DGRN, PLAT, BLA	1	148.00
7815-88	Tray for 7805-88, 7806-88 and 7814-88 Chairs	11.5" l x 18.5" w x 3.25" h	2.5 lb	29.2 cm x 47 cm x 8.3 cm	1.1 kg	DBLUE, DGRN, PLAT, RED, BLA	1	48.80

MICROBAN is a registered trademark of Microban Products Company. © 2006 Microban Products Company. All rights reserved. www.microban.com

Microban® protection does not protect user from food borne illness and is not a substitute for normal cleaning practices.

\* Time lapse image.

**PELOUZE® SCALES AND RUBBERMAID THERMOMETERS AND TIMERS ARE ESSENTIAL FOOD SAFETY AND COST CONTROL TOOLS FOR EVERY FOODSERVICE OPERATION.**



**SCALES**

Smarter cost management begins at the receiving door and is used throughout preparation, portion control, and serving. Pelouze scales are renowned for precise measurements and durability.

Washable and Dishwasher Safe Scales (600 and 800 series) reduce cross-contamination by allowing the scale to be fully washable. Scales can be washed fully assembled or disassembled quickly for a more thorough cleaning.

**THERMOMETERS**

Temperature control and monitoring is an important first step in any food safety plan. Rubbermaid offers a full line of innovative and reliable thermometers that improve productivity and increase safety.

**TIMERS**

Rubbermaid timers are designed for the demanding environment of a foodservice kitchen. Multifunction timers provide the flexibility to monitor various food cooking times or cool down procedures.

**CUSTOMER SERVICE: 1-800-950-9787**

**TECHNICAL SUPPORT: 1-877-500-8324**



## High Performance Digital Portion Control Scales

Save money on high cost foods with digital portioning.

- Dishwasher safe removable stainless steel platform
- Reads in fractions, decimals and grams
- Temperature compensated load cell for use in refrigerated prep rooms
- 250 lb overload protection provides ultimate durability
- Sealed chassis resists airborne contamination
- Includes AC adapter; 50 hour rechargeable battery or 9V battery (not included)
- Easy to read 1/2" LCD display



FS12

No.	Description	Increments	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
FS2P	High Performance Digital Portion Control Scale	0.1 oz, 1/4 oz, 1 g	2 lb	18 lb	1000 g	8.2 kg	3	358.00
FS6	High Performance Digital Portion Control Scale	0.1 oz, 1/4 oz, 2 g	6 lb	18 lb	2700 g	8.2 kg	3	368.00
FS12	High Performance Digital Portion Control Scale	0.1 oz, 1/4 oz, 2 g	12 lb	18 lb	6000 g	8.2 kg	3	378.00

## Compact Digital Portion Control Scale

Portion control for limited space operations.

- Dishwasher safe removable stainless steel platform
- Reads in fractions, decimals, and grams
- Coated components protect against condensation and dust
- 10 lb overload protection
- FS2 includes AC adapter; 17 hour rechargeable battery or 9V battery (not included)
- Easy to read 1/2" LCD display



FS2

No.	Description	Increments	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
FS2	Compact Digital Portion Control Scale	0.1 oz, 1/4 oz, 1 g	2 lb	11 lb	1000 g	5 kg	4	173.00
FS32	Compact Digital Portion Control Scale	0.1 oz, 1/4 oz, 1 g	2 lb	9 lb	1000 g	4 kg	4	119.00

## Digital Ingredient Portion Control Scale

Reduce cross-contamination with remote tare.

- Compact design with wall mount display saves space and provides proper ergonomics
- Remote tare switch provides hands-free operation
- Adjustable feet compensate for non-level surface area
- Removable stainless steel platform is dishwasher safe
- AC adapter included



PS10FPX

No.	Description	Increments	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
PS10FPX	Digital Ingredient Scale with Remote Tare	0.1 oz, 2 g	10 lb	25 lb	4.5 kg	11.3 kg	1	630.00

## Compact Portion Control Scale

- Compact, space-saving size
- Stainless steel platform for sanitary contact surface
- Durable ABS plastic chassis
- Fixed dial with zero adjust knob



K16SS



K32CUP



KF16SS

No.	Description	Increments	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
K16SS	Compact Portion Control Scale	1/4 oz	16 oz	8 lb	N/A	3.6 kg	6	49.00
K32	Over-run Scale with 1 pt Measuring Cup	1/4 oz	32 oz	10 lb	N/A	4.5 kg	6	50.00
K32CUP	1 pint/16oz/2cup measuring cup for K32	N/A	16 oz	N/A	N/A	N/A	1	12.00
KF16SS	Contoured Platform Compact Scale	1/4 oz	16 oz	10 lb	N/A	4.5 kg	6	50.00

## Mechanical Portion Control Scales **New!**

### 600 SERIES DISHWASHER SAFE MECHANICAL PORTION CONTROL SCALE

- Stainless steel scales are 100% dishwasher safe
- QuickStop™ indicator stops needle immediately on weight
- Easy to disassemble, no tools required and no loose parts
- Temperature compensated for use in refrigerated prep rooms and throughout the flow of food
- 30° angled easy-to-ready shatter resistant lens
- 6" x 5¼" Platform serves as built in handle
- Rotating dial simplifies multiple ingredient weighings



632SRW



No.	Description	Increments	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
632SRWQ	Mechanical Portion Control Scale w/Quick Stop	¼ oz	32 oz	30 lb	N/A	13.6 kg	6	174.00
632SRW	Mechanical Portion Control Scale	¼ oz	32 oz	30 lb	N/A	13.6 kg	6	120.00
605SRWQ	Mechanical Portion Control Scale w/Quick Stop	½ oz	5 lb	30 lb	N/A	13.6 kg	6	174.00
605SRW	Mechanical Portion Control Scale	½ oz	5 lb	30 lb	N/A	13.6 kg	6	120.00
625SRW	Mechanical Portion Control Scale	2 oz	25 lb	30 lb	N/A	13.6 kg	6	139.50

### 800 SERIES WASHABLE MECHANICAL PORTION CONTROL SCALE

- Stainless steel scales are 100% dishwasher safe
- QuickStop™ indicator stops needle immediately on weight
- Easy to disassemble, no tools required and no loose parts
- Temperature compensated for use in refrigerated prep rooms and throughout the flow of food
- 30° angled easy-to-ready shatter resistant lens
- 9" x 9" Platform serves as built in handle
- Rotating dial simplifies multiple ingredient weighings

**New!**



805W



840BW



No.	Description	Increments	Rotating Dial	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
832SRWQ	Dishwasher Safe Washable Mechanical Portion Control Scale w/ Quick Stop	¼ oz	Yes	32 oz	42 lb	N/A	19 kg	4	295.00
832SRW	Dishwasher Safe Washable Mechanical Portion Control Scale	¼ oz	Yes	32 oz	42 lb	N/A	19 kg	4	256.00
832RWQ	Washable Mechanical Portion Control Scale w/ Quick Stop	¼ oz	Yes	32 oz	42 lb	N/A	19 kg	4	220.00
832WQ	Washable Mechanical Portion Control Scale w/ Quick Stop	¼ oz	Yes	32 oz	42 lb	N/A	19 kg	4	180.00
832RW	Washable Mechanical Portion Control Scale	¼ oz	Yes	32 oz	42 lb	N/A	19 kg	4	193.00
832BW	Washable Mechanical Portion Control Scale	¼ oz, 2 g		32 oz	42 lb	900g	19 kg	4	136.00
832W	Washable Mechanical Portion Control Scale	¼ oz		32 oz	42 lb	N/A	19 kg	4	136.00
805SRWQ	Dishwasher Safe Washable Mechanical Portion Control Scale w/ Quick Stop	½ oz	Yes	5 lb	42 lb	N/A	19 kg	4	299.00
805RWQ	Washable Mechanical Portion Control Scale w/ Quick Stop	½ oz	Yes	5 lb	42 lb	N/A	19 kg	4	225.00
805W	Washable Mechanical Portion Control Scale	½ oz		5 lb	42 lb	N/A	19 kg	4	138.50
810BW	Washable Mechanical Portion Control Scale	1 oz, 25 g		10 lb	42 lb	4.5 kg	19 kg	4	140.50
810W	Washable Mechanical Portion Control Scale	1 oz		10 lb	42 lb	N/A	19 kg	4	140.50
820SW	Dishwasher Safe Washable Mechanical Portion Control Scale	1 oz		20 lb	42 lb	N/A	19 kg	4	227.00
820BW	Washable Mechanical Portion Control Scale	1 Oz, 25 g		20 lb	42 lb	9 kg	19 kg	4	142.50
820W	Washable Mechanical Portion Control Scale	1 oz		20 lb	42 lb	N/A	19 kg	4	142.50
840SW	Dishwasher Safe Washable Mechanical Portion Control Scale	2 oz		40 lb	42 lb	N/A	19 kg	4	235.00
840BW	Washable Mechanical Portion Control Scale	2 oz, 50 g		40 lb	42 lb	18 kg	19 kg	4	145.00
840W	Washable Mechanical Portion Control Scale	2 oz		40 lb	42 lb	N/A	19 kg	4	145.00

## Bakers Beam Scales

- Seamless one piece stainless steel scoop (included)
- Precision weights included for maximum accuracy
- Chrome plated steel platform
- Adjustable stainless steel counter weight (included) for precise tare of scoop

BD16SC



No.	Description	Increments	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
BD16SC	Baker's Beam Scale	¼ oz	16 lb	39 lbs	N/A	17.7 kg	1	498.00
BD8SC	Baker's Beam Scale	¼ oz	8 lb	31 lbs	N/A	14.1 kg	1	468.00
BW1	1 lb weight for Baker's Scale	1 lb	1 lb	2 lbs	N/A	.9 kg	1	36.00
BW2	2 lb weight for Baker's Scale	2 lb	2 lb	3 lbs	N/A	1.4 kg	1	42.00
BW4	4 lb weight for Baker's Scale	4 lb	4 lb	5 lbs	N/A	2.3 kg	1	48.00
BC1	Adjustable Counterweight (for use with B168S)	N/A	N/A	3 lbs	N/A	1.4 kg	1	50.40
B168S	Baker's Scale Stainless Steel Scoop (20 lb capacity)	N/A	20 lbs	6 lbs	N/A	2.7 kg	1	132.00
B168P	Baker's Scale Plastic Scoop (20 lbs)	N/A	20 lbs	2 lbs	N/A	.9 kg	1	76.00

## Y-Line Mechanical Portion Control Scales

- Stainless steel platform and stanchion serve as built-in handle
- Extra-thick anodized aluminum chassis for extreme durability
- Tempered spring for accuracy in refrigerated prep rooms
- Color-coded lens provides "at-a-glance" scale capacity identification

Y16R



Y200R



### ROTATING DIAL

No.	Description	Increments	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
Y16R	Mechanical Portion Control Scale	¼ oz	16 oz	23 lb	N/A	10.4 kg	6	85.60
Y32R	Mechanical Portion Control Scale	¼ oz	32 oz	23 lb	N/A	10.4 kg	6	87.00
Y50G	Mechanical Portion Control Scale	2 oz	50 lb	23 lb	N/A	10.4 kg	6	76.60
YG1000R	Mechanical Portion Control Scale - Metric	5 g	N/A	23 lb	1000 g	10.4 kg	6	87.00
YG180R	Mechanical Portion Control Scale	½ oz	5 lb	23 lb	N/A	10.4 kg	6	89.00
YG425R	Mechanical Portion Control Scale	2 oz	25 lb	23 lb	N/A	10.4 kg	6	90.00
YG450R	Mechanical Portion Control Scale	4 oz	50 lb	23 lb	N/A	10.4 kg	6	91.00
YG500R	Mechanical Portion Control Scale - Metric	2 g	N/A	23 lb	500 g	10.4 kg	6	85.60

### FIXED DIAL

No.	Description	Increments	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
Y200R	Mechanical Portion Control Scale	¼ oz	32 oz	23 lb	N/A	10.4 kg	6	73.60
YG400R	Mechanical Portion Control Scale	2 oz	25 lb	23 lb	N/A	10.4 kg	6	77.60
YG800R	Mechanical Portion Control Scale	4 oz	50 lb	23 lb	N/A	10.4 kg	6	78.60

### DUAL READ ROTATING DIAL

No.	Description	Increments	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
A012R	Mechanical Portion Control Scale - Dual Read	2 oz, 50 g	25 lb	23 lb	10 kg	10.4 kg	6	90.00
A12R	Mechanical Portion Control Scale - Dual Read	¼ oz, 5 g	32 oz	23 lb	900 g	10.4 kg	6	87.00
A22R	Mechanical Portion Control Scale - Dual Read	½ oz, 10 g	5 lb	23 lb	2 kg	10.4 kg	6	89.00

## Digital Hanging Scales

Weighing made simple for sporting, agricultural, or industrial needs.

- ½" LCD display
- Tare feature removes weight of container and allows for multiple weighings
- Memory settings will record up to 4 weighings
- Hold button locks in weight of item being weighed
- Heavy-duty steel hooks will not break or bend

7750



No.	Description	Increments	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
007750-000-000	Digital Hanging Scale	1 oz, 20 g	50 lb	6 lb	22 kg	2.72	4	110.00
007710-000-000	Digital Hanging Scale	2 oz, 5 g	100 lb	6 lb	45 kg	2.72	4	140.00

## Mechanical Hanging Scales

Heavy-duty steel construction for multi-purpose weighing.

- Adjustable tare pointer for removing weight of container
- Heavy-duty steel hooks will not break or bend
- Optional hanging adapter for use on doors and beams
- Basket and chain available separately (007908)

7842



7895



7820



7908



No.	Description	Increments	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
007842-000-000	Dial Hanging Scale with Tare	1 oz, 25 g	20 lb	13 lb	9 kg	5.9 kg	4	51.00
007800-000-000	Dial Hanging Scale	¼ lb, 50 g	70 lb	14 lb	31 kg	6.4 kg	4	53.00
D70	Dial Hanging Scale with Clockwise and Counterclockwise Dial	0.2 lb, ¼ lb	70 lb	20 lb		9.1 kg	6	80.00
007810-000-000	Hanging Scale	1 lb, 0.5 kg	110 lb	18 lb	50 kg	8.2 kg	4	50.00
007820-000-000	Hanging Scale	2 lb, 1 kg	220 lb	21 lb	100 kg	9.5 kg	4	55.00
007830-000-000	Hanging Scale	5 lb, 2 kg	330 lb	22 lb	150 kg	10 kg	4	60.00
007826-000-000	Hanging Scale	1 lb, 250 g	26 lb	4 lb	12 kg	1.8 kg	12	10.00
007895-000-000	Compact Hanging Scale	1 lb, 0.5 kg	50 lb	6 lb	22.5 kg	2.7 kg	4	35.00
007908-000-000	Galvanized Steel Scoop	N/A	N/A	7 lb	N/A	3.2 kg	1	25.00

## Digital Receiving/Utility Scales

Proper inventory control begins at the receiving door.

### 4010/4040 DIGITAL RECEIVING SCALES

- Rugged 18 gauge scale designed to handle heavy packages and containers
- Remote 1/2" LCD wall mount display saves counter space and provides eye-level readout (9' cord reach) for employee safe receiving
- Tare feature removes weight of container
- Low profile platform and non-skid feet allow for easy weighing



4010 / 4040

### STRAIGHT WEIGHT SCALES

- Durable straight weight scales
- Hold feature



SP5



PE20

No.	Description	Increments	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
4010	Digital Receiving Scale	0.2 lb, 0.1 kg	150 lb	22 lb	68 kg	10 kg	2	188.00
4040	Digital Receiving Scale	0.5 lb, 0.2 kg	400 lb	22 lb	180 kg	10. kg	2	220.00
SP5	Digital Straight Weight Scale	0.1 oz, 1 g	5 lb	4 lb	2.2 kg	1.8 kg	2	58.00
PE10	Digital Straight Weight Scale	0.2 oz, 5 g	10 lb	4 lb	5000 g	1.8 kg	2	95.00
PE20	Digital Straight Weight Scale	0.1 oz, 5 g	20 lb	5 lb	10 kg	2.3 kg	2	120.00

## Briefcase/Utility Mechanical Receiving Scales

Low profile receiving scale for foodservice, industrial, or office environments.

- Multi-ribbed platform is sturdy enough for bulky crates or heavy cartons
- Memory Lock™ feature locks in weight when dial is secure
- Low platform design allows for cartons to easily slide onto scale, improving employee safety
- Protected zero adjust knob for precise zero reset
- Non-skid feet ensure weighing stability



P250S

No.	Description	Increments	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
P100S	"Briefcase" Receiving Scale	1 lb	100 lb	20 lb	N/A	9.1 kg	2	122.00
P114S	"Briefcase" Receiving Scale Metric	0.5 kg	N/A	20 lb	114 kg	9.1 kg	2	131.00
P250S	"Briefcase" Receiving Scale	1 lb	250 lb	20 lb	N/A	9.1 kg	2	131.00
P250SS	Stainless Steel "Briefcase" Receiving Scale	1 lb	250 lb	20 lb	N/A	9.1 kg	2	141.00

## Platform Receiving Scales

Heavy-duty platform scale for table top weighing.

- Temperature compensated for use in refrigerated prep rooms and throughout the flow of food
- 30° angled easy-to-read shatter resistant lens
- Heavy-duty steel construction
- Zero adjust knob for precise zero reset



10100S

### PLATFORM RECEIVING SCALE: STAINLESS STEEL WITH FIXED DIAL

No.	Description	Increments	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
10100S	Heavy Duty Receiving Scale	4 oz	100 lb	52 lb	N/A	23.6 kg	2	542.00
10200S	Heavy Duty Receiving Scale	8 oz	200 lb	59 lb	N/A	26.8 kg	2	550.00

### PLATFORM RECEIVING SCALE: STEEL WITH BAKED ENAMEL FINISH AND FIXED DIAL

No.	Description	Increments	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Capacity	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
10100	Heavy Duty Receiving Scale	4 oz	100 lb	52 lb	N/A	23.6 kg	2	257.00
10200	Heavy Duty Receiving Scale	8 oz	200 lb	59 lb	N/A	26.8 kg	2	340.00
1060	Heavy Duty Receiving Scale	4 oz	60 lb	52 lb	N/A	23.6 kg	2	229.00
10B60	Heavy Duty Receiving Scale - Dual Read	4 oz, 100 g	60 lb	52 lb	27 kg	23.6 kg	2	229.00
10B100	Heavy Duty Receiving Scale - Dual Read	4 oz, 100 g	100 lb	52 lb	45 kg	23.6 kg	2	257.00
10B200	Heavy Duty Receiving Scale - Dual Read	8 oz, 250 g	200 lb	59 lb	90 kg	26.8 kg	2	340.00

## TEMPERATURE MONITORING IS A CRITICAL PRACTICE TO ENSURE PROPER FOOD SAFETY.

Thermocouples are widely used in the foodservice industry for their ability to provide quick and precise temperature measurements. Thermocouples have built-in microprocessors that provide reads within 1/10th of a degree. Response time of a thermocouple can be 3–4 times faster than a mechanical pocket thermometer and 2–3 times faster than a standard digital thermistor thermometer. Everyone from health inspectors to chefs uses thermocouples due to their ability to measure a wide range of temperatures quickly and accurately to ensure proper food safety.



Thermocouples provide fast and accurate temperature solutions for any foodservice operation.

## Thermocouples **New!** Essential tool for any HACCP plan.



### TMP800

- Super fast 3 second temperature response
- Open to turn on, close to turn off—easy to use, no buttons
- Microtip thermocouple folding probe perfect for thin sliced deli meats and delicate foods
- NSF approved



TMP800

### TMP2000, TMP4000

- Min/Max/Hold modes
- Probe included with built-in storage and protection
- Dual read Fahrenheit and Celsius
- IP54 rating for dust and moisture
- 8:1 IR Ratio (TMP4000)
- Auto Off, Low Battery
- 9V battery and custom travel pouch included
- NSF approved



TMP2000



TMP4000



### TYPE K THERMOCOUPLE PROBES

#### Temperature monitoring evolved.

- Manufactured and tested 4x greater than standard ANSI specifications
- Super fast 2–3 second temperature readings
- Interchanges with TMP4000 and TMP2000

THOP



THBP



THMP



No.	Description	Temperature Range	Degree Increments	Stem Length	U.S. Ship Wt/Ctn	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
TMP800	Microtip Thermocouple	-58-572F	0.1F	4½"	3.3 lb	1.5 kg	1	215.00
TMP2000	Thermocouple	-50-450F, -40-230C	0.1F, 0.1C	4¾"	3.5 lb	1.6 kg	1	225.00
TMP4000	Thermocouple/IR Combo	Probe: -40-450F, -40-230C Infrared: -40-600F, -40-300C	0.1F, 0.1C	4¾"	3.5 lb	1.6 kg	1	245.00
THOP	Type K Thermocouple- Oven Probe	-58-482F, 50-250C	0-100C, ± 5C	2"	12.8 lb	5.8 kg	1	106.00
THBP	Type K Thermocouple- Burger Probe	-58-482F, 50-250C	0-100C, ± 5C	¼" (8½" probe)	12.8 lb	5.8 kg	1	140.00
THMP	Type K Thermocouple- Microtip Probe	-58-482F, 50-250C	0-100C, ± 5C	4½"	12.8 lb	5.8 kg	1	106.00

## Infrared Thermometer **New!**

Fast, reliable surface temperature measurement.

- 6:1 ratio
- Ergonomic, palm sized design with trigger button on side
- Min/Max modes
- Dual read Fahrenheit and Celsius



TMP500

No.	Description	Temperature Range	Degree Increments	Stem Length	U.S. Ship Wt/Ctn	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
TMP500	Pocket Infrared Thermometer	-67-482F, -55-250C	0.1F, 0.1C	6:1 IR Ratio	2.6 lb	1.2 kg	12	86.00

## Digital Thermometers **New!**

The first defense against foodborne illness.

### TMP1000

- Dishwasher safe for easy clean-up, monitoring and ware washing machine temperatures
- Easy user calibration
- Min/Max/Hold modes
- Dual read Fahrenheit and Celsius
- NSF approved

### THTC392

- Multi-function display shows current temperature, pre-set temperature, and timer or clock
- 24-hour timer with count-up feature after alarm
- Dual read Fahrenheit and Celsius
- 3' Teflon cord with stainless probe to leave in oven and monitor temperature during cook cycle

### THP302L

- Large 3/8" LCD display
- Dual read Fahrenheit and Celsius
- Hold Button
- NSF approved



TMP1000



THP302L

No.	Description	Temperature Range	Degree Increments	Stem Length	U.S. Ship Wt/Ctn	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
THP302L	Digital Pocket	-58-302F	1F	4 7/8"	2. lb	0.9 kg	12	23.80
THTC392	Digital Food Monitoring Thermometer w/ Timer	32-392F, 0-200C	1F, 1C	8"	4.8 lb	2.2 kg	6	46.80
TMP1000	Dishwasher Safe Digital Pocket	-40-450F, -58-230C	0.1F, 0.1C	5"	2.1 lb	1 kg	12	32.00

## Dial Pocket Thermometers

- Dishwasher safe design
- Built-in sheath calibration tool
- Shatter resistant lens
- Stainless steel construction



THP220DS

No.	Description	Temperature Range	Degree Increments	Stem Length	U.S. Ship Wt/Ctn	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
THP160DS	Dishwasher Safe Pocket Thermometer	-40-160F	2F	5"	0.9 lb	0.4 kg	12	9.00
THP220C	Pocket Thermometer	0-220F	2F	5"	0.9 lb	0.4 kg	12	5.40
THP220DS	Dishwasher Safe Pocket Thermometer	0-220F	2F	5"	0.9 lb	0.4 kg	12	9.00
THP220DSPOP	Dishwasher Safe Pocket Thermometer POP display	0-220F	2F	5"	3.7 lb	1.7 kg	4	7.00
THP550DS	Dishwasher Safe Pocket Thermometer	50-550F	5F	5"	0.9 lb	0.4 kg	12	9.00

## Equipment Monitoring Thermometer

Keep food safe by properly monitoring equipment.

- Hangs or stands for easy installation
- HACCP safe zones
- Large easy-to-read dial
- Stainless steel
- NSF approved



THR80P



THW180



THG600



No.	Description	Temperature Range	Degree Increments	Stem Length	U.S. Ship Wt/Ctn	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
THR80P	Refrigerator/Freezer (non-carded)	-20-120F, -30-50C	2F, 1C	N/A	0.8 lb	0.3 kg	12	2.60
THR80C	Refrigerator/Freezer (carded blister)	-20-120F, -30-50C	2F, 1C	N/A	0.8 lb	0.3 kg	12	2.80
THW180	Warming/Proofing	100-180F	2F	N/A	1.6 lb	0.7 kg	12	6.80
COT550C	Oven	60-580F, 20-300C	10F, 10C	N/A	3 lb	1.4 kg	12	5.40
R80DC	Refrigerator/Freezer	-20-80F, -30-30	2F, 1C	N/A	1.6 lb	0.7 kg	12	7.20
R80GC	Refrigerator/Freezer	-40-80F, -30-30C	2F, 1C	N/A	1.3 lb	0.6 kg	12	6.00
THG600	Grill	100-600F, 50-300C	10F, 10C	N/A	1.6 lb	0.7 kg	12	13.60
THO550	Oven	60-580F, 20-300C	10F, 10C	N/A	1.6 lb	0.7 kg	12	7.40

## Food Preparation Thermometers

Improve taste and safety with food preparation thermometers.

- Dishwasher safe (FGTHB212DS, FGTHM200DS, FGTHC400DS)
- HACCP zones
- Built-in sheath calibration tool
- Dual read Fahrenheit and Celsius
- Stainless steel



THM200DS



CC400DC



No.	Description	Temperature Range	Degree Increments	Stem Length	U.S. Ship Wt/Ctn	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
THM200DS	Dishwasher Safe Meat Thermometer, 2 1/2" dial	120 to 212F, 50 to 100C	2F, 1 C	4 3/4"	3 lb	1.4 kg	12	12.60
THC400DS	Dishwasher Safe Candy Thermometer	100 to 400F, 30 to 220C	5F, 2C	5 1/4"	3.3 lb	1.5 kg	12	12.60
CC400DC	Candy	100-400F, 30 to 220C	5F, 5 C	6"	3.3 lb	1.5 kg	12	10.80
CM200C	Meat	0-200F	2 F	4 3/4"	4 lb	1.8 kg	12	8.00
THB212DS	Dishwasher Safe Café Thermometer	120-212F, 50-100C	2F, 1C	7"	3.3 lb	1.5 kg	12	16.00
THB272DSP*	Dishwasher Safe Meat Thermometer, 1 1/2" dial	120 to 212F, 50 to 100C	2F, 1 C	4 3/4"	3 lb	1.4 kg	12	12.40

\* Available March 2008

## Timers

### MULTI-FUNCTION TIMER

- Four independent timing cycles with loud, distinct alarms for multi-tasking
- Reverse timer after alarm
- Oil and water resistant
- Last entry recall
- One second increments for up/down count modes
- Angled keypad for easy one-handed operation



DT24

### DIGITAL TIMER

- Start/stop feature
- Alarm bell
- Fold-out magnetic stand



R4411



R4421

### MECHANICAL TIMER

- Easy to operate
- No batteries required
- Loud alarm bell



MT60F

No.	Description	Increments	Timing Capacity	U.S. Ship Wt/Ctn	Metric Ship Wt/Ctn	Pack	U.S. List Price (Ea.)
DT24	4 Function Digital Timer	1 sec	24 hour	3.4 lb	1.5 kg	6	70.00
R4411	Digital Timer	1 min	20 hour	1.7 lb	0.8 kg	12	16.00
R4421	Digital Timer	1 sec	24 hour	2 lb	0.9 kg	12	24.00
MT60F	Mechanical Timer	1 min	60 minute	2 lb	0.9 kg	6	13.00

No.	Description	Product UPC	Color	Page #
007710-000-000	Digital Hanging Scale	077177408216		27
007750-000-000	Digital Hanging Scale	077177408223		27
007800-000-000	Dial Hanging Scale	077177060032		27
007810-000-000	Hanging Scale	077177891025		27
007820-000-000	Hanging Scale	077177892022		27
007826-000-000	Hanging Scale	077177408230		27
007830-000-000	Hanging Scale	077177893029		27
007842-000-000	Digital Hanging Scale w/Tare	077177084229		27
007895-000-000	Compact Hanging Scale	077177089521		27
10B60	Heavy Duty Receiving Scale - Dual Read	077177077036		28
10B100	Heavy Duty Receiving Scale - Dual Read	077177077050		28
10B200	Heavy Duty Receiving Scale - Dual Read	077177077074		28
100P	Cold Food Pan, 1/9 Size	086876120691	CLR	9
101P	Cold Food Pan, 1/9 Size	086876120714	CLR	9
102P-23	Cold Food Pan Cover, Peg Hole, 1/9 Size	086876172706	CLR	9
102P-86	Cold Food Pan Cover, Notched, 1/9 Size	086876123579	CLR	9
103P-29	Cold Food Pan Cover, Secure Sealing, 1/9 Size	086876173987	GRAY	9
104P	Cold Food Pan, 1/6 Size	086876120769	CLR	9
105P	Cold Food Pan, 1/6 Size	086876120783	CLR	9
106P	Cold Food Pan, 1/6 Size	086876120806	CLR	9
108P-23	Cold Food Pan Cover, Peg Hole, 1/6 Size	086876172683	CLR	9
108P-86	Cold Food Pan Cover, Notched, 1/6 Size	086876120837	CLR	9
109P-29	Cold Food Pan Cover, Secure Sealing, 1/6 Size	086876173994	GRAY	9
110P	Cold Food Pan, 1/4 Size	086876120851	CLR	9
111P	Cold Food Pan, 1/4 Size	086876120875	CLR	9
112P	Cold Food Pan, 1/4 Size	086876120899	CLR	9
113P	Hot Food Pan Drain Tray, 1/4 Size	086876142785	AMBR	10
113P-24	Cold Food Pan Drain Tray, 1/4 Size	086876120929	CLR	9
114P	Cold Food Pan Cover, 1/4 Size	086876120936	CLR	9
114P-86	Cold Food Pan Cover, Notched, 1/4 Size	086876120943	CLR	9
115P-29	Cold Food Pan Cover, Secure Sealing, 1/4 Size	086876174007	GRAY	9
116P	Cold Food Pan, 1/3 Size	086876120967	CLR	9
117P	Cold Food Pan, 1/3 Size	086876120981	CLR	9
118P	Cold Food Pan, 1/3 Size	086876121001	CLR	9
119P	Cold Food Pan, 1/3 Size	086876121025	CLR	9
120P	Hot Food Pan Drain Tray, 1/3 Size	086876142853	AMBR	10
120P-24	Cold Food Pan Drain Tray, 1/3 Size	086876121056	CLR	9
121P-23	Cold Food Pan Cover, Peg Hole, 1/3 Size	086876172669	CLR	9
121P-86	Cold Food Pan Cover, Notched, 1/3 Size	086876121070	CLR	9
122P-29	Cold Food Pan Cover, Secure Sealing, 1/3 Size	086876174014	GRAY	9
123P	Cold Food Pan, 1/2 Size	086876121094	CLR	9
124P	Cold Food Pan, 1/2 Size	086876121117	CLR	9
125P	Cold Food Pan, 1/2 Size	086876121131	CLR	9
126P	Cold Food Pan, 1/2 Size	086876121155	CLR	9
127P	Hot Food Pan Drain Tray, 1/2 Size	086876142921	AMBR	10
127P-24	Cold Food Pan Drain Tray, 1/2 Size	086876125009	CLR	9
128P-23	Cold Food Pan Cover, Peg Hole, 1/2 Size	086876172645	CLR	9
128P-86	Cold Food Pan Cover, Notched, 1/2 Size	086876121186	CLR	9

No.	Description	Product UPC	Color	Page #
129P-29	Cold Food Pan Cover, Secure Sealing, 1/2 Size	086876174021	GRAY	9
130P	Cold Food Pan, Full Size	086876121193	CLR	9
131P	Cold Food Pan, Full Size	086876121216	CLR	9
132P	Cold Food Pan, Full Size	086876121230	CLR	9
133P	Cold Food Pan, Full Size	086876121254	CLR	9
134P	Cold Food Pan Cover, Full Size	086876121278	CLR	9
134P-86	Cold Food Pan Cover, Notched, Full Size	086876121285	CLR	9
135P-29	Cold Food Pan Cover, Secure Sealing, Full Size	086876176391	GRAY	9
139P	Cold Food Pan, 1/2 Size Long	086876121308	CLR	9
140P	Cold Food Pan, 1/2 Size Long	086876121322	CLR	9
141P	Cold Food Pan Cover, 1/2 Size Long	086876121346	CLR	9
142P	Cold Food Pan Cover, Soft Sealing, 1/9 Size	086876155730	WHT	9
143P	Cold Food Pan Cover, Soft Sealing, 1/6 Size	086876155747	WHT	9
144P	Cold Food Pan Cover, Soft Sealing, 1/4 Size	086876155754	WHT	9
145P	Cold Food Pan Cover, Soft Sealing, 1/3 Size	086876155761	WHT	9
146P	Cold Food Pan Cover, Soft Sealing, 1/2 Size	086876155778	WHT	9
147P	Cold Food Pan Cover, Soft Sealing, Full Size	086876155785	WHT	9
1060	Heavy Duty Receiving Scale	077177070518		28
1901	Scraper	086876155464	0000	12
1905	Scraper	086876155525	0000	12
1906	Scraper	086876155518	0000	12
1913	Scraper - Icing Blade	086876155501	0000	12
1933	Spoon-Shaped Spatula	086876162226	WHT	12
1934	Spoon-Shaped Spatula	086876162233	WHT	12
1938	Spoon-Shaped Spatula	086876162240	WHT	12
1962	High Heat Scraper	086876148992	0000	12
1963	High Heat Scraper	086876149005	0000	12
1964	High Heat Scraper	086876149012	0000	12
1966	High Heat Spoon Scraper	086876159684	RED	12
1967	High Heat Spoon Scraper	086876159691	RED	12
1968	High Heat Spoon Scraper	086876159707	RED	12
10100	Heavy Duty Receiving Scale	077177070556		28
10100S	Heavy Duty Receiving Scale	077177070563		28
10200	Heavy Duty Receiving Scale	077177070600		28
10200S	Heavy Duty Receiving Scale	077177070655		28
161001	Insulated Beverage Container, Orange	079154116240	ORAN	22
168301	Insulated Beverage Container, Orange	079154116189	ORAN	22
168501	Insulated Beverage Container, Orange	079154116219	ORAN	22
200P	Hot Food Pan, 1/9 Size	086876142662	AMBR	10
201P	Hot Food Pan, 1/9 Size	086876142679	AMBR	10
202P-23	Hot Food Pan Cover, Peg Hole, 1/9 Size	086876172713	AMBR	10
204P	Hot Food Pan, 1/6 Size	086876142693	AMBR	10
205P	Hot Food Pan, 1/6 Size	086876142709	AMBR	10
206P	Hot Food Pan, 1/6 Size	086876142716	AMBR	10
208P-23	Hot Food Pan Cover, Peg Hole, 1/6 Size	086876172690	AMBR	10
208P-86	Hot Food Pan Cover, Notched, 1/6 Size	086876142730	AMBR	10
210P	Hot Food Pan, 1/4 Size	086876142754	AMBR	10
211P	Hot Food Pan, 1/4 Size	086876142761	AMBR	10



No.	Description	Product UPC	Color	Page #
212P	Hot Food Pan, 1/4 Size	086876142778	AMBR	10
214P	Hot Food Pan Cover, 1/4 Size	086876142792	AMBR	10
214P-86	Hot Food Pan Cover, Notched, 1/4 Size	086876142808	AMBR	10
216P	Hot Food Pan, 1/3 Size	086876142815	AMBR	10
217P	Hot Food Pan, 1/3 Size	086876142822	AMBR	10
218P	Hot Food Pan, 1/3 Size	086876142839	AMBR	10
221P-23	Hot Food Pan Cover, Peg Hole, 1/3 Size	086876172676	AMBR	10
221P-86	Hot Food Pan Cover, Notched, 1/3 Size	086876142877	AMBR	10
223P	Hot Food Pan, 1/2 Size	086876142884	AMBR	10
224P	Hot Food Pan, 1/2 Size	086876142891	AMBR	10
225P	Hot Food Pan, 1/2 Size	086876142907	AMBR	10
228P-23	Hot Food Pan Cover, Peg Hole, 1/2 Size	086876172652	AMBR	10
228P-86	Hot Food Pan Cover, Notched, 1/2 Size	086876142945	AMBR	10
230P	Hot Food Pan, Full Size	086876142952	AMBR	10
231P	Hot Food Pan, Full Size	086876142969	AMBR	10
232P	Hot Food Pan, Full Size	086876142976	AMBR	10
234P	Hot Food Pan Cover, Full Size	086876142990	AMBR	10
234P-86	Hot Food Pan Cover, Notched, Full Size	086876143003	AMBR	10
239P	Hot Food Pan, 1/2 Size Long	086876143010	AMBR	10
240P	Hot Food Pan, 1/2 Size Long	086876143027	AMBR	10
241P	Hot Food Pan Cover, 1/2 Size Long	086876143034	AMBR	10
2624	GreensKeeper® Container w/Lid & Dolly	086876013979	WHT	15
2636	GreensKeeper® Container w/Lid & Dolly	086876015386	WHT	15
2882	Bouncer® Bar Scoop	086876017854	CLR	13
2884	Bouncer® Utility Scoop	086876017878	CLR	13
2885	Utility Scoop	086876017915	WHT	13
2886	Bouncer® Utility Scoop	086876017939	CLR	13
2890	Condiment Dispenser, 6 Inserts	086876120547	BLA	21
2891	Condiment Dispenser, 3 Inserts	086876120554	BLA	21
3062RD	Economy Pitcher w/White Lid	071691012061	PERI	22
3063RD	Economy Pitcher w/White Lid	071691012078	PERI	22
3064-01	Mixing Pitcher	071691306412	WHT	22
3145	Plastic Rack for Cutting Boards	086876153699	WHT	15
3210	Bouncer® Measuring Cup	086876019650	CLR	13
3215	Bouncer® Measuring Cup	086876019667	CLR	13
3216	Bouncer® Measuring Cup	086876019681	CLR	13
3217	Bouncer® Measuring Cup	086876019704	CLR	13
3218	Bouncer® Measuring Cup	086876019728	CLR	13
3300	Food/Tote Box	086876019766	CLR	7
3301	Food/Tote Box	086876019780	CLR	7
3302	Lid for 3300, 3301, 3306, 3308, 3328	086876019803	CLR	7
3303	Colander/Drain Tray	086876019841	CLR	7
3304	Food/Tote Box	086876019865	CLR	7
3306	Food/Tote Box	086876019889	CLR	7
3307	Food/Tote Box	086876019902	CLR	7
3308	Food/Tote Box	086876019926	CLR	7
3309	Food/Tote Box	086876019957	CLR	7
3310	Lid for 3304, 3307, 3309	086876019971	CLR	7

No.	Description	Product UPC	Color	Page #
3315	Max System™ Prep Cart	086876155419	BLA	19
		086876149128	OWHT	
3316	Max System™ Prep Cart	086876155426	BLA	19
		086876149142	OWHT	
3317	Max System™ Rack	086876155433	BLA	19
		086876149166	OWHT	
3319	Max System™ Rack	086876149180	OWHT	19
3320	Max System™ Rack	086876155389	BLA	19
		086876155372	OWHT	
3324	Max System™ Rack	086876155402	BLA	19
		086876155396	OWHT	
3328	Food/Tote Box	086876020205	CLR	7
3331	Bouncer® II Pitcher	086876020274	CLR	22
3334	Bouncer® II Pitcher	086876020335	CLR	22
3335	Bouncer® Pitcher	086876020342	CLR	22
3336	Bouncer® Pitcher	086876020366	CLR	22
3337	Bouncer® Pitcher	086876020380	CLR	22
3338	Bouncer® Pitcher	086876024234	CLR	22
		086876020427	GOLD	
3339	Bouncer® Pitcher	086876020472	CLR	22
3349	Bus/Utility Box	086876021011	GRAY	21
		086876129694	WHT	
3349-92	Bus/Utility Box, Bulk Pack	086876021097	GRAY	21
		086876155303	WHT	
		086876180565	RED	
3350	Divided Bus/Utility Box	086876021103	BRN	21
3351	Undivided Bus/Utility Box	086876021141	BRN	21
		086876021165	GRAY	
3351-92	Undivided Bus/Utility Box, Bulk Pack	086876140989	BRN	21
		086876140996	GRAY	
3353-88	Refuse Bin	086876162844	BLA	20
3354-88	Utility Bin	086876162851	BLA	20
3358	Beverage Dispenser	086876021646	AMBR	22
		086876021653	CLR	
3359	Beverage Dispenser	086876021684	CLR	22
3362	Cutlery Bin	086876042979	GRAY	21
3424-88	Utility Cart	086876159509	BLA	19
		086876159516	OWHT	
		086876159493	PLAT	
3456	Hot Food Pan Drain Tray, 1/6 Size	086876142747	AMBR	10
3500	Food/Tote Box	086876022650	WHT	7
3501	Food/Tote Box	086876022711	WHT	7
3502	Lid for 3500, 3501, 3506, 3508, 3528	086876022759	WHT	7
3504	Food/Tote Box	086876022780	WHT	7
3506	Food/Tote Box	086876022827	WHT	7
3507	Food/Tote Box	086876022858	WHT	7
3508	Food/Tote Box	086876022896	WHT	7
3509	Food/Tote Box	086876022971	WHT	7

No.	Description	Product UPC	Color	Page #
3510	Lid for 3504, 3507, 3509	086876023046	WHT	7
3528	Food/Tote Box	086876023220	WHT	7
3600-88	Slant Front Ingredient Bin with Scoop	086876178142	WHT	4
3601	Flat Top Ingredient Bin	086876023978	WHT	4
3602-88	Slant Front Ingredient Bin with Scoop	086876178159	WHT	4
3603-88	Slant Front Ingredient Bin with Scoop	086876178166	WHT	4
3616	Lid for 3690 Food/Tote Box	086876024081	WHT	21
3648	Lid for 3349 Bus/Utility Box	086876042658	GRAY	21
3690	Food/Tote Box	086876025538	WHT	21
3900RD	Cake Keeper	071691390015	WHT	15
4010	Digital Receiving Scale	077177142404		28
4040	Digital Receiving Scale	077177142208		28
4091	Utility Cart	086876148947	BLA	19
		086876145076	GRAY	
		086876133424	OWHT	
4401-86	Trolley for 9406, 9407 and 9408 CaterMax™ Insulated Carriers	086876155686	BLA	17
5720	Round Storage Container	08687613122	WHT	6
5720-24	Round Storage Container	086876131239	CLR	6
5721	Round Storage Container	086876131246	WHT	6
5721-24	Round Storage Container	086876131253	CLR	6
5722	Lid for 5720, 5720-24, 5721, 5721-24	086876179125	NAT	6
		086876131260	YEL	
5723	Round Storage Container	086876131277	WHT	6
5723-24	Round Storage Container	086876131284	CLR	6
5724	Round Storage Container	086876131291	WHT	6
5724-24	Round Storage Container	086876131307	CLR	6
5725	Lid for 5723, 5723-24, 5724, 5724-24	086876179132	NAT	6
		086876131314	WHT	
5726	Round Storage Container	086876131321	WHT	6
5726-24	Round Storage Container	086876131338	CLR	6
5727	Round Storage Container	086876131345	WHT	6
5727-24	Round Storage Container	086876131352	CLR	6
5728	Round Storage Container	086876131369	WHT	6
5728-24	Round Storage Container	086876131376	CLR	6
5729	Round Storage Container w/Bail	086876143560	GRAY	6
		086876131383	WHT	
5729-24	Round Storage Container w/Bail	086876131390	CLR	6
5730	Lid for 5726, 5726-24, 5727, 5727-24, 5728, 5728-24, 5729, 5729-24	086876179149	NAT	6
		086876131406	YEL	
605SRW	Mechanical Portion Control Scale	077177404893		26
605SRWQ	Mechanical Portion Control Scale w/QuickStop	077177404801		26
625SRW	Mechanical Portion Control Scale	077177404825		26
632SRW	Mechanical Portion Control Scale	077177404856		26
632SRWQ	Mechanical Portion Control Scale w/QuickStop	077177404818		26
6195	Adjustable Shelf Kit for 6189, 6190, 6191, 6192 & 9T19	086876162325	PLAT	20
6196	Under Deck Shelf Kit for 6189, 6190, 6191, 6192 & 9T19	086876162349	PLAT	20
6197	Locking Door Shelf Kit for 6189, 6190, 6191, 6192 & 9T19	086876162332	BRN	20

No.	Description	Product UPC	Color	Page #
6302	Space Saving Square Container	086876043983	CLR	5
6304	Space Saving Square Container	086876043990	CLR	5
6306	Space Saving Square Container	086876044003	CLR	5
6308	Space Saving Square Container	086876044010	CLR	5
6312	Space Saving Square Container	086876044027	CLR	5
6318	Space Saving Square Container	086876044034	CLR	5
6322	Space Saving Square Container	086876044041	CLR	5
6509	Lid for 6302, 6304, 6306, 6308, 9F03, 9F04, 9F05, 9F06	086876044102	WHT	5
6523	Lid for 6312, 6318, 6322, 9F07, 9F08, 9F09	086876044140	WHT	5
7805-88	Sturdy Chair™ Youth Seat w/Wheels	086876188028	BLA	23
		086876188042	DGRN	
		086876188035	PLAT	
7806-88	Sturdy Chair™ Youth Seat without Wheels	086876188059	BLA	23
		086876188073	DGRN	
		086876188066	PLAT	
7814-88	Sturdy Chair™ Youth Seat Ready to Assemble, no wheels	086876188110	DGRN	23
		086876188097	PLAT	
		086876188080	BLA	
7815-88	Tray for 7805-88, 7806-88 & 7814-88	086876188141	DBLUE	23
		086876188158	DGRN	
		086876188127	PLAT	
		086876188134	RED	
		086876193831	BLA	
805RWQ	Washable Mechanical Portion Control Scale w/QuickStop	077177404788		26
805SRWQ	Dishwasher Safe Washable Mechanical Portion Control Scale w/QuickStop	077177404801		26
805W	Washable Mechanical Portion Control Scale	077177404672		26
810BW	Washable Mechanical Portion Control Scale	077177404696		26
810W	Washable Mechanical Portion Control Scale	077177404702		26
820BW	Washable Mechanical Portion Control Scale	077177404719		26
820SW	Dishwasher Safe Washable Mechanical Portion Control Scale	077177404726		26
820W	Washable Mechanical Portion Control Scale	077177404733		26
8315-AS	Measuring Cup Set	071691005063	WHT	13
8316-AS	Measuring Spoon Set	071691831631	WHT	13
832BW	Washable Mechanical Portion Control Scale	077177404740		26
832RW	Washable Mechanical Portion Control Scale	077177405013		26
832RWQ	Washable Mechanical Portion Control Scale w/QuickStop	077177404771		26
832SRW	Dishwasher Safe Washable Mechanical Portion Control Scale	077177405006		26
832SRWQ	Dishwasher Safe Washable Mechanical Portion Control Scale w/QuickStop	077177404818		26
832W	Washable Mechanical Portion Control Scale	077177404764		26
832WQ	Washable Mechanical Portion Control Scale w/QuickStop	077177404757		26
840BW	Washable Mechanical Portion Control Scale	077177494795		26
840SW	Dishwasher Safe Washable Mechanical Portion Control Scale	077177404941		26

No.	Description	Product UPC	Color	Page #
840W	Washable Mechanical Portion Control Scale	077177404665		26
9406	CaterMax™ Insulated Carrier	086876155341	BLA	17
		086876155075	PLAT	
9407	CaterMax™ Insulated Carrier	086876155358	BLA	17
		086876155082	PLAT	
9408-88	CaterMax™ Insulated Carrier	086876156270	BLA	17
		086876156263	PLAT	
7H7500	Premier Small Capacity Storage w/Lid	071691394037	WBKMT	6
7H7600	Premier Small Capacity Storage w/Lid	071691394044	WBKMT	6
7H7700	Premier Small Capacity Storage w/Lid	071691394051	WBKMT	6
7H7800	Premier Small Capacity Storage w/Lid	071691394006	WBKMT	6
7H7900	Premier Small Capacity Storage w/Lid	071691394013	WBKMT	6
9F00	Max System™ Dual Pan Prep Cart	086876164909	BLA	20
		086876164930	OWHT	
9F01	Max System™ Mobile Prep Station w/Waste Container	086876164961	BLA	20
		086876164992	OWHT	
9F02	Max System™ Dual Pan Prep Cart	086876165029	BLA	20
9F03	Space Saving Square Container	086876165395	WHT	5
9F04	Space Saving Square Container	086876165401	WHT	5
9F05	Space Saving Square Container	086876165418	WHT	5
9F06	Space Saving Square Container	086876165425	WHT	5
9F07	Space Saving Square Container	086876165432	WHT	5
9F08	Space Saving Square Container	086876165449	WHT	5
9F09	Space Saving Square Container	086876165456	WHT	5
9F12	ProServe® Insulated Carrier	086876166750	CGRAY	16
9F13	ProServe® Insulated Carrier	086876166767	CGRAY	16
9F14	ProServe® Insulated Carrier	086876166774	CGRAY	16
9F15	ProServe® Insulated Carrier	086876166781	CGRAY	16
9F16	ProServe® Insulated Carrier	086876166798	CGRAY	16
9F19	ProServe® Insulated Carrier Dolly w/Strap	086876166828	BLA	16
9F20	ProServe® Insulated Carrier Wire Shelf	086876166835	0000	16
9F21	ProServe® Insulated Carrier Blue Ice® Chiller	086876166842	BLUE	16
9F35	ProServe® Pizza Delivery Bag	086876172577	RED	17
9F36	ProServe® Pizza Delivery Bag	086876172584	RED	17
9F37	ProServe® Pizza Delivery Bag	086876172591	RED	17
9F38	ProServe® Pizza/Catering/Sandwich Delivery Bag	086876172607	RED	17
9F39	ProServe® Pizza/Catering/Sandwich Delivery Bag	086876172614	RED	17
9F40	ProServe® Sandwich Delivery Bag	086876172621	RED	17
9F48	3 Way Bouncer® Pitcher	086876175745	CLR	22
9F75	32 oz. Bouncer® Contour Scoop	086876176773	CLR	4, 13
9F76	64 oz. Bouncer® Contour Scoop	086876176780	CLR	4, 13
9F77	Sliding Ingredient Bin Lid	086876176797	CLR	4
9F78	Sliding Ingredient Bin Lid	086876176803	CLR	4
9F79	Sliding Ingredient Bin Lid	086876176810	CLR	4
9F86	ICE ONLY Container	086876173086	WHT	15
9F90	Vinyl Cover for 9F97, 9F98, 3320	086876169508	CLR	18
9F91	Insulated Rack Cover for 9F97, 9F98, 3320	086876169515	BLA	18
9F93	Color Coded Cutting Boards	086876170870	BLUE	15

No.	Description	Product UPC	Color	Page #
9F93	Color Coded Cutting Boards (Continued)	086876170863	GRN	15
		086876170856	RED	
		086876170894	TAN	
		086876170900	WHT	
		086876170887	YEL	
9F94	Color Coded Cutting Boards, Set of 6 Colors	086876170917	0000	15
9F97	ProServe® Sheet Pan Rack	086876166507	BLA	18
9F98	ProServe® Sheet Pan Rack	086876166514	BLA	18
9G04	11" Precision Heavy-Duty Solid Spoon	086876180299	0000	12
9G05	11" Precision Heavy-Duty Slotted Spoon	086876180329	0000	12
9G06	11" Precision Heavy-Duty Perforated Spoon	086876180350	0000	12
9G07	13" Precision Heavy-Duty Solid Spoon	086876180305	0000	12
9G08	13" Precision Heavy-Duty Slotted Spoon	086876180336	0000	12
9G09	13" Precision Heavy-Duty Perforated Spoon	086876180367	0000	12
9G10	15" Precision Heavy-Duty Solid Spoon	086876180312	0000	12
9G11	15" Precision Heavy-Duty Slotted Spoon	086876180343	0000	12
9G12	15" Precision Heavy-Duty Perforated Spoon	086876180374	0000	12
9G13	1oz. Tri-Ladle	086876180381	0000	11
9G14	2 oz. Tri-Ladle	086876180398	0000	11
9G15	4 oz. Tri-Ladle	086876180404	0000	11
9G16	6 oz. Tri-Ladle	086876180411	0000	11
9G17	8 oz. Tri-Ladle	086876180428	0000	11
9G18	12 oz. Tri-Ladle	086876180435	0000	11
9G19	1 oz. Precision Portioning Spoon	086876180442	BLA	11
9G20	2 oz. Precision Portioning Spoon	086876180459	BLUE	11
9G21	3 oz. Precision Portioning Spoon	086876180466	OWHT	11
9G22	4 oz. Precision Portioning Spoon	086876180473	GRAY	11
9G23	6 oz. Precision Portioning Spoon	086876180480	TEAL	11
9G24	8 oz. Precision Portioning Spoon	086876180497	ORAN	11
9G25	1 oz. Precision Perforated Portioning Spoon	086876180503	BLA	11
9G26	2 oz. Precision Perforated Portioning Spoon	086876180510	BLUE	11
9G27	3 oz. Precision Perforated Portioning Spoon	086876180527	OWHT	11
9G28	4 oz. Precision Perforated Portioning Spoon	086876180534	GRAY	11
9G29	6 oz. Precision Perforated Portioning Spoon	086876180541	TEAL	11
9G30	8 oz. Precision Perforated Portioning Spoon	086876180558	ORAN	11
9G40	ProServe® Divider for 9F15	086876180282	BLA	16
9G51	Safety Portioning Scoop - 2 Cup	086876183610	CLR	14
9G52	Safety Portioning Scoop - 3 Cup	086876183627	CLR	14
9G53	Safety Portioning Scoop - 4 Cup	086876183634	CLR	14
9G54	Safety Portioning Scoop - 8 Cup	086876183641	CLR	14
9G57	100 Cup Safety Storage Bin with 2 Cup Scoop	086876189957	WHT	3
9G58	200 Cup Safety Storage Bin with 2 Cup Scoop	086876189964	WHT	3
9G59	Safety Storage Cart	086876189971	CHRM	3
A012R	Mechanical Portion Control Scale - Dual Read	077177036439		27
A12R	Mechanical Portion Control Scale - Dual Read	077177036354		27
A22R	Mechanical Portion Control Scale - Dual Read	077177036231		27
B168P	Baker's Scale Plastic Scoop	077177065101		26
BD16SC	Baker's Beam Scale	077177065187		26

No.	Description	Product UPC	Color	Page #
BD8SC	Baker's Beam Scale	077177065101		26
CC400DC	Candy Thermometer	077177143700		31
CM200C	Meat Thermometer	077177144103		31
COT550C	Oven Thermometer	077177144004		31
D70	Dial Hanging Scale w/Clockwise & Counter-clockwise Dial	077177045615		27
DT24	4 Function Digital Timer	077177142116		31
FS2	Compact Digital Portion Control Scale	077177142604		25
FS2P	High Performance Digital Portion Control Scale	077177404399		25
FS6	High Performance Digital Portion Control Scale	077177142413		25
FS12	High Performance Digital Portion Control Scale	077177404382		25
FS32	Compact Digital Portion Control Scale	077177404917		25
K16SS	Compact Portion Control Scale	077177025013		25
K32	Over-run Scale w/1 pt Measuring Cup	077177125034		25
KF16SS	Contoured Platform Compact Scale	077177125027		25
MT60F	Mechanical Timer	077177142437		31
P100S	Briefcase Receiving Scale	077177068706		28
P114S	Briefcase Receiving Scale - Metric	077177068102		28
P250S	Briefcase Receiving Scale	077177068508		28
P250SS	Stainless Steel Briefcase Receiving Scale	077177068621		28
PE10	Digital Straight Weight Scale	022319140808		28
PE20	Digital Straight Weight Scale	022319404948		28
PS10FPX	Digital Ingredient Scale w/Remote Tare	077177145353		25
R4411	Digital Timer	077177140082		31
R4421	Digital Timer	077177140105		31
R80DC	Refrigerator/Freezer Thermometer	077177142901		31
R80GC	Refrigerator/Freezer Thermometer	077177142802		31
SP5	Digital Straight Weight Scale	027045634311		28
THB212DS	Dishwasher Safe Café Thermometer	077177404627		31
THB272DSP	Dishwasher Safe Meat Thermometer	077177405266		31
THBP	Type K Thermocouple - Burger Probe	077177143106		29
THC400DS	Dishwasher Safe Candy Thermometer	077177404450		31
THG600	Grill Thermometer	077177404634		31
THM200DS	Dishwasher Safe Meat Thermometer	077177404467		31
THMP	Type K Thermocouple - Microtip Probe	077177143144		29
THO550	Oven Thermometer	077177143502		31
THOP	Type K Thermocouple - Oven Probe	077177143151		29
THP160DS	Dishwasher Safe Pocket Thermometer	077177404498		30
THP220C	Pocket Thermometer	077177143403		30
THP220DS	Dishwasher Safe Pocket Thermometer	077177404504		30
THP220DSPOP	Dishwasher Safe Pocket Thermometer POP Display	077177404528		30
THP302L	Digital Pocket	077177404962		30
THP550DS	Dishwasher Safe Pocket Thermometer	077177404511		30
THR80C	Refrigerator/Freezer Thermometer	077177404474		31
THR80P	Refrigerator/Freezer Thermometer	077177404474		31
THTC392	Digital Food Monitoring Thermometer w/Timer	077177404832		30
THW180	Warming/Proofing Thermometer	077177404443		31
TMP500	Pocket Infrared Thermometer	077177143717		30

No.	Description	Product UPC	Color	Page #
TMP800	Microtip Thermocouple	077177143724		29
TMP1000	Dishwasher Safe Digital Pocket	077177143731		30
TMP2000	Thermocouple	077177143748		29
TMP4000	Thermocouple/Infrared Combo	077177143755		
Y16R	Mechanical Portion Control Scale	077177035357		27
Y32R	Mechanical Portion Control Scale	077177035333		27
Y200R	Mechanical Portion Control Scale	077177035364		27
Y50	Mechanical Portion Control Scale	077177030505		27
YG1000R	Mechanical Portion Control Scale - Metric	077177036118		27
YG180R	Mechanical Portion Control Scale	077177035210		27
YG400R	Mechanical Portion Control Scale	077177035463		27
YG425R	Mechanical Portion Control Scale	077177035418		27
YG450R	Mechanical Portion Control Scale	077177035524		27
YG500R	Mechanical Portion Control Scale - Metric	077177036019		27
YG800R	Mechanical Portion Control Scale	077177035579		27

## Component Parts

Replacement Part For	No.	Description	Page #
All Pelouze Mechanical & Digital Hanging Scales	007908-000-000	Galvanized Steel Scoop	27
All 600 series scales	600SPLAT	600 Series Stainless Steel Platform	
All 600 series scales	600SSB	600 Series Stainless Steel Bezel	
All 600 series scales	600SSH	600 Series Stainless Steel Housing	
605 series	605DIAL	605 Rotating Dial Assembly	
625 series	625DIAL	625 Rotating Dial Assembly	
632 series	632DIAL	632 Rotating Dial Assembly	
All 800 Series Painted Scales	800RPB	800 Series Painted Bezel	
All 800 Series Painted Scales	800RPH	800 Series Painted Housing	
All 800 Series Stainless Steel Scales	800SSB	800 Series Stainless Steel Bezel	
All 800 Series Stainless Steel Scales	800SSH	800 Series Stainless Steel Housing	
All 800 Series Scales	800SSPLAT	800 Series Stainless Steel Platform	
832SRW, 832RW	832OUDIAL	832 Over/Under Rotating Dial Assembly	
FS2	ADPT10	110V AC/12V DC Male Adaptor	
PS10FPX	ADPT12	120V AD/12V DC Female Adaptor	
40,104,040	ADPT3	120V AC/9V DC Male Adapter	
FS2P, FS6, FS12	ADPT6	120 V AC/9V DC Right Angle Female Adpt.	
BD8SC, BD16SC	B168S	Baker's Scale Stainless Steel Scoop	26
B168S	BC1	Adjustable Counterweight for B168S	26
BD8SC, BD16SC	BW1	1 lb weight for Baker's Scale	26
BD8SC, BD16SC	BW2	2 lb weight for Baker's Scale	26
BD8SC, BD16SC	BW4	4 lb weight for Baker's Scale	26
FS2, FS32	FS2BAT	Rechargeable Battery Pack 7.2 V DC	
FS2, FS32	FS2PLAT	Stainless Steel Platform	
FS2P, FS6, FS12	FSBAT	Rechargeable Battery Pack 6 V DC	
K32	K32CUP	Measuring Cup for K32	25
FS2P, FS6, FS13	PLAT	Stainless Steel Platform	
PS10FPX	SPSTARE	Remote Foot Tare Switch	

# Certifications

## ASTM

ASTM F-404-99 is an American Society for Testing and Materials' safety standard for evaluating a High Chair. A "test dummy" that simulates a child of predetermined size is strapped into the chair and various push, pulls, and racking tests are conducted on the chair and also using the dummy to simulate forces required to remove dummy, and to determine the safety aspects of ensuring proper confinement within the chair without causing harm to the child.

ASTM F-2285-04 is an American Society for Testing and Materials' safety performance specification that establishes performance requirements, test methods, and labeling requirements to minimize the hazards to children presented by Diaper Changing Tables for commercial use with children up to 50 lbs.

ASTM 615 is an American Society for Testing and Materials standard specification for Deformed and Plain Carbon Steel. This specification covers deformed and plain carbon steel bars for concrete reinforcement in cut lengths and coils.

ASTM C150-07 is an ASTM standard specification for Portland Cement, specifically Portland Cement Type 1, for use when the special properties specified for any other type are not required, and Portland Cement Type III, for use when high early strength is desired.



## CE

The CE marking (an acronym for the French "Conformite Europeenne") certifies that a product has met EU health, safety, and environmental requirements, which ensure consumer safety. Manufacturers in the European Union (EU) and abroad must meet CE marking requirements where applicable in order to market their products in Europe.



## FDA

Food and Drug Administration does not approve products. The FDA sets regulations which require compliance.

## HACCP

Hazard Analysis and Critical Control Points is a systematic method using principles (Food Hygiene Practices) for analyzing a food process and determining the possible chemical, physical, and biological hazards within that process that should prevent any unsafe food from leaving the process (this process could be for a food processing plant or food preparation in a restaurant).

The seven principles are:

1. Application
2. HACCP Plan Validation
3. Quality Manual Review
4. On-site Readiness Review
5. Registration Audit
6. Registration
7. Surveillance

## ISO

**ISO is an internationally recognized quality management system that provides:**

- Guidance for businesses that want to implement or improve quality systems within their business
- Benchmarks that customers can use to evaluate a supplier's quality system

**ISO Certification of the Commercial Products Facilities perfectly embodies Rubbermaid principles:**

- ISO certification represents a commitment to continuous value improvement; rather than look at particular products, ISO reviews the systems and procedures through which businesses assure quality products
- ISO certification shows that a company has built a culture of quality
- ISO certification demonstrates a commitment to world class quality systems and the global marketplace

## NSF

National Sanitation Foundation is an independent testing lab/organization in Ann Arbor, Michigan. NSF lists products which meet their criteria for cleanability and sanitation: food contact, splash zone and non-food contact, per Standard 2: Food Equipment and Standard 18: Manual Beverage Dispensers. Also, Standard 21: Thermoplastic Refuse Containers.



# Sponsorships

Rubbermaid Commercial Products is a proud sponsor of the National Restaurant Association Educational Foundation (NRAEF), the International Food Safety Council and the American Culinary Federation (ACF).



The NRAEF continually seeks to educate current and future professionals in the foodservice industry on food safety issues and best practices through numerous training and certification programs. The International Food Safety Council is a not-for-profit organization whose mission is to heighten awareness of the importance of food safety education throughout the restaurant and foodservice industry.



With over 20,000 members, the American Culinary Federation is the largest professional Chefs' organization in the United States. Known as the Authority On Cooking In America, ACF exists to make a positive difference for culinarians thru education, apprenticeship, and certification. Operating a comprehensive certification program for chefs in the US, accreditation to secondary and post-secondary culinary schools and a globally recognized apprenticeship training program, the ACF provides educational opportunities to a highly desirable core market through a national convention and 4 regional conferences. The American Culinary Federation - Achieving Culinary Excellence since 1929!

# Product & Pricing Notes

- Products and Components are subject to change without notice, and may differ from catalog imagery
- Please note that all RCP items are priced by eaches (except can liners, dust cloths, and SeBreeze® Gel Cassettes)
- Refer to "pack" size for exact carton contents
- All pricing listed is reflected in U.S. dollars
- List pricing is subject to change without notice





