



Mobile Serving Equipment



V-Class Serving Lines

The latest materials and finishes on a rugged welded stainless chassis.



Signature Server® 2.0 Mobile Serving Equipment

An update to an American classic - available in rectangle and curved bases.



Merchandising Food Carts and Custom Kiosks

Vollrath merchandising carts maximize your sales and profits.

Vollrath “Green” Facts for Mobile Serving Equipment:



Due to their higher efficiency, Signature Server® units use a 625W heating element instead of 1000 - 1600W elements used by competitors, conserving energy.

The ACM material used in carts and kiosks is manufactured with 85% recycled aluminum content.

Vollrath Modular Drop-Ins utilize extra dense insulation to keep hot foods hot and cold foods cold while using less energy.

Induction Buffet Tables integrate energy efficient induction technology.

For more details on Vollrath’s green products, visit www.vollrathco.com/green

Mobile Units Product Selection Guide



DESCRIPTION	CUSTOM	V-CLASS SERVING LINES	MILESTONE
Customizable	6★ Features	5★ Features	5★ Features
Modular	4★ Features	4★ Features	4★ Features
Options	6★ Features	6★ Features	4★ Features
Countertops	Quartz Solid surface Laminate Stainless steel	Quartz Solid surface Laminate 14 gauge stainless	Solid surface Laminate
Base Construction	Structural frame ACM WCM Stainless	Structural frame	ACM WCM
Breath Guards	All and custom	Contemporary (fixed and adjustable)	All and custom
Style	Contemporary Non-symmetrical shapes Built to design	Most rugged design Simple lines Use of most current materials	Classic traditional design look of wood furniture
Rough Price Per Linear Ft	\$1,800-\$2,500	\$1,800-\$2,500	\$1,600-\$2,000
Typical Locations	High-end college/universities B&I Healthcare Hospitality	College/universities B&I Healthcare Hospitality	Classic country clubs High-end employee serving Casinos
Lead Times	45-60 calendar days	60-75 calendar days	45-60 calendar days
Origin (make to order)	Vollrath Canandaigua, NY	Vollrath Sheboygan, Wis.	Vollrath Canandaigua, NY
Quote Origin	Custom quote	Custom quote Auto Quotes	Custom quote Concept (web configurator)
Warranty	1 year parts and labor	1 year parts and labor	1 year parts and labor

Actual pricing may vary.

Mobile Units Product Selection Guide



SIGNATURE 2.0	SIGNATURE	AFFORDABLE PORTABLE	DESCRIPTION
3★ Features	3★ Features	N/A	Customizable
4★ Features	6★ Features	6★ Features	Modular
4★ Features	6★ Features	1★ Features	Options
Solid surface Laminate	Stainless (16-18 gauge standard) Optional 14 gauge stainless	Stainless (18 gauge)	Countertops
Stainless unibody	Stainless unibody	Carbon steel with vinyl unibody	Base Construction
Progressive Traditional	Progressive Traditional Classic stainless	Affordable buffet and cafeteria	Breath Guards
More contemporary modular line-up Benefit of modularity with increased material availability and breath guard choices	Traditional K-12 modular serving lines Utilitarian Available in school colors Numerous options	Entry-level Limited options Utilitarian Value line	Style
\$1,200-\$1,600	\$1,000-\$1,200	\$500-\$800 Hot \$800-\$1100 Refrigerated cold	Rough Price Per Linear Ft
Mid-level college universities Mid-level employee feeding Entry-level B&I Healthcare High-end K-12	Entry-level college university Entry level employee feeding Catering Independent Restaurants	Economy K-12 Catering Independent restaurants	Typical Locations
45 calendar days	10-20 calendar days on standard items	5-15 calendar days	Lead Times
Vollrath Sheboygan, Wis.	Vollrath Sheboygan, Wis.	Vollrath Sheboygan, Wis.	Origin (make to order)
Custom quote Auto Quotes	Custom Quote Auto Quotes Concept (web configurator) Vollrath list price book	Auto Quotes Vollrath list price book	Quote Origin
1 year parts and labor	1 year parts and labor	1 year parts and labor	Warranty

Actual pricing may vary.

New V-Class Series Serving Lines from Vollrath



Vollrath's NEW V-Class series of mobile serving equipment takes style, innovation, and rugged durability to a whole new level. Build like a tank, our welded structural frame construction is the platform for the latest quartz and solid surface countertops. Unique removable base panels allow for easy maintenance and service. Through-the-counter mount breathguards mount to the base frame for stability. Choose the industry's new standard of excellence...Vollrath's V-Class.

Standard Features:

- 13 standard sizes, 30" – 96" length
- Extra heavy-duty structural frame construction
- Through-the-counter mounted, adjustable breath guards
- Counters available in Zodiaq® quartz, Corian®, laminate, or 14 gauge 300 Series stainless steel
- Standard heavy-duty 5" casters
- Removable panels for access to components

Choice of Options:

Base

- Base height
 - 34" high (standard), 36", 30", 27"
- Line locks
 - Self-leveling
- Countertop
 - 14 gauge 300 Series stainless steel (standard)
 - Zodiaq® quartz
 - Corian® solid surface
 - Laminate
- Exterior Panels
 - Laminate panels (standard) – specify manufacturer and color
- Under Counter Options
 - Line locks
 - Stainless steel undershelf / open
 - Hinged doors
 - Locks for hinged doors
 - Sheet pan slides
- Legs and Casters
 - 5" heavy-duty casters (standard)
 - 5" Adjustable stainless steel legs
- Toe Kicks
 - Stainless steel toe kick (standard)
 - Black powder-coated toe kick

Modular Drop-Ins

- Hot wells
- NSF7 cold wells
- Standard cold wells
- Frost tops
- Inductions



Custom V-Class Shown with radius front, NSF Cold Well, and Vollrath induction drop-in

Plumbing Options (hot wells)

- Manifold drains with shut-off valve (standard)
- Individual drains
- Water-fill faucet

Breath Guard Options

- Service Type
 - Cafeteria
 - Single-sided buffet
 - Double-sided (island/buffet)
- Style
 - Adjustable
 - Contemporary (fixed)
- Display Shelves
 - Single-tier glass display shelf
 - 2-tier glass display shelf
- Accessories
 - Cayenne® heat strip with lights
 - Fluorescent lights




Electrical Options

- Duplex outlet, exterior
- Duplex outlet, interior
- Daisy chain for wiring multiple units together
- Electrical load centers

Accessories

- Tray Slides - 12" (integrated to counter)
 - "V" Ridge 14 gauge stainless steel - 12"
 - Flat 14" gauge stainless steel - 12"
 - Laminate with plastic runners
 - Corian solid surface with solid surface runners
 - Corian solid surface with stainless runners
 - Stainless steel tubular
- Plate Rest - 8" (integrated to counter)
 - Flat 14 gauge stainless steel - 8"
- Cutting Board
 - White poly on fixed brackets (removable)
- Miscellaneous
 - Tray dispenser
 - Plate dispenser
 - Stainless steel overshelf
 - Grommet holes for power cord/utility service

New V-Class Series Serving Lines from Vollrath



Choose from hundreds of countertop colors in Zodiac Quartz, Corian, Laminate, or choose 14 gauge stainless

LENGTH OF BASE	HOT BASES	COLD BASES	FROST TOP BASES	UTILITY BASES	CASHIER STATIONS
30" (76.2 cm) units	VH-30	VC-30	—	VU-30	—
32" (81.3 cm) units	—	—	—	—	VCS-32
36" (91.4 cm) units	VH-36	VC-36	VFT-36	VU-36	—
42" (106.7 cm) units	VH-42	VC-42	VFT-42	VU-42	—
48" (121.9 cm) units	VH-48	VC-48	VFT-48	VU-48	VCS-48
54" (137.2 cm) units	VH-54	VC-54	VFT-54	VU-54	—
60" (152.4 cm) units	VH-60	VC-60	VFT-60	VU-60	VCS-60
66" (167.6 cm) units	VH-66	VC-66	VFT-66	VU-66	—
72" (182.9 cm) units	VH-72	VC-72	VFT-72	VU-72	—
78" (198.1 cm) units	VH-78	VC-78	VFT-78	VU-78	—
84" (213.4 cm) units	VH-84	VC-84	VFT-84	VU-84	—
90" (228.6 cm) units	VH-90	VC-90	VFT-90	VU-90	—
96" (243.8 cm) units	VH-96	VC-96	VFT-96	VU-96	—

Milestone™ Serving Lines Customized Mobile Serving Equipment



Professionally merchandised serving lines simply sell more food and allow for higher average ticket prices. Milestone™ is the turning point in the way mobile serving line equipment is designed and manufactured, to best support your objectives and ultimately lead to the success of your foodservice operation. Milestone™ is THE new standard. Choose Milestone™ for the ultimate in customization including cut-a-way and multi-level counters, visually striking canopies and signage, with multiple colors and materials in bases.

Choice of Custom Options:

- Design experience – leverage our 20+ years experience creating branded mobile equipment for top consumer brands, your finished product will look incredible and it will be built tough
- Bases standard in aluminum composite material, a durable material found in architectural facades – also available as custom quote in WCM
- Specify custom canopies and signage – do not make the mistake of creating great line-ups, and let poor signage ruin the image you are trying to create
- Vollrath drop-in equipment and the foodservice industry's top equipment brands – we recommend Vollrath drop-ins, but also use the industry's top brands for pastry cases, undercounter refrigeration, and various appliances
- **Custom serving lines cannot be cancelled or returned.**



Custom Milestone™ Soup and Salad Serving Unit shown with Progressive Double-sided Breath Guard and modular options

Ideal for:

- High Level B&I
- Colleges and Universities
- Casinos
- Clubs



Countertop Options:



Breath Guard Options: Traditional, Progressive & Contemporary



Traditional



Progressive



Contemporary

Types Available:

- New NSF2 Breath Guards
- Double-sided buffet
- Single-sided buffet with top shelf
- Single-sided buffet
- Single-sided cafeteria with top shelf
- Vertical cafeteria (Traditional only)

See pages 4-21 to 4-24 for product selection

Standard Features:

- Traditional styling with classic lines
- Raised or inset doors for a stylish presentation
- Single or multi-colored bases for a classic look
- Create your own bases, corner stations, cashier or carving stations



What our customers are saying.

"From concept to completion, Vollrath provided innovative concepts, creative solutions, and outstanding quality and performance. The Vollrath team understood our customers and helped design our operations to meet our customers' needs and expectations. We are very delighted with the results."

Scott Hoffland

DIRECTOR, RESTAURANT OPERATIONS
UNIVERSITY OF WISCONSIN-MILWAUKEE

End shelf

Standard or NSF 7 Cold Drop-ins

Choose from Vollrath Drop-In Chafer Line New York New York® in Round or Rectangular Shape

Choose popular Vollrath Drop-ins including: Hot Wells, Induction Ranges, Soup Wells, and Frost Tops

Specify open counter space

Choose between Countertops, Tray slides, and Plate rests in Solid Surface or Laminate

NOTE: Milestone™ equipment orders cannot be cancelled or returned.

Vollrath's Concept™ Equipment Configurator

Configure Vollrath's Milestone™ or Signature Server® lines online. Check out these incredible features:

- Design individual serving line units or complete line-ups
- Choose from hundreds of equipment options
- A wide variety of material and color options are available
- Created for use by foodservice dealers, consultants, and designers
- Outputs drawing packages in PDF or DWG file formats
- Outputs quotes with line item detail
- Log onto www.vollrathco.com and click on Concept to register today!



Signature Server® 2.0



Vollrath introduces a new line of modular mobile food serving equipment to add “curve” appeal to your food serving operation. Our new curved and rectangular bases are easy to design, specify, and order. Choose from laminate and solid surface counters to create your own style or match any décor. Select our highest quality drop-ins and breath guards to complete your line-up along with accessories such as signage, menu board, plate rests, and tray slides.

Build Your Own:

STEP	①	②	③	④	⑤	⑥
	Bases (pg 5-12)	Colors & Textures (pg 5-13)	Breath Guards and Accessories (pg 5-14 to 5-19)	Electrical (pg 5-20 to 5-21)	Counter Accessories (pg 5-22)	Additional Options (pg 5-23)

Signature Server® 2.0 Features:

- Striking new curved and rectangular base shapes
- Functional and stylish breath guard options in standard and new 2011 NSF2 versions: Traditional, Contemporary, Progressive, Retro and Frameless
- Laminate and solid-surface counters, plate rests and tray slides in hundreds of color and texture options
- Choose from Vollrath’s large selection of hot, cold, frost top, and soup Modular Drop-Ins—distinctive and energy efficient
- Backed by Vollrath’s one-year parts and labor warranty
- Create Your Signature Server® 2.0 line-up in AutoQuotes



Curved bases allow for endless line-up configurations!

Ideal for:

- Upscale K-12
- Mid-level Colleges
- B&I
- Healthcare

Choose from hundreds of available counter colors in solid surface or laminate.

Choose from dozens of breath guard styles.



Plate rests or tray slides for easy customer access.

Bases constructed from durable stainless steel.

Standard 34" (86.4cm) height complies with ADA guidelines.

Base finishes include laminates, brushed stainless or printed graphics on vinyl.

NOTE: Signature Server® 2.0 equipment orders cannot be cancelled or returned.

Curved Bases

ITEM	DESCRIPTION	OVERALL DIMENSIONS ^① L X W: IN (CM)
97330	3 Well hot - base	81 x 36 (206 x 91)
97340	4 Well hot - base	97 x 38 (246 x 97)
97350	5 Well hot - base	107 x 40 (272 x 102)
97347	3 Well hot bain marie	81 x 36 (206 x 91)
97357	4 Well hot bain marie	97 x 38 (246 x 97)
97367	5 Well hot bain marie	107 x 40 (272 x 102)
97346	3 Pan NSF7 cold base	81 x 36 (206 x 91)
97366	4 Pan NSF7 Cold base	97 x 38 (246 x 97)
97376	5 Pan NSF7 Cold base	107 x 40 (272 x 102)
97345	3 Pan std-ref. base	81 x 36 (206 x 91)
97365	4 Pan std-ref. base	97 x 38 (246 x 97)
97375	5 Pan std-ref. base	107 x 40 (272 x 102)
97343	3 Pan non-ref. base	81 x 36 (206 x 91)
97360	4 Pan non-ref. base	97 x 38 (246 x 97)
97370	5 Pan non-ref. base	107 x 40 (272 x 102)
97391	81" Utility - base	81 x 36 (206 x 91)
97392	97" Utility - base	97 x 38 (246 x 97)
97393	107" Utility - base	107 x 40 (272 x 102)
97312	81" Frost top - base	81 x 36 (206 x 91)
97313	97" Frost top - base	97 x 38 (246 x 97)
97314	107" Frost top - base	107 x 40 (272 x 102)

① Counter Width for all units is 32" (81 cm)

Curved Base - front view



Features:

- Dial controls
- Corner trim in stainless steel
- 8 foot power cord standard
- Heavy-duty 4" (10.2cm) swivel locking casters



Configure your next Foodservice Line-Up Online by using the Concept™ Equipment Configurator. Check out these incredible features:

SEE MORE AT
vollrathco.com



- Design individual serving line units or complete line-ups
- Choose from hundreds of material, color and equipment options
- Created for use by foodservice dealers, consultant, and designers
- Outputs drawing packages in PDF or DWG file formats
- Outputs quotes with line item detail
- Log onto www.vollrathco.com and click on Concept to register today!

Rectangular Bases

ITEM	DESCRIPTION	DIMENSIONS L X W: IN (CM)
97030	3 Well hot - base	48 x 32 (122 x 81)
97040	4 Well hot - base	62 x 32 (157 x 81)
97050	5 Well hot - base	76 x 32 (193 x 81)
97060	6 Well hot - base	90 x 32 (229 x 81)
97047	3 Well hot bain marie - base	48 x 32 (122 x 81)
97057	4 Well hot bain marie - base	62 x 32 (157 x 81)
97067	5 Well hot bain marie - base	76 x 32 (193 x 81)
97077	6 Well hot bain marie - base	90 x 32 (229 x 81)
97046	3 Pan NSF7 cold - base	48 x 32 (122 x 81)
97066	4 Pan NSF7 cold - base	62 x 32 (157 x 81)
97076	5 Pan NSF7 cold - base	76 x 32 (193 x 81)
97086	6 Pan NSF7 cold - base	90 x 32 (229 x 81)
97043	3 Pan std-ref. - base	48 x 32 (122 x 81)
97061	4 Pan std-ref. - base	62 x 32 (157 x 81)
97070	5 Pan std-ref. - base	76 x 32 (193 x 81)
97080	6 Pan std-ref. - base	90 x 32 (229 x 81)
97045	3 Pan non-ref. - base	48 x 32 (122 x 81)
97065	4 Pan non-ref. - base	62 x 32 (157 x 81)
97075	5 Pan non-ref. - base	76 x 32 (193 x 81)
97084	6 Pan non-ref. - base	90 x 32 (229 x 81)
97220	32" Utility - base	32 x 32 (81 x 81)
97221	48" Utility - base	48 x 32 (122 x 81)
97222	62" Utility - base	62 x 32 (157 x 81)
97223	76" Utility - base	76 x 32 (193 x 81)
97233	90" Utility - base	90 x 32 (229 x 81)
97025	48" Beverage - base	48 x 32 (122 x 81)
97026	62" Beverage - base	62 x 32 (157 x 81)
97027	76" Beverage - base	76 x 32 (193 x 81)
97212	48" Frost top - base	48 x 32 (122 x 81)
97013	62" Frost top - base	62 x 32 (157 x 81)
97014	76" Frost top - base	76 x 32 (193 x 81)
97216	90" Frost top - base	90 x 32 (229 x 81)
97085	Corner station	32 x 32 (81 x 81)
97215	Cashier station	32 x 32 (81 x 81)



Curved Base - back view



Color options are endless!
See Page 5-13 for details.

Signature Server® Classic Mobile Serving Equipment

Signature Server® Classic is the choice when functionality and modular ease of use is your top priority. Signature Server® Serving Equipment is an industry standard, with updated features to better serve the operator.



Build Your Own:

STEP	①	②	③	④	⑤	⑥
	Bases (pg 5-12)	Colors & Textures (pg 5-13)	Breath Guards and Accessories (pg 5-14 to 5-19)	Electrical (pg 5-20 to 5-21)	Counter Accessories (pg 5-22)	Additional Options (pg 5-23)

Ideal for:

- K-12
- Mid-level Colleges
- B&I
- Healthcare

Breath guards available in Standard and 2011 NSF2 style

Upgrade your Signature Server® unit with a variety of great options!

Choose from dozens of breath guard styles including the tempered glass Contemporary, Traditional and Progressive breath guards

New options include textured stainless counters or tubular tray slides

Optional dial controls

Discreet access panel hides convenient drain hose and valve

Full line of laminates including wood and metals

NOTE: Signature Server® equipment orders cannot be cancelled or returned.



Color options are endless! See Page 5-13 for details.

Access® acrylic breath guard panels flip up for easy re-stocking and cleaning

Folding plate rests or tray slides for easy customer access

Standard 34" (86.4cm) height complies with ADA guidelines

Corner trim in stainless steel

Heavy-duty 4" (10.2cm) casters with operator side locking brakes

8 foot power cord standard

Hot well digital controls: easy to use, bright LEDs make it easy to read – includes low water indicator



Entire base constructed of corrosion resistant 18 gauge stainless steel with standard black laminate. Choose optional brushed stainless steel or color laminates (see color options on Page 5-30)

Step 1

Signature Server® Classic Bases



- Upgraded 18 gauge stainless steel base with standard black laminate
- Optional 14 gauge work surface available
- Optional brushed stainless steel exterior finish or choose from hundreds of laminate finishes
- 18 or 16 gauge 300 series stainless steel counters and wells

- 300 series stainless steel work surfaces
- Heavy-duty 4" (10 cm) swivel casters with brakes
- 5/4" (13.3 cm) clearance between floor and bottom of unit



Note: Signature Server® equipment orders cannot be cancelled or returned.

BASE STYLE	DESCRIPTION	DIMENSIONS (L X W) IN (CM)	NSF LISTED	UL LISTED	ITEM H: 34" (86 CM)	ITEM H: 30" (76 CM)	ITEM H: 27" (69 CM)
Hot food base with touch-temp panel	3-well	46 x 28 (117 x 71)	NSF	UL	37030	36130	36230
Hot food base with touch-temp panel	4-well	60 x 28 (152 x 71)	NSF	UL	37040	36140	36240
Hot food base with touch-temp panel	5-well	74 x 28 (188 x 71)	NSF	UL	37050	36150	36250
Hot food base with touch-temp panel	6-well	88 x 28 (224 x 71)	NSF	UL	98888	—	—
Bain marie hot station	3-well	46 x 28 (117 x 71)	—	UL	37047	36447	36347
Bain marie hot station	4-well	60 x 28 (152 x 71)	—	UL	37057	36457	36357
Bain marie hot station	5-well	74 x 28 (188 x 71)	—	UL	37067	36468	36367
Bain marie hot station	6-well	88 x 28 (224 x 71)	—	UL	37077	36477	36377
Cold station	NSF7 Refrigerated	46 x 28 (117 x 71)	NSF	UL	37046	36146	—
Cold station	NSF7 Refrigerated	60 x 28 (152 x 71)	NSF	UL	37066	36166	—
Cold station	NSF7 Refrigerated	74 x 28 (188 x 71)	NSF	UL	37076	36176	—
Cold station	NSF7 Refrigerated	88 x 28 (224 x 71)	NSF	UL	98710	—	—
Cold station	Refrigerated	46 x 28 (117 x 71)	—	UL	37045	36145	36245
Cold station	Refrigerated	60 x 28 (152 x 71)	—	UL	37065	36165	36265
Cold station	Refrigerated	74 x 28 (188 x 71)	—	UL	37075	36175	36275
Cold station	Refrigerated	88 x 28 (224 x 71)	—	UL	98708	—	—
Cold station	Non-refrigerated	46 x 28 (117 x 71)	NSF	—	37043	36143	36243
Cold station	Non-refrigerated	60 x 28 (152 x 71)	NSF	—	37060	36160	36260
Cold station	Non-refrigerated	74 x 28 (188 x 71)	NSF	—	37070	36170	36270
Cold station	Non-refrigerated	88 x 28 (224 x 71)	NSF	—	98707	—	—
Hot/Cold food station	Refrigerated	74 x 28 (188 x 71)	NSF	UL	37095	36195	36295
Hot/Cold food station	Non-refrigerated	74 x 28 (188 x 71)	NSF	UL	37091	36191	36291
Utility station	Utility station	28 x 28 (71 x 71)	NSF	UL	37020	36120	36220
Utility station	Utility station	46 x 28 (117 x 71)	NSF	UL	37021	36121	36221
Utility station	Utility station	60 x 28 (152 x 71)	NSF	UL	37022	36122	36222
Utility station	Utility station	74 x 28 (188 x 71)	NSF	UL	37023	36123	36223
Utility station	Utility station	88 x 28 (224 x 71)	NSF	UL	98711	—	—
Beverage counter	Beverage counter	46 x 28 (117 x 71)	NSF	—	37025	36125	—
Beverage counter	Beverage counter	60 x 28 (152 x 71)	NSF	—	37026	36126	—
Beverage counter	Beverage counter	74 x 28 (188 x 71)	NSF	—	37027	36127	—
Universal corner station	Universal corner station	46 x 28 (117 x 71)	NSF	—	37085	36185	36285
Entrée cart	Entrée cart	28 x 28 (71 x 71)	NSF	UL	37080	—	—
Frost top station	Frost top	46 x 28 (117 x 71)	NSF	UL	37012	36112	36212
Frost top station	Frost top	60 x 28 (152 x 71)	NSF	UL	37013	36113	36213
Frost top station	Frost top	74 x 28 (188 x 71)	NSF	UL	37014	36114	36214
Frost top station	Frost top	88 x 28 (224 x 71)	NSF	UL	36115	36117	36116
Cashier station	Cashier station	28 x 28 (71 x 71)	NSF	UL	37015	—	—
Tray and flatware cart	Tray and flatware cart	38 x 22½ (97 x 57)	NSF	—	99305	—	—

SEE MORE AT vollrathco.com



BASE STYLE	WIDTH IN (CM)	CASE/CARTON CAPACITY*	TRAY/CARTON CAPACITY	NSF LISTED	UL LISTED	ITEM
Milk station	60 (152)	6/288	10/360	NSF	UL	37001
Milk station	74 (188)	8/384	15/450	NSF	UL	37002

Step 2 Signature Server® 2.0 & Classic Colors and Textures



Color Choices

All Signature Server® base units come standard with 18 gauge stainless steel and black laminate. Optional color laminates available. Color chips are available through local building supply vendors with hundreds of color selections, to fit any décor. Laminate veneers available at an additional cost. Manufacturers laminate number and description must be provided at time of order entry. We can cover your unit with your choice of Formica®, Nevamar®, Pionite® and Wilsonart® laminate finishes. Allow 18 days to manufacture when adding a laminate finish. Units can also be ordered with all stainless steel construction.

DESCRIPTION	OPTIONAL MATTE LAMINATE ITEM	OPTIONAL WOODGRAIN ITEM	OPTIONAL STAINLESS ITEM
Corner Station and 46"-48" (117-122 cm) units	36680	36687	36693
60"-62" (152-157 cm) units	36681	36688	36694
74"-76" (188-193 cm) units	36682	36689	36695
88"-90" (224-229 cm) units	98835	98835	98836
28"-32" (71-81 cm) Utility and Entree Cart	36683	36690	36696
Cashier Station	36685	36691	36697
Tray and Flatware	36686	36692	—




Traditional double-sided buffet breath guard on Vollrath's Signature Server® Select™ Mobile Unit

Color Options Are Endless!

Visit the following websites to select from a wide variety of laminates:

www.formica.com • www.nevamar.com • www.pionite.com • www.wilsonart.com

*Formica is registered trademark of Formica Corporation, Cincinnati, OH. • *Nevamar is a registered trademark of Nevamar Corporation, Odenton, MD. *Pionite is registered trademark of Panolam Industries, Shelton, CT. • *Wilsonart is a registered trademark of Wilsonart International, Temple, TX.



Textures

Options now include textures on stainless steel construction. Contemporary textures are perfect for B&I and college buffet set-ups. Manufactured by the foodservice experts in stainless – Vollrath!

OPTIONAL FEATURE	ITEM
Crescent Textured Countertop	98616
Crescent Textured Plate Rest (each)	98617

Signature Server® Option

Textured countertop and plate rest.



Step 3

Signature Server® 2.0 & Classic Breath Guards



Choose from:

- Progressive
- Contemporary
- Traditional
- Classic

Standard and NSF Certified versions


Get Increased Coverage with NSF Certified Breath Guards

- NSF Certified Breath Guards offer more complete horizontal and vertical coverage of food without obstructing the customers view.
- End panels are enclosed with ¼" (0.6 cm) Acrylic
- All models offer the same quality of construction and color/finish selection you expect from Vollrath®
- For more information and dimensions, please reference our spec sheets at www.vollrathco.com

For product selection details see pgs. 5-15 through 5-17

Same Color/Finish Options as Standard Vollrath Breath Guards

Enclosed ¼" Acrylic End Panels



Longer Overhang with Shorter Front Access Opening for Increased Food Safety


Model NGB98402
shown in Black 80% Gloss



Note: Standard models do not include end panels.

NSF 2 Breath Guards

For more information visit www.vollrathco.com for specification sheets.



Step 3 Signature Server® 2.0 & Classic Breath Guards

Progressive Style¹

Note: All accessories are 120V. Custom sizes and other accessory voltages also available. Contact your Vollrath sales representative for more information. See page 5-14 for ordering information on Signature Server® Breath Guards. Dimensions can be found on spec sheets at www.vollrathco.com.



Double-sided Buffet



Single-sided Buffet with Top Shelf



Cafeteria with Top Shelf

Note:

Lights and Heat Strips with Lights are NOT available for Single-Sided Buffet styles



Single-sided Buffet

Build Your Progressive Style Breath Guard

Note: Breath Guards cannot be cancelled or returned.

STEP 1: CHOOSE NSF* ITEM OR STANDARD ITEM

*Standard item is shown. To select NSF item, please add "N" prefix to base item number

STEP 2: CHOOSE COLOR SUFFIX

STEP 3: (OPTIONAL) CHOOSE OPTIONAL ACCESSORIES (ONLY CHOOSE ONE)³

SIGNATURE SERVER® CLASSIC	SIGNATURE SERVER® 2.0	DESCRIPTION	
—	GB98400		2 Well or 2 Pan
98401	GB98401	Double-Sided Buffet	3 Well or 3 Pan
98402	GB98402		4 Well or 4 Pan
98403	GB98403		5 Well or 5 Pan
98404	GB98404		6 Well or 6 Pan
—	GB98405		2 Well or 2 Pan
98406	GB98406	Single-Sided Buffet with Top Shelf	3 Well or 3 Pan
98407	GB98407		4 Well or 4 Pan
98408	GB98408		5 Well or 5 Pan
98409	GB98409		6 Well or 6 Pan
—	GB98410		2 well or 2 Pan
98411	GB98411	Single-Sided Buffet	3 Well or 3 Pan
98412	GB98412		4 Well or 4 Pan
98413	GB98413		5 Well or 5 Pan
98414	GB98414		6 Well or 6 Pan
—	GB98415	Cafeteria with Top Shelf	2 Well or 2 Pan
98416	GB98416		3 Well or 3 Pan
98417	GB98417		4 Well or 4 Pan
98418	GB98418		5 Well or 5 Pan
98419	GB98419		6 Well or 6 Pan

SUFFIX	COLOR	
99	Standard Gray Hammer	
00	Polished Chrome	
10	Brass	
20	Black Hammer Semi-Gloss	
30	Black 80% Gloss	
40	White Hammer	
50	Copper Vein	
60	Silver Vein	
70	Black/White	
80	Silver Hammertone	

SUFFIX	OPTIONS ²
25	2 Well Fluorescent Lights
15	2 Well Incandescent Lights
35	2 Well Heat Strip
12	2 Well Heat Strip with Lights
26	3 Well Fluorescent Lights
31	3 Well Incandescent Lights
36	3 Well Heat Strip
41	3 Well Heat Strip with Lights
27	4 Well Fluorescent Lights
32	4 Well Incandescent Lights
37	4 Well Heat Strip
42	4 Well Heat Strip with Lights
28	5 Well Fluorescent Lights
33	5 Well Incandescent Lights
38	5 Well Heat Strip
43	5 Well Heat Strip with Lights
29	6 Well Fluorescent Lights
34	6 Well Incandescent Lights
39	6 Well Heat Strip
44	6 Well Heat Strip with Lights

¹ Lead time of 4-6 weeks

² All heat strips come with On-Board Toggle

³ Options not available on Single-Sided Buffet

Example Item Number

NGB984003015

Suffix Codes: Refer to tables

STEP 1: NSF* Model, 2 Well Double Sided Buffet for Signature Server® 2.0

STEP 2: Black 80% Gloss

STEP 3: 2 Well Incandescent Lights

Cayenne® Heat and Light Strips



Unique heating design disperses heat more evenly throughout entire food holding area. See pages 4-15 to 4-18.




Step 3 Signature Server® 2.0 & Classic Breath Guards

Contemporary Style¹

Note: All accessories are 120V. Custom sizes and other accessory voltages also available. Contact your Vollrath sales representative for more information. See page 5-14 for ordering information on Signature Server® Breath Guards. Dimensions can be found on spec sheets at www.vollrathco.com.



Double-sided Buffet



Single-sided Buffet with Top Shelf



Cafeteria with Top Shelf



Contemporary double-sided buffet breath guard on Vollrath's Signature Server® Select™ mobile unit



Note: Lights and Heat Strips with Lights are NOT available for Single-Sided Buffet styles

Build Your Contemporary Style Breath Guard

Note: Breath Guards cannot be cancelled or returned.

STEP 1:
CHOOSE NSF® ITEM OR STANDARD ITEM

*Standard item is shown. To select NSF item, please add "N" prefix to base item number

STEP 2:
CHOOSE COLOR SUFFIX

STEP 3: (OPTIONAL)
CHOOSE OPTIONAL ACCESSORIES (ONLY CHOOSE ONE)³

SIGNATURE SERVER® CLASSIC	SIGNATURE SERVER® 2.0	DESCRIPTION	
—	CB98663		2 Well or 2 Pan
98637	CB98637	Double-Sided Buffet	3 Well or 3 Pan
98638	CB98638		4 Well or 4 Pan
98639	CB98639		5 Well or 5 Pan
98640	CB98640		6 Well or 6 Pan
—	CB98662		
98651	CB98651	Single-Sided Buffet with Top Shelf	3 Well or 3 Pan
98652	CB98652		4 Well or 4 Pan
98653	CB98653		5 Well or 5 Pan
98654	CB98654		6 Well or 6 Pan
—	CB98661		
98633	CB98633	Single-Sided Buffet	3 Well or 3 Pan
98634	CB98634		4 Well or 4 Pan
98635	CB98635		5 Well or 5 Pan
98636	CB98636		6 Well or 6 Pan
—	CB98660		2 Well or 2 Pan
98650	CB98650	Cafeteria with Top Shelf	3 Well or 3 Pan
98626	CB98626		4 Well or 4 Pan
98627	CB98627		5 Well or 5 Pan
98628	CB98628		6 Well or 6 Pan

SUFFIX	COLOR
99	Standard Gray Hammer
	10 Brass
	30 Black 80% Gloss

SUFFIX	OPTIONS ²
64	2 Well Fluorescent Lights
52	2 Well Heat Strip
57	2 Well Heat Strip with Lights
45	3 Well Fluorescent Lights
53	3 Well Heat Strip
58	3 Well Heat Strip with Lights
14	4 Well Fluorescent Lights
54	4 Well Heat Strip
59	4 Well Heat Strip with Lights
46	5 Well Fluorescent Lights
55	5 Well Heat Strip
90	5 Well Heat Strip with Lights
51	6 Well Fluorescent Lights
56	6 Well Heat Strip
91	6 Well Heat Strip with Lights

- ¹ Lead time of 4-6 weeks
- ² All heat strips come with On-Board Toggle
- ³ Options not available on Single-Sided Buffet

Example Item Number

NCB986289991

Suffix Codes: Refer to tables

STEP 1: NSF Model, 6 Well Cafeteria with Top Shelf for Signature Server® 2.0

STEP 2: Standard Gray Hammer

STEP 3: 6 Well Lights and Heat Strip

Custom Breath Guards

Contact Vollrath for custom quotes on Breath Guards

- Adjustable Height
- Adjustable Angle
- 1/4" and 3/8" Tempered Glass



Non-standard breath guard shown. Custom breath guards require signed drawing, are made to order and non-refundable

Step 3 Signature Server® 2.0 & Classic Breath Guards



Traditional Style¹

Note: All accessories are 120V. Custom sizes and other accessory voltages also available. Contact your Vollrath sales representative for more information. See page 5-14 for ordering information on Signature Server® Breath Guards. Dimensions can be found on spec sheets at www.vollrathco.com.




Double-sided Buffet



Single-sided Buffet with Top Shelf



Cafeteria with Top Shelf



Single-sided Buffet



Vertical cafeteria

Build Your Traditional Style Breath Guard

Note: Breath Guards cannot be cancelled or returned.

STEP 1:
CHOOSE NSF® ITEM OR STANDARD ITEM

– VERTICAL CAFETERIA BREATH GUARDS ARE NOT AVAILABLE WITH AN NSF 2 CERTIFICATION

*Standard item is shown.
To select NSF item, please add "N" prefix to base item number

STEP 2:
CHOOSE COLOR SUFFIX

STEP 3: (OPTIONAL)
CHOOSE OPTIONAL ACCESSORIES (ONLY CHOOSE ONE)³

SIGNATURE SERVER® CLASSIC	SIGNATURE SERVER® 2.0	DESCRIPTION	
–	PB89285	Double-Sided Buffet	2 Well or 2 Pan
89286	PB89286		3 Well or 3 Pan
89287	PB89287		4 Well or 4 Pan
89288	PB89288		5 Well or 5 Pan
89289	PB89289		6 Well or 6 Pan
–	PB89280	Single-Sided Buffet with Top Shelf	2 Well or 2 Pan
89281	PB89281		3 Well or 3 Pan
89282	PB89282		4 Well or 4 Pan
89283	PB89283		5 Well or 5 Pan
89284	PB89284		6 Well or 6 Pan
–	PB89270	Single-Sided Buffet	2 well or 2 Pan
89271	PB89271		3 Well or 3 Pan
89272	PB89272		4 Well or 4 Pan
89273	PB89273		5 Well or 5 Pan
89274	PB89274		6 Well or 6 Pan
–	PB89265	Cafeteria with Top Shelf	2 Well or 2 Pan
89266	PB89266		3 Well or 3 Pan
89267	PB89267		4 Well or 4 Pan
89268	PB89268		5 Well or 5 Pan
89269	PB89269		6 Well or 6 Pan
–	PB89260	Vertical Cafeteria	2 Well or 2 Pan
89261	PB89261		3 Well or 3 Pan
89262	PB89262		4 Well or 4 Pan
89263	PB89263		5 Well or 5 Pan
89264	PB89264		6 Well or 6 Pan

SUFFIX	COLOR
99	Standard Aluminum
00	Polished Chrome
10	Brass
30	Black 80% Gloss
40	White Hammer
50	Copper Vein
60	Silver Vein

SUFFIX	OPTIONS ²
66	2 Well Fluorescent Lights
05	2 Well Incandescent Lights
95	2 Well Heat Strip
13	2 Well Heat Strip with Lights
67	3 Well Fluorescent Lights
06	3 Well Incandescent Lights
68	3 Well Heat Strip
01	3 Well Heat Strip with Lights
92	4 Well Fluorescent Lights
07	4 Well Incandescent Lights
97	4 Well Heat Strip
02	4 Well Heat Strip with Lights
93	5 Well Fluorescent Lights
08	5 Well Incandescent Lights
98	5 Well Heat Strip
03	5 Well Heat Strip with Lights
94	6 Well Fluorescent Lights
09	6 Well Incandescent Lights
11	6 Well Heat Strip
04	6 Well Heat Strip with Lights

¹ Lead time of 4-6 weeks

² All heat strips come with On-Board Toggle

³ Options not available on Single-Sided Buffet or Vertical Cafeteria

Example Item Number

NPB892853005

Suffix Codes: Refer to tables

STEP 1: NSF Model, 2 Well Double Sided Buffet for Signature Server® 2.0

STEP 2: Black 80% Gloss

STEP 3: 2 Well Incandescent Lights

prep, cook, serve, solved.



Step ③ Signature Server® Classic Breath Guards & Accessories



Classic Cafeteria Breath Guards

- Stainless steel construction
- 1" (2.5 cm) square tubular stainless uprights
- 300 series stainless steel top shelf
- ¼" (.6 cm) acrylic breath guard panels
- Double-shelf model has adjustable front breath guard panels with middle acrylic shelf



Single-Shelf



DESCRIPTION	ITEM L: 28 IN L: 71 CM	ITEM L: 46 IN L: 117 CM	ITEM L: 60 IN L: 152 CM	ITEM L: 74 IN L: 188 CM	ITEM L: 88 IN L: 224 CM
Single-shelf cafeteria	37310	37311	37312	37313	9861006
NSF2 Single-shelf cafeteria	N37310	N37311	N37312	N37313	N9861006
Double-shelf cafeteria	37320	37321	37322	37323	9861707
NSF2 Double-shelf cafeteria	N37320	N37321	N37322	N37323	N9861707

Note: To order stand alone breath guards add "RPL" to end of item number

Access® Breath Guards

- Stainless steel uprights and end caps
- 18 gauge stainless steel breath guard wrapper
- ¼" (.64 cm) acrylic breath guard panels that flip up for easy access and cleaning
- 12" (30.5 cm) serving opening
- *Optional height adjustment without tools
- *9" to 15" (22.9 to 38.1 cm) serving opening height adjustment



DESCRIPTION	ITEM L: 28 IN L: 71 CM	ITEM L: 46 IN L: 117 CM	ITEM L: 60 IN L: 152 CM	ITEM L: 74 IN L: 188 CM	ITEM L: 88 IN L: 224 CM
Access buffet, adjustable*	36339	36343	36363	36373	—
NSF2 Access buffet, adjustable*	N36339	N36343	N36363	N36373	—
Access buffet, non-adjustable	36337	36341	36361	36371	9860206
NSF2 Access buffet, non-adjustable	N36337	N36341	N36361	N36371	N9860206

Note: To order stand alone breath guards add "RPL" to end of item number

Classic Economy Buffet Breath Guards

- 18 gauge, 1" (2.5 cm) square tubular 300 series stainless steel uprights
- Stainless steel reinforcing center bracket
- ¼" (.64 cm) acrylic breath guard panels



DESCRIPTION	ITEM L: 28 IN L: 71 CM	ITEM L: 46 IN L: 117 CM	ITEM L: 60 IN L: 152 CM	ITEM L: 74 IN L: 188 CM	ITEM L: 88 IN L: 224 CM
Buffet breath guard	36300	36301	36302	36303	98607
NSF2 Buffet breath guard	N36300	N36301	N36302	N36303	N98607

Note: To order stand alone breath guards add "RPL" to end of item number

Classic Speed Serve Options

- Angled serving shelves
- 1" (2.5 cm) stainless steel tubing
- Frame welded at each seam



ITEM	DESCRIPTION
36392	46" (117 cm) two shelf
36393	60" (162 cm) two shelf
36394	74" (188 cm) two shelf
36395	88" (224 cm) two shelf
36396	46" (117 cm) single shelf with lights
36397	60" (162 cm) single shelf with lights
36398	74" (188 cm) single shelf with lights
36399	88" (224 cm) single shelf with lights

Note: Signature Server® equipment orders cannot be cancelled or returned.

Step ③ Signature Server® Classic Breath Guards & Accessories

Incandescent/Infrared* Lights

- Master On/Off Switch
- Accepts standard base incandescent bulbs or heat lamps up to 250W
- 18-8 stainless steel mounting assembly
- Cone shaped reflector shields concentrate heat over well
- Incandescent/infrared lamps cannot be specified for standard cafeteria breath guards



DESCRIPTION	ITEM ENTREE UNIT	ITEM L: 46 IN L: 117 CM	ITEM L: 60 IN L: 152 CM	ITEM L: 74 IN L: 188 CM	ITEM L: 88 IN L: 224 CM
Incandescent/ infrared	36440	36431	36432	36433	98625

*Bulbs and lamps not supplied – order separately.
White 250W Bulb - Item 72242. Red 500W Bulb - Item 72241

Fluorescent* Lights

- Stainless steel mounting assembly
- On/Off switch
- Clear plastic tube shield



DESCRIPTION	ITEM L: 46 IN L: 117 CM	ITEM L: 60 IN L: 152 CM	ITEM L: 74 IN L: 188 CM	ITEM L: 88 IN L: 224 CM
Fluorescent	36421	36422	36423	98622

*Bulbs and lamps not supplied

Cayenne® Heat Strips

- Available as heat strip or heat strip with lights
- Includes onboard toggle switches
- Heat strip with lights cannot be specified for cafeteria breath guards
- Heat strips cannot be specified for double shelf cafeteria breath guard
- For more information on Cayenne® Heat Strips, see pages 3-18 and 4-15 to 4-18



DESCRIPTION	ITEM L: 46 IN L: 117 CM	ITEM L: 60 IN L: 152 CM	ITEM L: 74 IN L: 188 CM	ITEM L: 88 IN L: 224 CM
Heat strip	36401	36402	36403	98623
Heat strip with lights	36411	36412	36413	98624

Note: Signature Server® equipment orders cannot be cancelled or returned.

Customize Your Signature Server® Lineup with Signage

- ACM construction
- Customer must provide artwork in one of the following formats:
 - TIFF (150 DPI)
 - EPS - Vector
- Contact your Vollrath representative for more details



Step 4 Signature Server® 2.0 & Classic – Electrical

Instructions

Select Model of unit:

1. Select Breath Guard type
2. Select Breath Guard, Lights/Heater option
3. Select Voltage

Note: Signature Server® equipment orders cannot be cancelled or returned.


5 Digit Base Number

Example:

37047 for 3-Well 34" high Bain Marie Hot Station

① NOTES: When suffix begins with "E," electrical rating same as when suffix begins with "B." Example: EFA is rated same as BFA. AMPS listed are for Total Unit — all wells and lighting. See next page for receptacle configuration. If model number begins with 36_ _ _ , unit is 35" high and manufactured prior to 1994. If model number begins with 361 or 362, the unit is either 27" or 30" high respectively.

② For other types, contact Vollrath technical support



Important: For 2011 NSF2 Breath Guards, the same electrical requirements will apply

Hot Wells (625W per well)

Note: Electrical continues on page 5-21

SUFFIX	3-WELL				4-WELL				5-WELL				6-WELL			
	VOLTS	TOTAL AMPS	PH	NEMA RECEPTACLE	VOLTS	TOTAL AMPS	PH	NEMA RECEPTACLE	VOLTS	TOTAL AMPS	PH	NEMA RECEPTACLE	VOLTS	TOTAL AMPS	PH	NEMA RECEPTACLE
AFA	120	16	1	5-20R	120	21.4	1	5-30R	—	—	—	—	—	—	—	—
BFA	120	16	1	5-20R	120	21.4	1	5-30R	—	—	—	—	—	—	—	—
CFA	120	16	1	5-20R	120	21.4	1	5-30R	—	—	—	—	—	—	—	—
DFA	120	16	1	5-20R	120	21.4	1	5-30R	—	—	—	—	—	—	—	—
AHA	120	20.8	1	5-30R	120	28.1	1	5-50R	—	—	—	—	—	—	—	—
BHA	120	20.8	1	5-30R	120	28.1	1	5-50R	—	—	—	—	—	—	—	—
CHA	120	20.8	1	5-30R	120	28.1	1	5-50R	—	—	—	—	—	—	—	—
AIA	120	21.9	1	5-30R	120	29.2	1	5-50R	—	—	—	—	—	—	—	—
BIA	120	21.9	1	5-30R	120	29.2	1	5-50R	—	—	—	—	—	—	—	—
ANA	120	15.6	1	5-20R	120	20.8	1	5-30R	—	—	—	—	—	—	—	—
BNA	120	15.6	1	5-20R	120	20.8	1	5-30R	—	—	—	—	—	—	—	—
CNA	120	15.6	1	5-20R	120	20.8	1	5-30R	—	—	—	—	—	—	—	—
DNA	120	15.6	1	5-20R	120	20.8	1	5-30R	—	—	—	—	—	—	—	—
NNA	120	15.6	1	5-20R	120	20.8	1	5-30R	—	—	—	—	—	—	—	—
AWA	120	22.5	1	5-30R	—	—	—	—	—	—	—	—	—	—	—	—
BWA	120	22.5	1	5-30R	—	—	—	—	—	—	—	—	—	—	—	—
AHB	208	11.8	1	6-15R	208	15.9	1	6-20R	208	20.6	1	6-30R	208	23.9	1	6-50R
BHB	208	11.8	1	6-15R	208	15.9	1	6-20R	208	20.6	1	6-30R	208	23.9	1	6-50R
CHB	208	11.8	1	6-15R	208	15.9	1	6-20R	208	20.6	1	6-30R	208	23.9	1	6-50R
ANB	208	9	1	6-15R	208	12	1	6-15R	208	15	1	6-20R	208	18	1	6-30R
BNB	208	9	1	6-15R	208	12	1	6-15R	208	15	1	6-20R	208	18	1	6-30R
CNB	208	9	1	6-15R	208	12	1	6-15R	208	15	1	6-20R	208	18	1	6-30R
DNB	208	9	1	6-15R	208	12	1	6-15R	208	15	1	6-20R	208	18	1	6-30R
NNB	208	9	1	6-15R	208	12	1	6-15R	208	15	1	6-20R	208	18	1	6-30R
AHC	240	10.4	1	6-15R	240	14	1	6-20R	240	18.3	1	6-30R	240	20.7	1	6-30R
BHC	240	10.4	1	6-15R	240	14	1	6-20R	240	18.3	1	6-30R	240	20.7	1	6-30R
CHC	240	10.4	1	6-15R	240	14	1	6-20R	240	17.9	1	6-30R	240	20.7	1	6-30R
ANC	240	7.8	1	6-15R	240	10.4	1	6-15R	240	13	1	6-20R	240	15.6	1	6-20R
BNC	240	7.8	1	6-15R	240	10.4	1	6-15R	240	13	1	6-20R	240	15.6	1	6-20R
CNC	240	7.8	1	6-15R	240	10.4	1	6-15R	240	13	1	6-20R	240	15.6	1	6-20R
DNC	240	7.8	1	6-15R	240	10.4	1	6-15R	240	13	1	6-20R	240	15.6	1	6-20R
NNC	240	7.8	1	6-15R	240	10.4	1	6-15R	240	13	1	6-20R	240	15.6	1	6-20R
AFF	120/208	9.6	1	14-20R	120/208	12.6	1	14-20R	120/208	15.6	1	14-20R	120/208	18.6	1	14-30R
BFF	120/208	9.6	1	14-20R	120/208	12.6	1	14-20R	120/208	15.6	1	14-20R	120/208	18.6	1	14-30R
CFF	120/208	9.6	1	14-20R	120/208	12.6	1	14-20R	120/208	15.4	1	14-20R	120/208	18.6	1	14-30R
DFF	120/208	9.6	1	14-20R	120/208	12.6	1	14-20R	120/208	15.4	1	14-20R	120/208	18.6	1	14-30R
AIF	120/208	13.2	1	14-20R	120/208	16.2	1	14-30R	120/208	21.3	1	14-30R	120/208	30.5	1	14-50R
BIF	120/208	13.2	1	14-20R	120/208	16.2	1	14-30R	120/208	21.3	1	14-30R	120/208	30.5	1	14-50R
AWF	120/208	13.4	1	14-20R	120/208	18	1	14-30R	120/208	23.3	1	14-30R	120/208	26	1	14-50R
BWF	120/208	13.4	1	14-20R	120/208	18	1	14-30R	120/208	23.3	1	14-30R	120/208	26	1	14-50R
AFG	120/240	8.4	1	14-20R	120/240	11	1	14-20R	120/240	13.6	1	14-20R	120/240	16.2	1	14-30R
BFG	120/240	8.4	1	14-20R	120/240	11	1	14-20R	120/240	13.6	1	14-20R	120/240	16.2	1	14-30R
CFG	120/240	8.4	1	14-20R	120/240	11	1	14-20R	120/240	13.4	1	14-20R	120/240	16.2	1	14-30R
DFG	120/240	8.4	1	14-20R	120/240	11	1	14-20R	120/240	13.4	1	14-20R	120/240	16.2	1	14-30R
AIG	120/240	12	1	14-20R	120/240	14.6	1	14-20R	120/240	19.3	1	14-30R	120/240	28.1	1	14-30R
BIG	120/240	12	1	14-20R	120/240	14.6	1	14-20R	120/240	19.3	1	14-30R	120/240	28.1	1	14-30R
AWG	120/240	12.1	1	14-20R	120/240	16.2	1	14-30R	120/240	20.3	1	14-30R	120/240	23.6	1	14-50R
BWG	120/240	12.1	1	14-20R	120/240	16.2	1	14-30R	120/240	20.3	1	14-30R	120/240	23.6	1	14-50R

Step 4 Signature Server® 2.0 & Classic — Electrical

Hot/NonRefrigerated Cold Wells

SUFFIX	VOLTS	AMPS	PH	NEMA RECEPTACLE
NNA	120	15.6	1	5-20R
ANA	120	15.6	1	5-20R
AIA	120	22.3	1	5-30R
AFA	120	15.9	1	5-20R
NNB	208	9	1	6-15R
ANB	208	9	1	6-15R
NNC	240	7.8	1	6-15R
ANC	240	7.8	1	6-15R
AIF	120/208	13.2	1	14-20R
AFF	120/208	9.3	1	14-20R
AIG	120/240	12	1	14-20R
AFG	120/240	8.3	1	14-20R

Utility Stations

SUFFIX	VOLTS	PH	46" UTILITY AMPS	60" UTILITY AMPS	74" UTILITY AMPS	88" UTILITY AMPS	NEMA RECEPTACLE
AFA	120	1	0.6	0.5	0.5	0.5	5-15R
BFA	120	1	0.6	0.5	0.5	0.5	5-15R
CFA	120	1	0.6	0.5	0.5	0.5	5-15R
DFA	120	1	0.6	0.5	0.5	0.5	5-15R
AHA	120	1	5.2	7.3	10.5	10.2	5-15R
BHA	120	1	5.2	7.3	10.5	10.2	5-15R
CHA	120	1	5.2	7.3	10.5	10.2	5-15R
AIA	120	1	6.3	8.3	10.4	12.5	5-15R
BIA	120	1	6.3	8.3	10.4	12.5	5-15R
AWA	120	1	6.9	9.4	13.2	13	5-20R
BWA	120	1	6.9	9.4	13.2	13	5-20R

Hot/Refrigerated Cold Wells

SUFFIX	VOLTS	AMPS	PH	NEMA RECEPTACLE
NNA	120	19.4	1	5-30R
ANA	120	19.4	1	5-30R
AIA	120	26.1	1	5-50R
AFA	120	19.9	1	5-30R
CNA	120	19.4	1	5-30R
CFA	120	19.9	1	5-30R
NNF	120/208	12.8	1	14-20R
ANF	120/208	12.8	1	14-20R
AIF	120/208	15.3	1	14-20R
AFF	120/208	13	1	14-20R
CNF	120/208	12.8	1	14-20R
CFF	120/208	13	1	14-20R
NNG	120/240	11.6	1	14-20R
ANG	120/240	11.6	1	14-20R
AIG	120/240	14.1	1	14-20R
AFG	120/240	11.8	1	14-20R
CNG	120/240	11.6	1	14-20R
CFG	120/240	11.8	1	14-20R

Non-Refrigerated Cold Pans

SUFFIX	VOLTS	PH	46" STATION AMPS	60" STATION AMPS	74" STATION AMPS	88" STATION AMPS	NEMA RECEPTACLE
AIA	120	1	0.6	0.8	1	1.3	5-15R
AFA	120	1	0.6	0.5	0.5	0.3	5-15R
BIA	120	1	0.6	0.8	1	1	5-15R
BFA	120	1	0.6	0.5	0.3	0.3	5-15R
CFA	120	1	0.6	0.5	0.3	0.3	5-15R
DFA	120	1	0.6	0.5	0.3	0.3	5-15R

Refrigerated Cold Pans


SUFFIX	VOLTS	PH	46" STATION AMPS	60" STATION AMPS	74" STATION AMPS	88" STATION AMPS	NEMA RECEPTACLE
AFA	120	1	4.1	5.5	5.5	7.8	5-15R
BFA	120	1	4.1	5.5	5.5	7.8	5-15R
CFA	120	1	4.1	5.5	5.5	7.8	5-15R
DFA	120	1	4.1	5.5	5.5	7.8	5-15R
EFA	120	1	4.1	5.5	5.5	7.8	5-15R
AIA	120	1	4.2	6	6.2	8.4	5-15R
BIA	120	1	4.2	6	6.2	8.4	5-15R
EIA	120	1	4.2	6	6.2	8.4	5-15R
ANA	120	1	3.8	5.2	5.2	7.2	5-15R
BNA	120	1	3.8	5.2	5.2	7.2	5-15R
CNA	120	1	3.8	5.2	5.2	7.2	5-15R
DNA	120	1	3.8	5.2	5.2	7.2	5-15R
ENA	120	1	3.8	5.2	5.2	7.2	5-15R
NNA	120	1	3.8	5.2	5.2	7.2	5-15R



Note: See previous page (5-20) for ordering instructions

Note: Signature Server® equipment orders cannot be cancelled or returned.

Receptacle Configurations



NSF7 Cold Pans

SUFFIX	VOLTS	PH	46" STATION AMPS	60" STATION AMPS	74" STATION AMPS	NEMA RECEPTACLE	88" STATION AMPS	NEMA RECEPTACLE
AFA	120	1	4.1	5.5	7.5	5-15R	11.6	5-20R
BFA	120	1	4.1	5.5	7.5	5-15R	11.6	5-20R
CFA	120	1	4.1	5.5	7.5	5-15R	11.6	5-20R
DFA	120	1	4.1	5.5	7.5	5-15R	11.6	5-20R
EFA	120	1	4.1	5.5	7.5	5-15R	11.6	5-20R
AIA	120	1	4.4	6	8.4	5-15R	12.2	5-20R
BIA	120	1	4.4	6	8.4	5-15R	12.2	5-20R
EIA	120	1	4.4	6	8.4	5-15R	12.2	5-20R
ANA	120	1	3.8	5.2	7.2	5-15R	11	5-20R
BNA	120	1	3.8	5.2	7.2	5-15R	11	5-20R
CNA	120	1	3.8	5.2	7.2	5-15R	11	5-20R
DNA	120	1	3.8	5.2	7.2	5-15R	11	5-20R
ENA	120	1	3.8	5.2	7.2	5-15R	11	5-20R
NNA	120	1	3.8	5.2	7.2	5-15R	11	5-20R

60" and 74" Milk Cooler

SUFFIX	VOLTS	AMPS	PH	NEMA RECEPTACLE
NNA	120	4.9	1	5-15R

Entree Carts

SUFFIX	VOLTS	AMPS	PH	NEMA RECEPTACLE
NNA	120	5.2	1	5-15R
FNA	120	5.2	1	5-15R
FIA	120	7.3	1	5-15R



Step 5 Signature Server® Classic – Counter Accessories

Plate Rest NSF

- Overall width: 7" (17.8 cm)
- Locking tabs on ends
- Removable without tools for easy transport
- Fold-down mounting kit
- Add 4" (10.16 cm) to width of unit in folded position



DESCRIPTION	ITEM L: 28 IN L: 71 CM	ITEM L: 46 IN L: 117 CM	ITEM L: 60 IN L: 152 CM	ITEM L: 74 IN L: 188 CM	ITEM L: 88 IN L: 224 CM
Plate rest with mounting kit	37511	37512	37513	37514	98829

ITEM	DESCRIPTION
37509	Corner station plate rest — inside corner
37510	Corner station plate rest — outside corner

End Shelf NSF

- 300 series stainless steel
- 40 lb (18.2 kg) capacity
- Fold-down mounting kit
- Add 4½" (11.4 cm) to length of unit in folded position
- Not recommended for attachment to entrée cart, cashier station or 28" (7.1 cm) utility station



ITEM	DESCRIPTION
37570	End shelf — 18" x 28" (46 x 71 cm)

Cutting Board NSF

- Maple hardwood or polyethylene construction
- Fold-down mounting brackets
- Adds 4" (10.2 cm) to width of unit in folded position
- Overall width: 8" (20.3 cm)





DESCRIPTION	ITEM L: 46 IN L: 117 CM	ITEM L: 60 IN L: 152 CM	ITEM L: 74 IN L: 188 CM	ITEM L: 88 IN L: 224 CM
Wood	37551	37552	37553	98851
Poly	37561	37562	37563	98852

Note: Signature Server® equipment orders cannot be cancelled or returned.

Tray Slides

- 300 series stainless steel
- Overall width: 12" (30.5 cm)
- Tray surface width: 11½" (29 cm)
- Four inverted "V" ribs on surface
- Removable for easy transport
- Fold-down mounting kit
- Interlocking brackets on ends
- Adds 4" (10.16 cm) to width of unit in folded position



DESCRIPTION	ITEM L: 28 IN L: 71 CM	ITEM L: 46 IN L: 117 CM	ITEM L: 60 IN L: 152 CM	ITEM L: 74 IN L: 188 CM	ITEM L: 88 IN L: 224 CM
V-rib tray slides	37521	37522	37523	37524	98831
Tubular tray slides	9882001	9882003	9882004	9882005	9882006

ITEM	DESCRIPTION
37519	Corner station V-rib tray slide — inside corner
37520	Corner station V-rib tray slide — outside corner
9882007	Corner station tubular tray slide — inside corner
9882008	Corner station tubular tray slide — outside corner

Step 6 Signature Server® 2.0 & Classic — Options

Storage Modules



- 300 series stainless steel
- Available with 34" (86.4 cm) high bases only
- With or without doors
- Key lock for sliding doors standard
- Opening height of module is: 16½" (42 cm)
- Depth: 25½" (64.8 cm)



Note: Not available on Signature Server® 2.0 curved bases

DESCRIPTION	WIDTH IN (CM)	ITEM WITH DOORS	ITEM WITHOUT DOORS
Fits 3-well hot, 60" (152.4 cm) cold, 46" (116.8 cm) beverage	24 (61)	36930	36931
Fits 4-well hot, 46" (116.8 cm) utility, 74" (188 cm) cold, 60" (152.4 cm) beverage	36 (91.4)	36936	36937
Fits 5-well hot, 60" (152.4 cm) utility, 74" (188 cm) beverage	50 (127)	36938	36939
Fits 6-well hot, 74" (188 cm) utility station	64 (162.6)	36940	36941
Fits 88" (224 cm) utility station	64 (162.6)	36938-2	36939-2

False Bottoms

- 300 series stainless steel
- Maintains ice longer
- 1" (2.5 cm) above well bottom
- Perforated for easy draining



ITEM	DESCRIPTION
36913	Perforated false bottom, combination hot/cold food station
36914	Perforated false bottom, 46" (116.8 cm) cold food station
36915	Perforated false bottom, 60" (152.4 cm) cold food station
36916	Perforated false bottom, 74" (188 cm) cold food station
98855-2	Perforated false bottom, 88" (224 cm) cold food station

Bag in Box

- Stainless or galvanized shelf options
- Stainless steel door frame
- Open storage without doors provides easy access
- Access Concept™ Configurator at www.vollrathco.com for a full list of accessories including intermediate shelves



STAINLESS ITEM	GALVANIZED ITEM	LENGTH IN (CM)	CASE LOT
36981	36982	46 (116.8)	1
36983	36984	60 (152.4)	1
36985	36986	74 (188)	1
98790	—	88 (224)	1

Stationary Legs

- Stainless steel
- Adjustable for leveling



ITEM	DESCRIPTION
36921	Adjustable 4" - 5"
2897451-2	4" Leg
2897452-2	6" Leg

Note: Signature Server® equipment orders cannot be cancelled or returned.

Additional Accessories: See Pages 6-3 to 6-18



SEE MORE AT
vollrathco.com

For a complete list of special fabricator outlets, visit us online.

Affordable Portable™

A great value in mobile serving equipment.



Lighting



- Factory installed option, 120V
- Bulbs Not Included

Optional UL listed incandescent/infrared lighting assembly showcases food in a dramatic light

Easy access, fully enclosed clear acrylic breath guard - 12" (30.5cm) clearance, NSF2 Certified

Seamless one-piece 20 gauge 300 series stainless steel work surface

Individual thermostat control knob per well on Deluxe unit

Individual drain inside each well on Deluxe unit

Scratch resistant vinyl clad 20 gauge carbon steel in four colors

8' Power Cord Standard

NEW
Deluxe Style



Deluxe Affordable Portable Black Shown

Color Options

- Granite
- Walnut Woodgrain
- Black
- Cherry Woodgrain




Electrical Plug Specifications for Affordable Portable™ Deluxe Hot Units (Thermostet Wells)

DESCRIPTION	120V WITHOUT LIGHTS			120V WITH LIGHTS			208-240V WITHOUT LIGHTS			120/208-240V WITH LIGHTS		
	AMPS	RECEPTACLE	ELECTRICAL SERVICE (A)	AMPS	RECEPTACLE	ELECTRICAL SERVICE (A)	AMPS	RECEPTACLE	ELECTRICAL SERVICE (A)	AMPS	RECEPTACLE	ELECTRICAL SERVICE (A)
3-well	12	5-15R	15	18.3	5-30R	30	8.7 - 10	6-15R	15	12.9 - 14.2	14-20R	20
4-well	16	5-20R	20	24.3	5-50R	50	11.5 - 13.3	6-20R	20	15.6 - 17.5	14-30R	30

Electrical Plug Specifications for Standard Affordable Portable™ Hot Units (Spillage Pans)

DESCRIPTION	120V WITHOUT LIGHTS			120V WITH LIGHTS			208-240V WITHOUT LIGHTS			120/208-240V WITH LIGHTS		
	AMPS	RECEPTACLE	ELECTRICAL SERVICE (A)	AMPS	RECEPTACLE	ELECTRICAL SERVICE (A)	AMPS	RECEPTACLE	ELECTRICAL SERVICE (A)	AMPS	RECEPTACLE	ELECTRICAL SERVICE (A)
3-well	13.1	5-20R	20	19.4	5-30R	30	8.8	6-15R	15	13	14-20R	20
4-well	17.5	5-30R	30	25.8	5-50R	50	11.7	6-15R	15	15.9	14-20R	20

Receptacle Configurations



Storage Opening

DESCRIPTION	DIMENSIONS (L X W X H): IN (CM)
60" unit	50 x 23 x 16½ (127 x 58 x 42)
46" unit	36 x 23 x 16½ (91.5 x 58 x 42)

Heat Lamp Bulbs

ITEM	DESCRIPTION
72242	White, 250W
72241	Red, 250W

Order heat lamp bulbs separately

Note: Affordable Portable™ equipment orders cannot be cancelled or returned.

Affordable Portable™ Hot Food Stations Deluxe

- Upgraded thermostet well with high efficiency 480W in-water heating element.
- Sealed well - no spillage pans required
- Manifoldd drains
- Thermostatically controlled temperature
- Unit depth: 24" (61 cm) ①
- Standard models come with buffet breath guards
- New cafeteria breath guard style now available
- 120V, 208-240V, 600-800W versions available * +
- See spec sheet for cord/plug specifications



DESCRIPTION	DIMENSIONS (L X H) IN (CM)	BLACK	WALNUT WOODGRAIN	GRANITE	CHERRY WOODGRAIN
3 WELL HOT FOOD STATION - 120V					
Solid base *	46 X 35 (117 X 89)	T38707	T38935	T38727	T38767
Solid w/lights +	46 X 35 (117 X 89)	T3870746	T3893546	T3872746	T3876746
Open storage *	46 X 35 (117 X 89)	T38708	T38936	T38728	T38768
Open w/lights +	46 X 35 (117 X 89)	T3870846	T3893646	T3872846	T3876846
Storage w/door *	46 X 35 (117 X 89)	T38709	T38937	T38729	T38769
Storage w/door, w/lights +	46 X 35 (117 X 89)	T3870946	T3893746	T3872946	T3876946
Cafeteria Unit * ♦	46 X 35 (117 X 89)	T39707	T39935	T39727	T39767
Cafeteria Unit w/open storage * ♦	46 X 35 (117 X 89)	T39708	T39936	T39728	T39768
Cafeteria Unit w/storage door * ♦	46 X 35 (117 X 89)	T39709	T39937	T39729	T39769
4 WELL HOT FOOD STATION - 120V					
Solid base *	60 X 35 (152 X 89)	T38710	T38945	T38730	T38770
Solid w/lights +	60 X 35 (152 X 89)	T3871060	T3894560	T3873060	T3877060
Open storage *	60 X 35 (152 X 89)	T38711	T38946	T38731	T38771
Open w/lights +	60 X 35 (152 X 89)	T3871160	T3894660	T3873160	T3877160
Storage w/door *	60 X 35 (152 X 89)	T38712	T38947	T38732	T38772
Storage w/door, w/lights +	60 X 35 (152 X 89)	T3871260	T3894760	T3873260	T3877260
Cafeteria Unit * ♦	60 X 35 (152 X 89)	T39710	T39945	T39730	T39770
Cafeteria Unit w/open storage * ♦	60 X 35 (152 X 89)	T39711	T39948	T39731	T39771
Cafeteria Unit w/storage door * ♦	60 X 35 (152 X 89)	T39712	T39947	T39732	T39772



Black Shown

① Overall depth with breath guard: 39½" (100 cm)

- * For 208-240V without lights add 2 to the model number
- + For 120/208-240V units with lights add 4 to the model number
- ♦ Includes Cafeteria breath guard with acrylic panel

Affordable Portable™ Refrigerated Cold Food Stations

- Standard mechanically refrigerated cold well
- 18 gauge stainless steel work surface
- Foamed in-place polyurethane foam insulation
- Unit depth: 24" (61 cm) ①
- Includes NSF 2 breath guard
- 1" (2.54 cm) drain
- 120V, NEMA 5-15P plug




DESCRIPTION	DIMENSIONS (L X H) IN (CM)	BLACK	WALNUT WOODGRAIN	GRANITE	CHERRY WOODGRAIN
46" COLD FOOD STATION BASE - 120V					
Solid base	46 X 35 (117 X 89)	R38713	R38950	R38733	R38773
Solid w/lights	46 X 35 (117 X 89)	R3871346	R3895046	R3873346	R3877346
Open storage	46 X 35 (117 X 89)	R38714	R38951	R38734	R38774
Open w/lights	46 X 35 (117 X 89)	R3871446	R3895146	R3873446	R3877446
Storage w/door	46 X 35 (117 X 89)	R38715	R38952	R38735	R38775
Storage w/door, w/lights	46 X 35 (117 X 89)	R3871546	R3895246	R3873546	R3877546
Cafeteria Unit ♦	46 X 35 (117 X 89)	R39713	R39950	R39733	R39773
Cafeteria Unit w/open storage ♦	46 X 35 (117 X 89)	R39714	R39951	R39734	R39774
Cafeteria Unit w/storage door ♦	46 X 35 (117 X 89)	R39715	R39952	R39735	R39775
60" COLD FOOD STATION BASE - 120V					
Solid base	60 X 35 (152 X 89)	R38716	R38960	R38736	R38776
Solid w/lights	60 X 35 (152 X 89)	R3871660	R3896060	R3873660	R3877660
Open storage	60 X 35 (152 X 89)	R38717	R38961	R38737	R38777
Open w/lights	60 X 35 (152 X 89)	R3871760	R3896160	R3873760	R3877760
Storage w/door	60 X 35 (152 X 89)	R38718	R38962	R38738	R38778
Storage w/door, w/lights	60 X 35 (152 X 89)	R3871860	R3896260	R3873860	R3877860
Cafeteria Unit ♦	60 X 35 (152 X 89)	R39716	R39959	R39736	R39776
Cafeteria Unit w/open storage ♦	60 X 35 (152 X 89)	R39717	R39961	R39737	R39777
Cafeteria Unit w/storage door ♦	60 X 35 (152 X 89)	R39718	R39962	R39738	R39778



Black Shown

Receptacle



① Overall depth with breath guard: 39½" (100 cm)

- ♦ Includes Cafeteria breath guard with acrylic panel

Note: Affordable Portable™ equipment orders cannot be cancelled or returned.

Affordable Portable™ Hot Food Stations



- Each well supplied with 120V, 525W exposed heating element
- High-density glass fiber insulation
- **Spillage pans required** – sold separately
- Infinite control switches
- Unit depth: 24" (61 cm)
- Standard models come with buffet breath guards
- New cafeteria breath guard style now available
- 208-240V options now available * +
- Light/Heat options



Granite Shown



NSF 2 Breath Guards:
For more information visit www.vollrathco.com for specification sheets.

DESCRIPTION	DIMENSIONS (L X H) IN (CM)	BLACK	WALNUT WOODGRAIN	GRANITE	CHERRY WOODGRAIN
3 WELL HOT FOOD STATION – 120V					
Solid base *	46 X 35 (117 X 89)	38707	38935	38727	38767
Solid w/lights +	46 X 35 (117 X 89)	3870746	3893546	3872746	3876746
Open storage *	46 X 35 (117 X 89)	38708	38936	38728	38768
Open w/lights +	46 X 35 (117 X 89)	3870846	3893646	3872846	3876846
Storage w/door *	46 X 35 (117 X 89)	38709	38937	38729	38769
Storage w/door, w/lights +	46 X 35 (117 X 89)	3870946	3893746	3872946	3876946
Cafeteria Unit * ♦	46 X 35 (117 X 89)	39707	39935	39727	39767
Cafeteria Unit w/open storage * ♦	46 X 35 (117 X 89)	39708	39936	39728	39768
Cafeteria Unit w/storage door * ♦	46 X 35 (117 X 89)	39709	39937	39729	39769
4 WELL HOT FOOD STATION – 120V					
Solid base *	60 X 35 (152 X 89)	38710	38945	38730	38770
Solid w/lights +	60 X 35 (152 X 89)	3871060	3894560	3873060	3877060
Open storage *	60 X 35 (152 X 89)	38711	38946	38731	38771
Open w/lights +	60 X 35 (152 X 89)	3871160	3894660	3873160	3877160
Storage w/door *	60 X 35 (152 X 89)	38712	38947	38732	38772
Storage w/door, w/lights +	60 X 35 (152 X 89)	3871260	3894760	3873260	3877260
Cafeteria Unit * ♦	60 X 35 (152 X 89)	39710	39945	39730	39770
Cafeteria Unit w/open storage * ♦	60 X 35 (152 X 89)	39711	39948	39731	39771
Cafeteria Unit w/storage door * ♦	60 X 35 (152 X 89)	39712	39947	39732	39772

- * For 208-240V without lights add 2 to the model number
- + For 120/208-240V units with lights add 4 to the model number
- ♦ Includes Cafeteria breath guard with acrylic panel

Affordable Portable™ Cold Food Stations



- 20 gauge stainless steel work surface
- **Non-refrigerated** 6" (15.2 cm) deep well
- Foamed-in-place polyurethane foam insulation
- 1" (2.54 cm) drain makes cleanup easy
- Unit depth: 24" (61 cm) ①
- Standard models come with buffet breath guards
- New cafeteria breath guard style now available

DESCRIPTION	DIMENSIONS (L X H) IN (CM)	BLACK	WALNUT WOODGRAIN	GRANITE	CHERRY WOODGRAIN
46" COLD FOOD STATION BASE – 120V					
Solid base	46 X 35 (117 X 89)	38713	38950	38733	38773
Solid w/lights	46 X 35 (117 X 89)	3871346	3895046	3873346	3877346
Open storage	46 X 35 (117 X 89)	38714	38951	38734	38774
Open w/lights	46 X 35 (117 X 89)	3871446	3895146	3873446	3877446
Storage w/door	46 X 35 (117 X 89)	38715	38952	38735	38775
Storage w/door, w/lights	46 X 35 (117 X 89)	3871546	3895246	3873546	3877546
Cafeteria Unit ♦	46 X 35 (117 X 89)	39713	39950	39733	39773
Cafeteria Unit w/open storage ♦	46 X 35 (117 X 89)	39714	39951	39734	39774
Cafeteria Unit w/storage door ♦	46 X 35 (117 X 89)	39715	39952	39735	39775
60" COLD FOOD STATION BASE – 120V					
Solid base	60 X 35 (152 X 89)	38716	38960	38736	38776
Solid w/lights	60 X 35 (152 X 89)	3871660	3896060	3873660	3877660
Open storage	60 X 35 (152 X 89)	38717	38961	38737	38777
Open w/lights	60 X 35 (152 X 89)	3871760	3896160	3873760	3877760
Storage w/door	60 X 35 (152 X 89)	38718	38962	38738	38778
Storage w/door, w/lights	60 X 35 (152 X 89)	3871860	3896260	3873860	3877860
Cafeteria Unit ♦	60 X 35 (152 X 89)	39716	39959	39736	39776
Cafeteria Unit w/open storage ♦	60 X 35 (152 X 89)	39717	39961	39737	39777
Cafeteria Unit w/storage door ♦	60 X 35 (152 X 89)	39718	39962	39738	39778



Black Shown

① Overall depth with breath guard: 39½" (100 cm)

- ♦ Includes Cafeteria breath guard with acrylic panel

Note: Affordable Portable™ equipment orders cannot be cancelled or returned.

Affordable Portable™ Utility Stations



- Wide, solid reinforced stainless steel work surface
- One-piece top construction for easy cleaning
- Ideal for dispensers or large food displays
- Unit depth: 24" (61 cm) ①
- Standard models come with buffet breath guards
- New cafeteria breath guard style now available



Black Shown



Granite Shown

① Overall depth with breath guard: 39½" (100 cm)

◆ Includes Cafeteria breath guard with acrylic panel

DESCRIPTION	DIMENSIONS (L X H) IN (CM)	BLACK	WALNUT WOODGRAIN	GRANITE	CHERRY WOODGRAIN
46" UTILITY STATION – 120V					
Solid base	46 X 35 (117 X 89)	38701	38926	38721	38761
Solid w/lights	46 X 35 (117 X 89)	3870146	3892646	3872146	3876146
Open storage	46 X 35 (117 X 89)	38702	38927	38722	38762
Open w/lights	46 X 35 (117 X 89)	3870246	3892746	3872246	3876246
Storage w/door	46 X 35 (117 X 89)	38703	38928	38723	38763
Storage w/door, w/lights	46 X 35 (117 X 89)	3870346	3892846	3872346	3876346
Cafeteria Unit ◆	46 X 35 (117 X 89)	39701	39926	39721	39761
Cafeteria Unit w/open storage ◆	46 X 35 (117 X 89)	39702	39927	39722	39762
Cafeteria Unit w/storage door ◆	46 X 35 (117 X 89)	39703	39928	39723	39763
60" UTILITY STATION – 120V					
Solid base	60 X 35 (152 X 89)	38704	38930	38724	38764
Solid w/lights	60 X 35 (152 X 89)	3870460	3893060	3872460	3876460
Open storage	60 X 35 (152 X 89)	38705	38931	38725	38765
Open w/lights	60 X 35 (152 X 89)	3870560	3893160	3872560	3876560
Storage w/door	60 X 35 (152 X 89)	38706	38932	38726	38766
Storage w/door, w/lights	60 X 35 (152 X 89)	3870660	3893260	3872660	3876660
Cafeteria Unit ◆	60 X 35 (152 X 89)	39704	39930	39724	39764
Cafeteria Unit w/open storage ◆	60 X 35 (152 X 89)	39705	39931	39725	39765
Cafeteria Unit w/storage door ◆	60 X 35 (152 X 89)	39706	39932	39726	39766

Affordable Portable™ Cashier Station

- Stable stainless steel work surface
- Wide enough for almost any register or terminal
- Open base and bottom shelf for extra storage
- **Cash drawer not available**
- Unit depth: 24" (61 cm)



Walnut Woodgrain shown

DESCRIPTION	DIMENSIONS (L X H) IN (CM)	BLACK	WALNUT WOODGRAIN	GRANITE	CHERRY WOODGRAIN
Cashier station	24 X 35 (60.9 X 89)	38700	38905	38720	38760

Spillage Pans

- Stainless steel or aluminum
- Accepts standard size pans
- Can use with adaptor plates or insets
- Suitable for bulk storage



ITEM	DESCRIPTION	DIMENSIONS (L X W X D) IN (CM)	CASE LOT
99765	Standard edge S/S	19.8 x 11.9 x 6.4 (50.3 x 30.2 x 16.3)	1
99780	Dripless S/S	19.8 x 11.9 x 6.6 (50.3 x 30.2 x 16.8)	1
99785	Aluminum	19.9 x 11.9 x 6.4 (50.5 x 30.2 x 16.3)	1

Tray Slides and Cutting Boards

- Polyethylene cutting boards
- 300 series stainless tray slide
- Fold-down mounting brackets
- Cutting boards add 4" (10.2 cm) and tray slides add 5½" (14 cm) to width of unit in folded position



TRAY SLIDE	CUTTING BOARD	DESCRIPTION	CASE LOT
39924*	39824*	Fits 24" (61 cm) Affordable Portable™	1
39946*	39846*	Fits 46" (117 cm) Affordable Portable™	1
39960*	39860*	Fits 60" (152 cm) Affordable Portable™	1

*Add NF in front of the item number for non-folding model

Plate Rests

- Stainless steel
- Designed for Affordable Portable™ only
- Surface width: 7" (17.8 cm)
- Removable



ITEM	DESCRIPTION	CASE LOT
38992*	24" (61 cm) plate rest with mounting kit	1
38993*	46" (117 cm) plate rest with mounting kit	1
38994*	60" (152 cm) plate rest with mounting kit	1

*Add NF in front of the item number for non-folding model

Note: Affordable Portable™ equipment orders cannot be cancelled or returned.

Induction Buffet Table

- Solid maple construction, 5 standard stain colors
- Available in 60" lengths with 3 induction hob stations, or 76" with 4 induction hob stations
- Features Vollrath 5950145 induction warmers, mounted undercounter for seamless look, 5 - level controls on front face of table
- Durable ceramic glass imprinted counter - elegant black granite
- Made to Order - Allow 6 weeks lead time
- Use Miramar® Cookware and Intrigue Induction Chafers for an incredible presentation
- Overall Height: 34" or 36" with or without casters




Generous 30" table width provides plenty of space for large capacity induction chafers as well as a dinner plate rest area

Equipped with Vollrath's cutting-edge Mirage® Commercial Drop-In Induction Warmers (item # 5950145)

Ceramic Counter - Black Granite Color with matching wood trim

Available with wood laminate or solid surface tops that provide clean, sleek presentation

Receptacle



7552284



Contact us for special order options.

ITEM	DESCRIPTION	DIMENSIONS (L X W) IN (CM)	CASTERS	PLUG	CASE LOT
75522801	3-Mirage® model 5950145 450W undercounter induction warmers	60 x 30 (152.4 x 76.2)	Yes	5-20P	1
75522812	3-Mirage® model 5950145 450W undercounter induction warmers	60 x 30 (152.4 x 76.2)	Yes	5-20P	1
75522823	3-Mirage® model 5950145 450W undercounter induction warmers	60 x 30 (152.4 x 76.2)	Yes	5-20P	1
75522834	3-Mirage® model 5950145 450W undercounter induction warmers	60 x 30 (152.4 x 76.2)	Yes	5-20P	1
75522845	3-Mirage® model 5950145 450W undercounter induction warmers	60 x 30 (152.4 x 76.2)	Yes	5-20P	1
75523801	4-Mirage® model 5950145 450W undercounter induction warmers	76 x 30 (193 x 76.2)	Yes	5-20P	1
75523812	4-Mirage® model 5950145 450W undercounter induction warmers	76 x 30 (193 x 76.2)	Yes	5-20P	1
75523823	4-Mirage® model 5950145 450W undercounter induction warmers	76 x 30 (193 x 76.2)	Yes	5-20P	1
75523834	4-Mirage® model 5950145 450W undercounter induction warmers	76 x 30 (193 x 76.2)	Yes	5-20P	1
75523845	4-Mirage® model 5950145 450W undercounter induction warmers	76 x 30 (193 x 76.2)	Yes	5-20P	1
75522	Custom buffet table with induction warmer	60 x 30 (152.4 x 76.2)	Your Choice	Your Choice	1
75523	Custom buffet table with induction warmer	76 x 30 (193 x 76.2)	Your Choice	Your Choice	1
75524	Custom buffet table without induction warmer	60 x 30 (152.4 x 76.2)	Your Choice	Your Choice	1
75525	Custom buffet table without induction warmer	76 x 30 (193 x 76.2)	Your Choice	Your Choice	1

Available Standard Stain Finishes



(1) Clear Maple (laminite match Wilsonart 7909-60)



(2) Standard Walnut (laminite match Wilsonart 7922-07)



(3) Dark Cherry (laminite match Wilsonart 7935-07)



(4) Medium Oak (laminite match Wilsonart 7951-38)



(5) Dark Red Mahogany (laminite match Wilsonart 71122T-07)

Made to order - please allow 6 weeks lead time. Configure your own custom tables using model numbers 75522, 75523, 75524, 75525 in Auto Quotes. Note: Induction buffet table orders can not be returned or cancelled

Mobile Serving Equipment

The Vollrath Company, LLC

Vollrath's vast selection of mobile serving equipment and merchandising carts and kiosks make it possible to create complete solutions for your buffet or foodservice retail operations. Let Vollrath help you create your space, combining our expertise, with a wide variety of high quality Vollrath standard and custom equipment options.



See how it all ties together at
Vollrath University Online
www.vollrathco.com



**A Full Suite
of Standard
and Custom
Solutions!**

The Mobile Serving Equipment that Fits:

ACM and WCM Construction

ACM

Aluminum Composite Material

- Polyethylene core thermobonded between two aluminum skins
- Approximately 3/16" thick



✓ Indoor and outdoor use - resists moisture & other elements

✓ 10+ year lifespan*
✓ Ideal material for merchandising

✓ 1/3 the weight of WCM
✓ Straight and curved designs
✓ Laminates, custom paint & vinyl graphics

*With Proper Care.

VENUE

✓ Indoor use only

COST

✓ 5-10 year lifespan*
✓ 15-30% less up-front cost

DESIGN

✓ Best for straight, standard designs
✓ Laminate only

*With Proper Care.

WCM

Wood Composite Material

- Wood particle core between pre laminate skins
- Approximately 3/4" thick



Complete Custom Kiosk Solutions

Vollrath Custom Kiosks are the marriage of form and function. Vollrath's state-of-the-art manufacturing capabilities create striking geometries, using the latest materials, incorporating the foodservice equipment you select. In-house designers help you create your vision and take your ideas and make them reality. Merchandised food simply sells better. And nothing merchandises your food items better than a Custom Kiosk. Contact your Vollrath sales representative who will help you specify the kiosk for your specific operation.



Available in cost saving standard WCM finishes.



Food Court Style Kiosk

Stadium Style Merchandising Kiosks



Standard Kiosk Features:

- Prepainted black or silver base available in innovative lightweight ACM (aluminum composite materials) or industry standard WCM (wood composite materials)
- Black polyform countertops and work surfaces (NSF)
- Matching toekick
- Heavy-duty casters

Customizable Kiosk Features:

- Custom paint for base, custom base graphics - front, and custom laminate covered base
- Stainless steel, laminated or Corian® countertops
- 15/20 amp, 30 amp, 60 amp or 100 amp electrical service
- ACM storage doors with locking paddle latches (2)
- Self-contained water system including, heater, tanks and plumbing or self-contained water system with hand sink (includes heater, tanks and plumbing)
- Track lights includes 20A electrical service
- Pull-out water system with water heater and pump, 5 gallon fresh and 7½ gallon waste tanks, 20A electrical service
- Built-in refrigerator

Hot or Cold Prep Station



75717 with modular options




75717, side, with modular options



75717 shown and 75710 Action Station
- both shown with modular options

Receptacles



Standard Features:

- Choose hot or cold –for more information on Vollrath drop-ins see pages 4-3 through 4-12
- Available in cost effective WCM (wood composite material) or durable ACM (aluminum composite material). Standard ACM carts are available in black, white, or silver. Standard WCM carts are available in Harvest Cherry, Natural Maple, Castle Oak, or Black
- Black toe kick or painted to match pre-painted white or silver ACM bases
- Oversized indoor cart base with heavy-duty casters
- 1" Boston bumper (black only) ■ Open storage on server side
- Laminated or polyform (cold only) countertop ■ No electrical service

Modular Options:

- Laminated base (customer sides only, server side remains black)
- Upgrade from laminate countertop to stainless steel or Corian
- 15 amp electrical service (NEMA 5-15P)
- 30 amp electrical service (NEMA L14-30P)
- 60 amp electrical service (MENNEKES ME460P12W)
- 100 amp electrical service (MENNEKES ME4100P12W)
- Custom painted base (ACM construction only) - one color, customer sides only, back remains black
- Heavy-duty locking paddles latch doors (server side)
- Cafeteria style breath guard - powder coated
- Optional folding operator work shelf or customer plate rest

ITEM	DESCRIPTION	CONSTRUCTION	DIMENSIONS: IN (CM) (L X W X H)
75716	5' Three well prep station	ACM	60 x 32 x 38 (152.4 x 81.3 x 96.5)
75716W	5' Three well prep station	WCM	60 x 32 x 38 (152.4 x 81.3 x 96.5)
75717	6' Four well prep station	ACM	72 X 32 X 38 (182.9 X 81.3 X 96.5)
75717W	6' Four well prep station	WCM	72 X 32 X 38 (182.9 X 81.3 X 96.5)
75718	7' Five well prep station	ACM	84 X 32 X 38 (213.4 X 81.3 X 96.5)
75718W	7' Five well prep station	WCM	84 X 32 X 38 (213.4 X 81.3 X 96.5)
75719	8' Six well prep station	ACM	96 x 32 x 38 (243.8 x 81.3 x 96.5)
75719W	8' Six well prep station	WCM	96 x 32 x 38 (243.8 x 81.3 x 96.5)

Mobile Utility/Beverage Counters

NEW



1



75728, front, shown with modular options

It's as easy as 1-2-3 to dress up your Mobile Counter with Vollrath!

2



75728 with modular options, shown with Cayenne® Twin Well Soup Merchandiser (See page 3-14 for more information)

3



75728 with modular options, shown with Cayenne® Twin Well Soup Merchandiser (See page 3-14 for more information) and 40821 Hot Dog Roller Grill (See page 2-20 for more information)


Standard Features:

- Available in cost effective WCM (wood composite material) or durable ACM (aluminum composite material). Standard ACM carts are available in black, white, or silver. Standard WCM carts are available in Harvest Cherry, Natural Maple, Castle Oak, or Black
- Indoor cart base with heavy-duty casters
- 1" bumper (black only)
- Laminated or polyform countertop
- Heavy-duty paddle latch doors or raised panel doors
- No electrical service

Modular Options:

- Laminated base (door side & ends only, wall side remains black)
- Upgrade from laminate countertop to stainless steel or Corian
- 15 amp electrical service (NEMA 5-15P)
- 30 amp electrical service (NEMA L14-30P)
- 60 amp electrical service (MENNEKES ME460P12W)
- 100 amp electrical service (MENNEKES ME4100P12W)
- Custom painted base (customer sides only)
- Cup dispenser, napkin dispenser, or condiment organizer

ITEM	DESCRIPTION	CONSTRUCTION	DIMENSIONS: IN (CM) (L X W X H)
75728	6' Beverage cart	ACM	72 x 32 x 34 (182.9 x 81.3 x 86.4)
75728W	6' Beverage cart	WCM	72 x 32 x 34 (182.9 x 81.3 x 86.4)
75729	8' Beverage cart	ACM	96 x 32 x 34 (243.8 x 81.3 x 86.4)
75729W	8' Beverage cart	WCM	96 x 32 x 34 (243.8 x 81.3 x 86.4)
75730	10' Beverage cart	ACM	120 x 32 x 34 (304.8 x 91.4 x 86.4)
75730W	10' Beverage cart	WCM	120 x 32 x 34 (304.8 x 91.4 x 86.4)




Utility Counter – Countertop Equipment Island



Item 75739 shown with modular options

Item 75739 shown with modular options

Receptacles



Standard Features:

- Available in cost effective WCM (wood composite material) or durable ACM (aluminum composite material). Standard ACM carts are available in black, white, or silver. Standard WCM carts are available in Harvest Cherry, Natural Maple, Castle Oak, or Black
- Black toe kick or painted to match pre-painted white or silver ACM bases
- Oversized indoor cart base with heavy-duty casters or adjustable leveling legs
- 1" bumper (black only)
- Heavy-duty paddle latch doors
- Oversized laminated or polyform countertop with recessed area
- Countertop grommets
- Open storage
- No electrical service
- *Doorway openings MUST be 44" or more to accommodate unit

Modular Options:

- Laminated base (all sides)
- Upgrade from laminated countertop to stainless steel or Corian
- Custom painted base (ACM construction only) one color on three sides (back remains black)
- Acrylic trash chutes
- 15 amp electrical service (NEMA 5-15P)
- 30 amp electrical service (NEMA L14-30P)
- 60 amp electrical service (MENNEKES ME460P12W)
- 100 amp electrical service (MENNEKES ME4100P12W)

ITEM	DESCRIPTION	CONSTRUCTION	DIMENSIONS: IN (CM) (L X W X H)
75739	9' Utility counter – countertop equipment island	ACM	108 x 43 x 34 (247.3 x 109.2 x 86.4)
75739W	9' Utility counter – countertop equipment island	WCM	108 x 43 x 34 (247.3 x 109.2 x 86.4)

Demonstration Table/Action Station



75710 with modular options



75710, back, with modular options and 40716 Electric Flat Top Griddle (See page 2-17 for more information)


Standard Features:

- Available in cost effective WCM (wood composite material) or durable ACM (aluminum composite material)
Standard ACM carts are available in black, white, or silver
Standard WCM carts are available in Harvest Cherry, Natural Maple, Castle Oak, or Black
- Black toe kick or painted to match pre-painted white or silver ACM bases
- Indoor cart base with heavy-duty casters
- 1" bumper (black only)
- Open storage on server side
- Laminated or polyform countertop (if not equipped with a hot drop-in)
- Countertop grommet
- No electrical service

Modular Options:


- Laminated base (customer sides only, server side remains black)
- Upgrade from laminate countertop to stainless steel or Corian
- 15 amp electrical service (NEMA 5-15P)
- 30 amp electrical service (NAME L14-30P)
- 60 amp electrical service (MENNEKES ME460P12W)
- 100 amp electrical service (MENNEKES ME4100P12W)
- Custom painted base (ACM construction only) one color, customer sides only, back remains black
- Heavy-duty locking paddle latch doors (server side)
- Upright style breath guard (powder coated) or Cafeteria style breath guard (powder coated)
- Beverage Air UCR27A undercounter refrigeration
- Rotation demonstration mirror with adjustable poles

Receptacles



ITEM	DESCRIPTION	CONSTRUCTION	DIMENSIONS: IN (CM) (L X W X H)
75710	34" Range/griddle station	ACM	34 x 32 x 38 (86.4 x 81.3 x 96.5)
75710W	34" Range/griddle station	WCM	34 x 32 x 38 (86.4 x 81.3 x 96.5)
75711	48" Action station	ACM	48 X 32 X 38 (121.9 X 81.3 X 96.5)
75711W	48" Action station	WCM	48 X 32 X 38 (121.9 X 81.3 X 96.5)
75713	6' Action station	ACM	72 X 32 X 38 (182.9 X 81.3 X 96.5)
75713W	6' Action station	WCM	72 X 32 X 38 (182.9 X 81.3 X 96.5)
75714	8' Action station	ACM	96 x 32 x 38 (243.8 x 81.3 x 96.5)
75714W	8' Action station	WCM	96 x 32 x 38 (243.8 x 81.3 x 96.5)

Note: Not all options are available for the 34" Griddle Station. Please reference spec sheet.



75713, front and back, with modular options

Soup Merchandiser Carts



NEW

Standard Features:

- All aluminum composite material construction
- Standard black, white, or silver (specify)
- Matching toe kick
- Heavy-duty casters
- Open storage (front)
- 1" bumper (all sides)
- Polyform countertop
- Raised polyform front shelf (cup rest area)
- Raised back shelf
- 75677 (30") includes (1) Vollrath 72028 soup rethermalizer and accessory kit
- 75676 (48") includes (2) Vollrath 72028 soup rethermalizers and accessory kits



Item 75676 shown with modular options

Modular Options:

- Heavy-duty paddle latch doors (qty. 2 for 48", qty. 1 for 30")
- Fold down shelves (specify plain or with pan-cutouts) (qty. 2)
- Cup dispensers
- Bain-maries for condiment areas (qty. 4 for 48", qty. 2 for 30")
- Base color option - laminate (one color) three sides
- Base color option - painted base (one color) three sides
- Base color option - digital graphics (artwork supplied by customer) three sides
- Base color option - digital graphics (artwork supplied by customer) front side only
- Aluminum framed aluminum composite backboard
- Vinyl sign applied to backboard (artwork supplied by customer)
- Additional signage, aluminum composite backed with vinyl graphic (artwork supplied by customer)
- Refer to specification sheet for electrical service
- 1/2 size pans for condiment area



Item 75677

Half Round Merchandiser

■ See Vollrath price list for features and options

Contact your Vollrath representative for more information!

NEW



Item 75705 shown with modular options



Item 75677 shown with modular options



Item 75678Ⓢ

ITEM	DESCRIPTION	DIMENSIONS: IN (CM) (L X W X H)
75705	Half round soup station	72 x 32 x 56 (183 x 82 x 142)

ITEM	DESCRIPTION	DIMENSIONS: IN (CM) (L X W X H)
75678WⓈ	Economy soup merchandiser	34 x 34 x 31½ (86 x 86 x 80)
75677	30" Deluxe soup merchandiser	30 x 34 x 71 (76 x 86 x 180)
75676	48" Deluxe soup merchandiser	48 x 34 x 71 (122 x 86 x 180)

Ⓢ Item 75678W is WCM

4 x 4 Locker Box Retail Cart



Standard Features:

- All aluminum composite material (ACM) construction
- Pre-painted black, white, or silver ACM toe kick
- 1" black bumper molding
- (2) stainless steel tie down rings
- Indoor/outdoor cart base with heavy duty casters
- Weathered gray or global pine slatwall in main compartment and wing walls
- (2) locking wing walls ****CUSTOMER TO SUPPLY PADLOCK****
- Fluorescent lighting in main canopy
- Heavy-duty locking paddle latch ACM door
- Polyform countertop
- 15 amp electrical service (NEMA 5-15P)



Item 75732 open, shown with modular options


Modular Options:

- Custom painted base
- Vinyl graphics applied to back of wing wall (approx. 2' x 3')



Item 75732 closed, shown with modular options

Receptacle



ITEM	DESCRIPTION	DIMENSIONS: IN (CM) (L X W X H)*
75732	4x4 locker box retail cart	132 x 67 x 120 (335.3 x 170.2 x 304.8)

*Dimensions when open

Condiment Cart



Standard Features:

- Available in cost effective WCM (wood composite material) or durable ACM (aluminum composite material). Standard ACM carts are available in black, white, or silver. Standard WCM carts are available in Harvest Cherry, Natural Maple, Castle Oak, or Black
- Black toe kick or painted to match pre-painted white or silver ACM bases
- Heavy-duty casters
- Open storage (front)
- Polyform countertop
- 1" black bumper
- Includes (5) - 78730 Vollrath 3½ qt Bain Marie

Modular Options:

- Heavy-duty paddle latch door (qty. 2)
- Raised polyform shelf
- Signage with powder coated uprights
- Base color options - laminate (one color) all sides, painted base (ACM construction only) one color all sides, digital graphics (artwork supplied by customer) all sides
- 15 amp electrical service




Item 75670 with optional paddle latch doors



Item 75670 shown with modular options

Receptacle



ITEM	DESCRIPTION	CONSTRUCTION	DIMENSIONS: IN (CM) (L X W X H)
75670	Standard condiment cart	ACM	43 x 28 x 35 (109 x 71 x 89)
75670W	Standard condiment cart	WCM	43 x 28 x 35 (109 x 71 x 89)

5' Snack Merchandiser Cart



NEW

Standard Features:


- Available in cost effective WCM (wood composite material) or durable ACM (aluminum composite material). Standard ACM carts are available in black, white, or silver. Standard WCM carts are available in Harvest Cherry, Natural Maple, Castle Oak, or Black
- Black toe kick or painted to match pre-painted white or silver ACM bases
- Indoor cart base with heavy-duty casters, mobile for transport or for floor cleaning
- Shelves for snack boxes display case quantities of snack items
- 1" bumper (black only)
- Wing wall door with lock, allows for storage and protects against theft



Item 75734 shown with modular options



Receptacle



Item 75734, open, shown with modular options

ITEM	DESCRIPTION	CONSTRUCTION	DIMENSIONS: IN (CM) (L X W X H)
75734	5' Snack merchandising cabinet	ACM	60 x 84 x 28 (152 x 213 x 71)
75734W	5' Snack merchandising cabinet	WCM	60 x 84 x 28 (152 x 213 x 71)

3' Chip Merchandiser



NEW

Standard Features:

- Available in cost effective WCM (wood composite material) or durable ACM (aluminum composite material). Standard ACM carts are available in black, white, or silver. Standard WCM carts are available in Harvest Cherry, Natural Maple, Castle Oak, or Black
- Black toe kick or painted to match pre-painted white or silver ACM bases
- ACM backwall
- Weathered gray or global pine slatwall accepts standard hooks to merchandise snack items
- Heavy-duty paddle latch door provides locking storage
- Laminated countertop
- Indoor cart base with heavy-duty casters
- 1" bumper (black only)



Item 75733, opposite angle, shown with modular options



Item 75733 shown with modular options

Modular Options:

- Laminated base (three sides only, backside remains black)
- Custom painted base (ACM construction only) one color, three sides, backside remains black
- Vinyl graphics applied directly to ACM backwall topper

ITEM	DESCRIPTION	CONSTRUCTION	DIMENSIONS: IN (CM) (L X W X H)
75733	3' Chip merchandiser	ACM	32 x 36 x 76 (81.3 x 91.4 x 193)
75733W	3' Chip merchandiser	WCM	32 x 36 x 76 (81.3 x 91.4 x 193)

Cashier/Merchandising Station



Standard Features:

- Available in cost effective WCM (wood composite material) or durable ACM (aluminum composite material). Standard ACM carts are available in black, white, or silver. Standard WCM carts are available in Harvest Cherry, Natural Maple, Castle Oak, or Black
- Black toe kick or painted to match pre-painted white or silver ACM bases
- Heavy-duty casters
- Open storage (server side)
- Polyform countertop
- 1" bumper (all sides)
- Open recessed area for merchandising on customer front



Item 75679 shown with modular options



Item 75679




Back view - Item 75679 shown with modular options

Modular Options:

- Heavy-duty paddle latch door (qty. 1)
- Heavy-duty paddle latch locking drawer
- Adjustable undercounter shelving (black plastic)
- Merchandise area melamine shelving (qty. 2)
- Base color options - laminate (one color) on 3 sides, painted base (ACM construction only) one color on 3 sides (back remains black), digital graphics (artwork supplied by customer) on 3 sides, digital graphics (artwork supplied by customer) front only
- Fold-down polyform tray/plate rests (specify location)
- 15 amp electrical service (NEMA 5-15P)
- 20 amp electrical service (NEMA 5-20P)
- 30 amp electrical service (NEMA L14-30P)
- Countertop grommet holes

Receptacles



ITEM	DESCRIPTION	CONSTRUCTION	DIMENSIONS: IN (CM) (L X W X H)
75679	Cashier/merchandising station	ACM	32 x 36 x 34 (81.3 x 91.5 x 86.4)
75679W	Cashier/merchandising station	WCM	32 x 36 x 34 (81.3 x 91.5 x 86.4)


Mobile Cashier Station



NEW

Standard Features:

- Available in cost effective WCM (wood composite material) or durable ACM (aluminum composite material). Standard ACM carts are available in black, white, or silver. Standard WCM carts are available in Harvest Cherry, Natural Maple, Castle Oak, or Black
- Black toe kick or painted to match pre-painted white or silver ACM bases
- Indoor cart base with heavy-duty casters or adjustable leveling legs
- 1" bumper (black only)
- Open storage on server side
- Laminated countertop
- Countertop grommet
- No electrical service included



Item 75700, back view, shown with modular options

Modular Options:

- Laminated base (customer sides only, server side remains black)
- Upgrade from laminate countertop to stainless steel
- Upgrade from laminate countertop to Corian
- 15 amp electrical service (NEMA 5-15P)
- 20 amp electrical service (NEMA 5-20P)
- 30 amp electrical service (NEMA L14-30P)
- Custom painted base (customer sides only)
- Heavy-duty locking paddle latch doors and drawers (server side-each)

SHAPE	ITEM	DESCRIPTION	CONSTRUCTION	DIMENSIONS: IN (CM) (L X W X H)
	75700	Left "L" shaped cashier station	ACM	72 x 44 x 38 (182.9 x 111.8 x 96.5)
	75700W	Left "L" shaped cashier station	WCM	72 x 44 x 38 (182.9 x 111.8 x 96.5)
	75701	Right "L" shaped cashier station	ACM	72 x 44 x 38 (182.9 x 111.8 x 96.5)
	75701W	Right "L" shaped cashier station	WCM	72 x 44 x 38 (182.9 x 111.8 x 96.5)



Item 75700, front view, shown with modular options

ACM Garbage Can Storage

Standard Features:

- All aluminum composite material (ACM) construction
- Pre-painted black, white, or silver ACM base
- Indoor/outdoor base (no casters or legs)
- ACM door & trash swing door
- Polyform countertop with tray stops on end
- Includes garbage can



Modular Options:

- Three-sided full digital base wrap
- Custom painted base
- Custom laminated base (ALL SIDES)

75725 with three sided digital base wrap



ITEM	DESCRIPTION	DIMENSIONS: IN (CM) (L X W X H)
75725	ACM garbage can storage	23 x 23 x 53 (58.4 x 58.4 x 134.6)
76999	Trash receptacle liner for garbage can storage	

WCM Garbage Can Storage

Standard Features:

- Wood composite material construction
- Choice of 4 pre-laminate colors – Harvest Cherry (shown), Natural Maple, Castle Oak, or Black
- Indoor cabinet construction
- Trash chute swing door & can access door
- Laminated countertop
- Includes garbage can



Modular Options:

- Laminated base
- Upgrade from laminated countertop to Corian®

75726 with optional laminate



ITEM	DESCRIPTION	DIMENSIONS: IN (CM) (L X W X H)
75726	WCM garbage can storage	23 x 23 x 47 (58.4 x 58.4 x 119.4)
76999	Trash receptacle liner for garbage can storage	

Retail Foodservice Carts

NEW CARTS from Vollrath!

Maximize your foodservice revenue!



Standard Features:

- Available in cost effective WCM (wood composite material) or durable ACM (aluminum composite material)
- Standard ACM carts are available in black, white, or silver
- Standard WCM carts are available in Harvest Cherry, Natural Maple, Castle Oak, or Black
- Black toe kick or painted to match prepainted white or silver ACM bases
- Open storage (server side)
- Heavy-duty casters
- 1" bumper (all sides)
- Polyform or laminate countertop

Modular Options:

- Heavy-duty paddle latch doors (qty. 2 for 6', qty. 5 for 8', qty. 6 for 10')
- Adjustable undercounter shelving
- Base color options - laminate (one color) on 3 sides, painted base (ACM construction only) - one color on 3 sides (back remains black), digital graphics (artwork supplied by customer) on 3 sides
- Wrap style canopy with two adjustable poles (color matching base)
- Aluminum tubular canopy (bulkhead) with two adjustable poles (powder coated - color specified)
- Signage for wrap-style and tubular canopy. Vinyl graphics (artwork provided by customer)
- Track lighting for canopies (Requires at least 120V 15 AMP service)
- 15 amp 120V electrical service (NEMA 5-15P)
- 20 amp 120V electrical service (NEMA 5-20P)
- 30 amp electrical service (NEMA #L14-30P)
- 60 amp electrical service (plug #460-12W)
- 100 amp electrical service (plug #4100P - 12W)
- Countertop grommet holes
- Umbrella




Model 7569510 with modular options



Model 7569806 with modular options

Receptacles



ITEM	DESCRIPTION	CONSTRUCTION	DIMENSIONS: IN (CM) (L X W X H)
7569506	5' 8" Retail food service cart	ACM	68 x 38½ x 108½ (172.7 x 97.8 x 275.6)
7569506W	5' 8" Retail food service cart	WCM	68 x 38½ x 108½ (172.7 x 97.8 x 275.6)
7569508	7' 8" Retail food service cart	ACM	92 x 38½ x 108½ (233.7 x 97.8 x 275.6)
7569508W	7' 8" Retail food service cart	WCM	92 x 38½ x 108½ (233.7 x 97.8 x 275.6)
75695010	9' 8" Retail food service cart	ACM	116 x 38½ x 108½ (294.6 x 97.8 x 275.6)
75695010W	9' 8" Retail food service cart	WCM	116 x 38½ x 108½ (294.6 x 97.8 x 275.6)
7569806	5' 8" Retail food service cart	ACM	68 x 38½ x 108½ (172.7 x 97.8 x 275.6)
7569806W	5' 8" Retail food service cart	WCM	68 x 38½ x 108½ (172.7 x 97.8 x 275.6)
7569808	7' 8" Retail food service cart	ACM	92 x 38½ x 108½ (233.7 x 97.8 x 275.6)
7569808W	7' 8" Retail food service cart	WCM	92 x 38½ x 108½ (233.7 x 97.8 x 275.6)
75698010	9' 8" Retail food service cart	ACM	116 x 38½ x 108½ (294.6 x 97.8 x 275.6)
75698010W	9' 8" Retail food service cart	WCM	116 x 38½ x 108½ (294.6 x 97.8 x 275.6)

Mobile Carts from Vollrath



Vollrath's modular system allows you to create the cart you need. Choose from hundreds of color choices, and numerous features and merchandising options. Your vision and Vollrath carts will create a dynamic foodservice profit center. All within a budget that is affordable for any foodservice operation.

Key categories of carts available :

- Coffee
- Soup
- Condiment
- Retail Merchandising Style
- Cashier
- Handwashing Sinks
- Mobile Bars
- Beverage Tubs

SEE MORE AT vollrathco.com 

It's as simple as 1-2-3

1

First define your cart.
Choose from a wide variety of standard carts available. Shown is a base merchandising cart.



2

Add options and color. Shown is the vinyl graphic option. You can provide the artwork or we can help you design it. Options could include shelving and electric supply.



3

Add merchandising options. Canopies and signage complete the image you are looking for.



Voila!


Once you add your sellable items, you are ready for business. You will be amazed at the volume of customers professionally merchandised carts create!

Merchandising & Coffee Carts



Standard Features:


- Available in cost effective WCM (wood composite material) or durable ACM (aluminum composite material) Standard ACM carts are available in black, white, or silver. Standard WCM carts are available in Harvest Cherry, Natural Maple, Castle Oak, or Black
- Black toe kick or painted to match pre-painted white or silver ACM bases
- Open storage (server side)
- Heavy-duty casters
- 1" bumper (all sides)
- Polyform or laminate countertop (laminated color must be specified)



Modular Options:

- Heavy-duty paddle latch doors (qty. 2 for 6', qty. 5 for 8', qty. 6 for 10')
- Adjustable undercounter shelving
- Base color options - laminate (one color) on 3 sides, painted base (ACM construction only) - one color on 3 sides (back remains black)
- Wrap style canopy with two adjustable poles (color matching base)
- Aluminum tubular canopy (bulkhead) with two adjustable poles (powder coated - color specified)
- Signage for wrap-style and tubular canopy. Vinyl graphics (artwork provided by customer)
- Track lighting for canopies (Requires at least 120V 15 AMP service)
- 15 amp 120V electrical service (NEMA 5-15P)
- 20 amp 120V electrical service (NEMA 5-20P)
- 30 amp electrical service (NEMA #L14-30P)
- 60 amp electrical service (plug #460-12W)
- 100 amp electrical service (plug #4100P - 12W)
- Countertop grommet holes
- Umbrella

Receptacles



Item 75681 Coffee Cart shown with custom canopy and custom multi-color laminated base

ITEM	DESCRIPTION	CONSTRUCTION	DIMENSIONS: IN (CM) (L X W X H)
75674	6' Merchandising cart	ACM	72 x 32 x 38 (182.9 x 81.3 x 96.5)
75674W	6' Merchandising cart	WCM	72 x 32 x 38 (182.9 x 81.3 x 96.5)
75690	8' Merchandising cart	ACM	96 x 32 x 38 (243.8 x 81.3 x 96.5)
75674W	8' Merchandising cart	WCM	96 x 32 x 38 (243.8 x 81.3 x 96.5)
75675	10' Merchandising cart	ACM	120 x 32 x 38 (304.8 x 81.3 x 96.5)
75675W	10' Merchandising cart	WCM	120 x 32 x 38 (304.8 x 81.3 x 96.5)
75680	6' Coffee cart	ACM	72 x 32 x 38 (182.9 x 81.3 x 96.5)
75680W	6' Coffee cart	WCM	72 x 32 x 38 (182.9 x 81.3 x 96.5)
75681	8' Coffee cart	ACM	96 x 32 x 38 (243.8 x 81.3 x 96.5)
75681W	8' Coffee cart	WCM	96 x 32 x 38 (243.8 x 81.3 x 96.5)
75682	10' Coffee cart	ACM	120 x 32 x 38 (304.8 x 81.3 x 96.5)
75682W	10' Coffee cart	WCM	120 x 32 x 38 (304.8 x 81.3 x 96.5)



Item 75681 shown with modular options



Back view - Item 75681 shown with optional water system and refrigeration

Mobile Bars: Curved and Straight Style



Standard Features:

- All aluminum composite material construction (ACM)
- Standard black, white, or silver (specify)
- Matching toe kick
- Heavy-duty casters
- Open storage
- Built in polyform speed rails
- Polyform work and service counters
- Includes:
 - Vollrath 90082 full-size pan (qty.1 for 5', qty. 2 for 8')
 - Vollrath 93100 full-size pan cover (qty.1 for 5', qty. 2 for 8')
 - Vollrath 70100 full-size pan false bottom (qty.1 for 5', qty. 2 for 8')

Item 75685 shown with optional Formica Choco Figured Mahogany (#6933-43)



Modular Options:


- Base color option - laminate (one color) three sides
- Base color option - painted base (one color) three sides
- Base color option - digital graphics (artwork supplied by customer) three sides
- Adjustable black plastic undercounter shelving
- ACM wrap-style canopy with two adjustable poles (color matching base)
- Aluminum tubular canopy (bulkhead) with two adjustable poles (powder coated - color specified)
- Signage for wrap-style and tubular canopies
- Vinyl graphics on ACM (artwork provided by customer)
- Track lighting for tubular canopies (bulkhead) (Requires at least 120V 15 AMP service)
- 15 amp 120V electrical service (NEMA 5-15P)
- 20 amp 120V electrical service (NEMA 5-20P)
- 30 amp electrical service (NEMA L14-30P)
- 60 amp electrical service (MENNEKES ME460P12W)
- 100 amp electrical service (MENNEKES ME4100P12W)
- Countertop grommet holes
- Umbrella
- Stainless steel speed rail
- Bottle cap catcher/opener



98744-5



Back view - 98744-5 shown with optional stainless steel speed rail



ITEM	DESCRIPTION	DIMENSIONS: IN (CM) (L X W X H)
75683	5' Curved bar	60 x 33½ x 44 (152.4 x 85 x 112)
75685	8' Curved bar	94 x 45½ x 44 (238 x 115.6 x 112)
98744-5	5' Straight style bar package	61½ x 32¾ x 45 (156.2 x 83.2 x 114.3)



Painted units are safe for outdoor use

Note: Custom equipment orders cannot be cancelled or returned.




SEE MORE AT
vollrathco.com

Standard Hand Sink Cart

Standard Features:

- Available in cost effective WCM (wood composite material) or durable ACM (aluminum composite material). Standard ACM carts are available in black, white, or silver. Standard WCM carts are available in Harvest Cherry, Natural Maple, Castle Oak, or Black
- Black toe kick or painted to match pre-painted white or silver ACM bases
- Heavy-duty casters
- Open storage (front)
- Polyform countertop
- Heavy-duty paddle latch door
- Permanent counter-mounted water system including 5 gallon fresh water tank, 7½ gallon wastewater tank, 2½ gallon water heater, pump, and plumbing
- Choice of single, double, or triple bay sink
- 1" bumper (all sides)
- Matching backsplash
- 120V, 20 amp cord/plug, NEMA 5-20P

Receptacle



Item 75673 shown with modular options



Item 75671

Modular Options:

- 16" x 16" fold-down polyform shelf
- Base color options - laminate (one color) all sides, painted base (one color) all sides (ACM construction only), or digital graphics (artwork supplied by customer) all sides

ITEM	DESCRIPTION	CONSTRUCTION	DIMENSIONS: IN (CM) (L X W X H)
75671	Single bay hand sink cart	ACM	30 x 30 x 46 (76.2 x 76.2 x 116.8)
75671W	Single bay hand sink cart	WCM	30 x 30 x 46 (76.2 x 76.2 x 116.8)
75672	Double bay hand sink cart	ACM	42 x 30 x 46 (106.7 x 76.2 x 116.8)
75672W	Double bay hand sink cart	WCM	42 x 30 x 46 (106.7 x 76.2 x 116.8)
75673	Triple bay hand sink cart	ACM	42 x 30 x 46 (106.7 x 76.2 x 116.8)
75673W	Triple bay hand sink cart	WCM	42 x 30 x 46 (106.7 x 76.2 x 116.8)

Visit the Countertop Cooking Equipment and the Countertop Warming and Display sections for more equipment.



Hot Dog Roller
See page 2-20



Induction Ranges
See page 2-12



Display Cases
See page 3-3 to 3-6

ServeWell® Food Stations



ServeWell® stations offer innovative design in value-priced mobile serving equipment.

One piece thermoset well insulates and concentrates the heat into water bath

Dome elements transfer energy directly into water bath

Four guide holes per side for Breath Guard attachment

Equipped with standard 480W, 700W or 800W elements

Each well is equipped with a brass drain valve

Plate shelf and cutting board standard on hot food unit

8" wide cutting board

Stainless steel construction includes legs and undershelf

Shipped knockdown

Automatic thermostatic controls

3/8" thick cutting board

7 1/2" wide plate shelf

Standard adjustable stationary legs or optional caster set

Low-water indicator light eliminates guesswork


Standard 10' power cord

Low-Water Indicator Light

Brass Drain Valve

ServeWell® Hot Food Tables*

- Thermoset wells cannot pit or rust
- Recommended for use with up to 4" (10.2 cm) deep full or fractional size pans. Well depth is 6 1/4"
- Use standard adaptor plates and insets for serving flexibility
- **38099: Optional Caster Set has four 4" (10.2 cm) swivel wheels** — two with brakes



ITEM	DESCRIPTION	DIMENSIONS: IN (CM)	VOLTS**	WATTS PER WELL	WATTS TOTAL	ELECTRICAL SERVICE (A)	AMPS	PLUG
700W/120V								
38102	2-well hot food table	32 x 32 x 34 (81.3 x 81 x 86)	120V	700	1400	15	11.7	5-15P
38103	3-well hot food table	46 x 32 x 34 (116.8 x 81 x 86)	120V	700	2100	30	17.5	5-30P
38104	4-well hot food table	61 1/4 x 32 x 34 (155.6 x 81 x 86)	120V	700	2800	30	23.3	5-30P
38105	5-well hot food table	76 x 32 x 34 (193 x 81 x 86)	120V	700	3500	50	29.2	5-50P
480W/120V								
38002	2-well hot food table	32 x 32 x 34 (81.3 x 81 x 86)	120V	480	960	15	8	5-15P
38003	3-well hot food table	46 x 32 x 34 (116.8 x 81 x 86)	120V	480	1440	15	12	5-15P
38004	4-well hot food table	61 1/4 x 32 x 34 (155.6 x 81 x 86)	120V	480	1920	20	16	5-20P
38005	5-well hot food table	76 x 32 x 34 (193 x 81 x 86)	120V	480	2400	30	20	5-30P
600-800W/208-240V								
38116	2-well hot food table	32 x 32 x 34 (81.3 x 81 x 86)	208-240V	600-800	1200-1600	15	6.7	6-15P
38117	3-well hot food table	46 x 32 x 34 (116.8 x 81 x 86)	208-240V	600-800	1800-2400	15	10	6-15P
38118	4-well hot food table	61 1/4 x 32 x 34 (155.6 x 81 x 86)	208-240V	600-800	2400-3200	20	13.3	6-20P
38119	5-well hot food table	76 x 32 x 34 (193 x 81 x 86)	208-240V	600-800	3000-4000	30	16.6	6-30P

*Dedicated circuit may be required for higher currents **Single phase only

Note: ServeWell® Hot Food Table orders cannot be cancelled or returned.

ServeWell® Cold Food Tables



- Stainless steel body, shelf and legs
- Stainless steel 6" (15.2 cm) ice well with drain
- Accommodates full and fractional size steam table pans

ITEM	DESCRIPTION	WELL LENGTH: IN (CM)
38012	Two pan cold food table	24¾ (63)
38013	Three pan cold food table	37½ (95)
38014	Four pan cold food table	50¼ (128)
38015	Five pan cold food table	63 (160)

Note: Serwell® Cold Table orders cannot be cancelled or returned.



ServeWell® Accessories

Operator's side polyethylene cutting board standard on hot food tables*

Option: Fixed Plate Rests

Option: Caster Set: 4" (10.2 cm) swivel wheels with brakes

Option: Buffet Breath Guard†

Option: Work/Overshelf – Single or Double Deck (without acrylic panel)

Option: Single Deck Cafeteria Guard (with acrylic panel)

Note: Heat strips are not an option

Work/Single Overshelf without Acrylic Panel

ITEM	DESCRIPTION (L X W X H): IN (CM)
38042	32 x 10 x 13 (81.3 x 25.4 x 33)
38043	46 x 10 x 13 (116.8 x 25.4 x 33)
38044	61¼ x 10 x 13 (155.6 x 25.4 x 33)
38045	76 x 10 x 13 (193 x 25.4 x 33)

Double Deck Overshelf without Acrylic Panel

ITEM	DESCRIPTION (L X W X H): IN (CM)
38032	32 x 10 x 26 (81.3 x 25.4 x 66)
38033	46 x 10 x 26 (116.8 x 25.4 x 66)
38034	61¼ x 10 x 26 (155.6 x 25.4 x 66)
38035	76 x 10 x 26 (193 x 25.4 x 66)

Single Deck Cafeteria Guards with Acrylic Panel

ITEM	DESCRIPTION (L X W X H): IN (CM)
38052	32 x 10 x 13 (81.3 x 25.4 x 33)
38053	46 x 10 x 13 (116.8 x 25.4 x 33)
38054	61¼ x 10 x 13 (155.6 x 25.4 x 33)
38055	76 x 10 x 13 (193 x 25.4 x 33)

Optional Customer Side Poly Cutting Boards with Mounting Kit^②

ITEM	DESCRIPTION (L X W X H): IN (CM)
38072	32 x 8 x 1 (81.3 x 20.3 x 2.5)
38073	46 x 8 x 1 (116.8 x 20.3 x 2.5)
38074	61¼ x 8 x 1 (155.6 x 20.3 x 2.5)
38075	76 x 8 x 1 (193 x 20.3 x 2.5)

Buffet Breath Guards^①

ITEM	DESCRIPTION (L X W X H): IN (CM)
38062	32 x 35⅝ x 23½ (81.3 x 89.8 x 59.7)
38063	46 x 35⅝ x 23½ (116.8 x 89.8 x 59.7)
38064	61¼ x 35⅝ x 23½ (155.6 x 89.8 x 59.7)
38065	76 x 35⅝ x 23½ (193 x 89.8 x 59.7)

①For units only with 4 guide holes per side

Plate Rests

ITEM	DESCRIPTION (L X W X H): IN (CM)
38092	32 x 8 x 1 (81.3 x 20.3 x 2.5)
38093	46 x 8 x 1 (116.8 x 20.3 x 2.5)
38094	61¼ x 8 x 1 (155.6 x 20.3 x 2.5)
38095	76 x 8 x 1 (193 x 20.3 x 2.5)

Caster Sets

ITEM	DESCRIPTION
38099	4" caster set, two w/brakes
3809934	4" caster set, two w/brakes, ADA HT

②Replacement part


ServeWell® SL Hot Food Tables

ServeWell® SL hot food tables are streamlined versions of the original, providing incredible value, with the rugged performance you've grown to expect. We build each ServeWell® SL unit with heavy-gauge stainless steel and engineer the body, legs and base for strength and durability.



- Designed to hold heated prepared foods at temperatures above the HACCP "danger zone" of 140°F (60°C)
- Accept full-size or fractional pans to 4" (10.2 cm) deep, and can be used with standard adaptor plates and insets for serving flexibility
- Thermoset Fiber-Reinforced Resin Wells are self-insulating and maximum energy efficiency – will not rust or pit
- Thermostatic Heat Controls - automatically adjust for water temperature and food volume changes to reduce food waste
- Low-water Indicator Light - eliminates guesswork
- Dome Heating Elements - use up to 25% less energy and concentrate energy into the wells
- Non-stick surface on heating elements prevents scale build-up for easy cleaning and longer operating life
- 6¼" (15.875cm) wide x ⅝" (9.5mm) thick polyethylene NSF-approved cutting board optional
- 10 ft (3 meters) power cord bottom-mounted
- Standard adjustable stationary legs or optional caster set
- Shipped knocked down
- Optional casters - **38099**

Receptacle Configurations



ITEM	DESCRIPTION	DIMENSIONS: IN (CM)	VOLTS**	WATTS PER WELL	WATTS TOTAL	ELECTRICAL SERVICE (A)	AMPS	PLUG
480W/120V								
38203	3-well	46 x 29½ x 34 (116.8 x 74.9 x 86)	120V	480	1440	15	12	5-15P
38204	4-well	61¼ x 29½ x 34 (155.6 x 74.9 x 86)	120V	480	1920	20	16	5-20P
38205	5-well	76 x 29½ x 34 (193 x 74.9 x 86)	120V	480	2400	30	20	5-30P
700W/120V								
38213	3-well	46 x 29½ x 34 (116.8 x 74.9 x 86)	120V	700	2100	30	17.5	5-30P
38214	4-well	61¼ x 29½ x 34 (155.6 x 74.9 x 86)	120V	700	2800	30	23.3	5-30P
38215	5-well	76 x 29½ x 34 (193 x 74.9 x 86)	120V	700	3500	50	29.2	5-50P
600-800W/208-240V								
38217	3-well	46 x 29½ x 34 (116.8 x 74.9 x 86)	208-240V	600-800	1800-2400	15	10	6-15P
38218	4-well	61¼ x 29½ x 34 (155.6 x 74.9 x 86)	208-240V	600-800	2400-3200	20	13.3	6-20P
38219	5-well	76 x 29½ x 34 (193 x 74.9 x 86)	208-240V	600-800	3000-4000	30	16.6	6-30P
CUTTING BOARDS								
2342901	Cutting board	46½ x 6¼ (118.1 x 15.875)	—	—	—	—	—	—
2343101	Cutting board	61¼ x 6¼ (155.6 x 15.875)	—	—	—	—	—	—
2343201	Cutting board	76 x 6¼ (193 x 15.875)	—	—	—	—	—	—
CASTER SET								
38099	Caster set, 4" (10.2 cm) swivel wheels, two with brakes	—	—	—	—	—	—	—

Notes: Dedicated circuit may be required for higher currents.

Note: ServeWell® Hot Food Table orders cannot be cancelled or returned.

Why Food Service Professionals Love Vollrath Carts and Kiosks.



"We had such an amazing working relationship with the staff at Vollrath and the end result is a true "work of art" for my district. The whole senior high community LOVES the new "Poolside" Cafe. We have been able to expand our daily entree choices, adding sushi, panini's, eggrolls, salad boxes and more."

Carrie Bonacci
Food Services
Liverpool High School



"The staff at Vollrath was critical in managing the details that made our "Connections" Coffee Kiosk a huge success. We found the designers and sales representatives easy to work with and they had the experience to give significant direction and suggestions. Both from an aesthetic and functional perspective, the end product is top-of-the-line."

Mike Ciske
Food Service Director
Fox Valley Technical College



"Working with Vollrath over the last two years has been most impressive. Making us happy was the most important part of their journey. In the end, a state of the art Chef's Exhibition and Soup Station was created. We have seen double-digit increases in revenue for 18 months in a row."

Michael Farsace, CDM, CFPP
Director of Food and Nutrition
Monroe Community Hospital



"When we needed more space and menu options for our student center café, the Vollrath representative was very responsive and helped us cumulate our ideas into a working design for our new Cougar's Den Café, including the Corsair line-up and Vollrath countertop equipment. Our sales are more than we anticipated from this location."

Ed Plunkett
General Manager
Sodexo Campus Services
Colorado Christian University



"In the foodservice business, Vollrath represents quality and workmanship. We recently renovated our High School Café and they worked with us from the design phase to the installation phase. The partnership we established and the unique design exceeded our expectations!"

Dawn Smith
Director of Food and Nutrition
School District of Beloit